UNITED STATES NAVAL OBSERVATORY CIRCULAR NO. 171

U. S. Naval Observatory, Washington, D. C. 20392

February 19, 1987

Computer Programs for Sun and Moon Illuminance
With Contingent Tables and Diagrams

by

P. M. Janiczek and J. A. DeYoung



Approved for public releases

Distribution Unlimited

Computer Programs for Sun and Moon Illuminance With Contingent Tables and Diagrams

by

P. M. Janiczek and J. A. DeYoung

Nautical Almanac Office

U. S. Naval Observatory

Washington, D. C.

CONTENTS

Introd	luction		1		
Sectio	n:		,		
I	Description of Terms				
II	Computer Programs		10		
	The FORTRAN Program		16		
	The BASIC Program for Computer	s	25		
	The BASIC Routine for Programmable Calculator				
III	Contingent Tables and Diagrams		40		
	Table 1 Sun Meridian Passage In	ncrement and Declination	50		
	Table 2		52		
	Table 3 Longitude, Time Adjustments				
	Altitude, Azimuth Diagr. ns	_	70		
	Sun Illuminance Diagram	(B210	103		
	Moon Illuminance Diagrams	Mesecreo	104		
Appen	dices:	Accesion For			
A	Geographic Coordinates	NTIS CRA&I	106		
В	Illuminance	Unannounced Justification	129		
		Ву			
		Distribution /			
		Availability Codes Avail ard/or			
		Dist Special			
		A-1			

INTRODUCTION

There is an ever increasing need for quantitative information concerning everyday astronomical events as they affect the range of private, civil and military activities. The information most needed is usually one or a combination of the following:

- 1. rise and set times of the Sun and Moon,
- 2. beginning and ending times of twilight,
- 3. total number of daylight hours,
- 4. maximum height of the Sun or Moon above the horizon with corresponding time of occurrence,
- 5. at specific instants, the angular distance of the Sun or Moon from the horizon and from a cardinal direction,
- 6. the amount of natural light at a designated time of day or night.

These data not only may differ from day to day (continuously in the case of 5. and 6.), but also differ appreciably as experienced at one place on the Earth as opposed to another, even at the same instant.

Despite the calculational complexities mplied, it is possible not only to satisfy the needs for all such data in a straightforward way, but also to piace appropriate tools for producing the data directly into the hands of those who need it. This publication is intended for a large number of people who have requirements for the type of data listed, but whose education has placed no special emphasis on astronomy. In what follows there are the means for calculating the needed information either by one of the self-contained computer routines provided, or by use of tables, diagrams (also included) and simple arithmetic. There is no requirement to understand the theory of the calculations; and the mathematical development is not given. To properly specify the quantities required by the calculations and to properly interpret the results however, the associated terminology should be familiar. Section I, therefore, is a list and discussion of terms.

Electronic computing has steadily become more accessible and inexpensive. Accordingly, three versions of a self-contained computing routine are described and provided in Section II. The first is a FORTRAN program for use with a variety of personal (and larger) computers for which FORTRAN compilers are available. A version in BASIC is provided to use with personal computers for which that programming language is appropriate. A third program, also in BASIC (but in a separate dialect) is given. It was designed for so-called pocket computers and powerful, programmable calculators which incorporate BASIC interpreters. For successful implementation of a computer routine, the user must learn how to use the specific device and must satisfy the syntax requirements of its compiler or interpreter.

Use of a computing device is not always possible. But it is possible to obtain the same data, at least for the Sun, from the tables and diagrams which are included here, with instructions, as Section III.

The methods used to construct the tables, graphs and computer codes are approximate and give times of events to the nearest minute and angles to the nearest degree. At latitudes less than 60 degrees, the output of the computer routines should agree with more refined calculations to within one or two minutes of time. The tables may be expected to give less precise times (up to four minutes in certain cases) on account of those compromises in their construction which maintain simplicity. At extreme North and South latitudes more exacting calculations are generally necessary to achieve one minute of time precision; and in comparisons, the computer routines provided here produced errors of up to four minutes and, in one case, failed to find a phenomenon altogether. Although it is possible to improve the precision of both the computer procedure and the tables, the improvements are not justified for several reasons:

- the price to be paid would be much larger, slower computer code in the first instance, and a lengthy, complex table look-up and calculation process in the second;
- 2. the user would be required to specify geographic coordinates and the instantaneous orientation of the Earth in space, define the actual terrain and measure atmospheric parameters to an accuracy that is not attainable except in extraordinary circumstances;
- 3. rising, setting and twilight are always physically uncertain to some extent, and definitely so at extreme latitudes;
- 4. a critical examination of the conduct of any human activity almost always demonstrates that very precise times of astronomical events and precise light levels are simply not needed.

The computer and tabular procedures were designed to be valid for the 30 year period beginning at 1985. If used beyond this interval, the degradation in precision will be gradual but definite.

SECTION I

Description of Terms

This section is meant to be read from the beginning. Terms are introduced as needed or as they occur; consequently, they are not in alphabetical order.

Merldlan: At any point on the Earth one might imagine a line that passes through that point and meets the North and South poles. Such a line, known as the meridian, also intersects the Earth's equator at right angles. Any point on the Earth has only one meridian, but each meridian passes through many points.

Latitude, Longitude: In order to unambiguously specify the location of a point on the Earth, two numbers (called coordinates) are needed. One of the numbers is the latitude, or the distance of the point from the equator. Latitude is expressed as an angle and measured northward or southward from zero degrees at the equator, along the meridian of the point, to the point itself. The other required number is the longitude, which is the distance of the meridian of the point from a reference (prime) meridian. Longitude is also expressed as an angle, and it is measured eastward or westward, from the prime meridian which passes through Greenwich, England, to the meridian of the point of interest. In this system of coordinates, the maximum possible latitudes are 90 degrees North, which is the position of the North Pole, and 90 degrees South, which corresponds to the South Pole. At 180 degrees West or East of the prime meridian is the International Date Line (certain parts of the Date Line depart from 180 degrees in order to accommodate geographic boundaries) and 180 degrees is the maximum value (limit) of longitude. See Figure 1.

The latitude and longitude of a place must be known in order to use the materials in the next two sections. There are many sources for coordinates. For example, an atlas or gazetteer is a convenient reference. Survey records as well as maps and charts issued by governments are usually obtainable. Coordinates may be obtained directly from various navigation systems now in use; certainly during long distance travel in open ocean the navigation-determined position is the only source. Appendix A to this publication lists coordinates for many locations in the United States. The user should be aware that the conventional manner of stating coordinates is degrees, minutes (and sometimes also seconds) of arc. For computer input degrees and decimals of a degree is the more convenient form.

Date, Time: The complete statement of an event such as sunset or an instantaneous position such as the altitude of the moon, relative to a location on the Earth, must include the date (year, month, day) and time of day. Specification of the date (in the Gregorian Calendar) poses no special problem; but one complication may arise and it will be discussed below. The time of day may be stated in several ways. Local Mean Time, although not an everyday term, arises naturally during the




Figure 1 -- In this representation of the Earth, the North and South poles are at N and S, the equator is denoted by the arc WABE and the center of the Earth is at point O. Arc NCAS is the Local Meridian of the point C on the surface of the Earth; arc NBS is the Prime Meridian. Arc AC is the latitude of point C and is equal to the angle between the lines OC and OA. Arc BA is the longitude of point C and equal to the angle between the lines OB and OA.

procedures of Sections II and III. It is a measure of time referred to the meridian of the location of interest. As such, it is an isolated time measure of no importance to any other meridian. Times which are the input and output quantities of the computer routines may be expressed as Local Mean Time at the users discretion.

The most widely used system of specifying time is that of Zone Time or Standard Time. In that system, the Earth's 360 degree circumference is divided into 24 zones; and at all locations within each zone, all clocks are set to the same hour and minute. From any zone to the next adjacent zone, the Standard Time differs by exactly one hour. The geometrically obvious method for dividing the Earth into 24 zones is to place the boundaries at integral multiples of 15 degrees in longitude. In practice, the limits are established by considerations of commerce, transportation and political boundaries. On a global scale, the departures from uniform 15 degree divisions are small, and the methods of the next two sections provide for time adjustments based on zones that are exactly 15 degrees apart. An additional practical complication for the Standard Time zone system is a seasonal one in which the legal time for a political entity may be temporarily advanced by one or more hours. The dates of the year when these periods are in effect vary among the countries of the world which use such Daylight (Savings) or Summer Time and no general guidelines can be given for converting to and from Standard Time, except to note the necessity for the user to maintain awareness.

Universal Time, equivalent to the previously used Greenwich Mean Time for ordinary purposes, is the time kept on the Greenwich meridian -- at zero degrees longitude. It is widely used elsewhere, especially for purposes of long distance communication, since it avoids questions of zone boundaries and advanced time. The computer routines of Section II incorporate provisions for the use of Universal Time, under control of the user, and a table is given in Section III for adjusting among Mean, Zone and Universal Time systems for calculations without a computer.

When the longitudes of two places differ considerably and Universal Time is used, it is convenient to maintain time in a 24 hour notation, as it eliminates the suffix A.M. or P.M. from calculations and thereby reduces the chance for blunders. In the 24 hour notation, which maintains its advantage when computing with zone or mean time, the hours from midnight beginning the day until noon are the same as ordinary clock time. From noon until the end of the day, the hours are denoted by the numerals 12 through 23. When this system is used, the minutes part of the hour are appended to the hour to form a 4 digit number, without a colon separating the two. Thus, for example, 8:15 A.M. is written 0815 and 9:47 P.M. becomes 2147. The advantages of the 24 hours notation are so great that it is used throughout the remainder of this publication.

When the end result of calculation by the methods of the next sections produce one or more times exceeding 24 hours, the time or times may be adjusted by 24 nours provided the calendar date is advanced by one day. The computer reutines should never yield negative times, but the calculations of Section III may. In those cases, 24 hours may be added to make the times positive, provided the calendar date is also retarded by one day.

Meridian Passage: For any specific meridian, the Sun will cross it at some instant during the course of a day. Put another way, at any arbitrary time during a day, the Sun is crossing some meridian of the Earth. These statements are true even for arctic regions where the Sun may not be visible for months. Generally, the same statements may be made for the Moon. However, about once per month the Moon may cross a particular meridian a little before the midnight beginning a day and again a little past the midnight beginning the next day, so that there is no crossing on the day itself. Neither the Sun nor the Moon cross any specific meridian at exactly the same time every day; but since the crossings are significant in several applications, the times of occurrence may be calculated. The time when the Sun or Moon crosses the meridian of a place is designated meridian passage.

Herizon: Wherever one is located on the surface of the Earth, the Earth in the immediate vicinity appears essentially as a flat plane, while the sky appears much like the interior of a sphere or dome. The horizon is the intersection of the sky with the plane and appears to be a large circle with its center at the observer, just as the sky appears as one-half of a large sphere also centered at the observer.

RIse, Set: During the course of a day the Earth rotates once on its axis causing the phenomena of rising and setting. All celestial bodies, stars and planets included, seem to appear in the sky at the horizon to the East of any particular place, then to cross the sky and again disappear at the horizon to the West. The most noticeable of these events, and the most significant in regard to ordinary affairs, are the rising and setting of the Sun and Moon. Because the Sun and Moon appear as circular disks and not as points of light, a definition of rise or set must be very specific, for not all of either body is seen to rise or set at once; and the quantitative information that is usually required is the time at which a rise or set occurs. Therefore, sunrise and sunset are considered to occur when the upper edge of the disk of the Sun appears to be exactly on the horizon. The same statement applies to the Moon.

The times of rising and setting produced by the methods in this publication refer to the upper edge of the Sun or Moon. In addition, the computed times are for a horizon that is unobstructed relative to the location of interest, the atmospheric conditions are average and the location is in a level region on the Earth's surface.

For points on the Earth North of the Arctic Circle and South of the Antarctic Circle, rising and setting do not occur at an unbroken daily interval. There are days when the Sun and Moon do not rise or do not set. In limiting cases during the solar year, and during the lunar month, rising and setting are physically uncertain at such extreme latitudes.

Length of the Day: The total number of hours of daylight refers to the interval from the moment of sunrise until that of sunset. The meaning of the expression length of the day is somewhat arbitrary since there is some indirect sunlight available before sunrise and after sunset. Associating the length of the day with the discrete events of rise and set permits a definite measure of time to be assigned to the interval of daylight.

Twillght: Before sunrise and again after sunset there are periods of time, twilight, during which there is natural light provided by the upper atmosphere, which scatters sunlight. Some outdoor activities may be conducted without artificial illumination during these periods, and it is useful to have some means to set limits beyond which a certain activity must be assisted by artificial lighting if possible or, if not, then terminated. The major determinant of the amount of natural light during twilight is the atmosphere. Nevertheless, it is possible to establish useful though necessarily approximate limits applicable to large classes of activities by considering only the position of the Sun below the local horizon. Several arbitrary but reasonable definitions have evolved. Thus, civil twilight begins in the morning and ends at sunrise or begins at sunset and ends in the evening when the Sun is geometrically six degrees below the local horizon. Before morning civil twilight and after evening civil twilight, artificial illumination is ordinarily required. Nautical twilight begins in the morning and ends in the evening when the Sun is geometrically 12 degrees below the horizon. As the name implies, the principal use of the term nautical twilight is in navigational astronomy, and during the intervals between civil twilight and nautical twilight the brightest stars are visible and the sea horizon is clearly defined. Before morning nautical twilight and after evening nautical twilight the horizon is generally not visible and cannot be used as a reference without aided vision. Astronomical twilight begins and ends when the Sun is geometrically 18 degrees below the horizon. It is of significance principally in observational astronomy and indicates those times when scattered Sunlight on a horizontal surface becomes approximately equivalent to the light of the night sky. Times of civil and nautical twilight are provided by the computer routines in Section II and from the tables of Section III. The amount of available light during twilight is so greatly dependent upon the atmosphere, and especially upon cloudiness and haze, that only the most conservative approach to interpreting the times of twilight is justified when considering outdoor activity.

Altitude: As in the case of a position on the Earth, two coordinates are required to specify the position of an object on the sky. For convenience, one coordinate is measured in the sky and is known as altitude (in some applied sciences it is called elevation). The other coordinate is measured along the horizon on the plane of the observer, which is the other "half" of the observer's " universe." From the point that is directly above the location of interest (position of the observer) an arc (curved line) may be drawn through the point occupied by the object in the sky and extended to the horizon. The arc meets the horizon at a 90 degree angle and

is, therefore, perpendicular to the horizon. The altitude is an angle measured along the arc from the point where the arc meets the horizon, upward to the point occupied by the celestial object. The maximum altitude that an object may possibly have is 90 degrees, when it is directly above the geographic point of interest, and the object is then said to be "in the zenith." When meridian passage of an object occurs, the altitude is (or is nearly) a maximum (not usually 90 deg.) and the altitude at that instant takes on special significance to navigation and surveying. The Sun's altitude at meridian passage also has special interest in solar energy studies. See Figure 2.

Azlmuth: On the horizon plane of an observer, or at some other location of interest, the meridian provides a North, South reference line. It may be thought of as a straight line extending from the observation point to true North (or South). Another straight line may be imagined to connect the observation point to the point on the horizon from which altitude is measured. The angle between these two lines is called the azimuth (of the object in the sky). The angle is measured along the horizon from North (zero degrees) toward East (90 degrees), and completes 360 degrees around the entire horizon. Azimuth, with altitude, allows the complete specification of a point or object in the sky, relative to a point or location on the Earth. See Figure 2.

Illuminance: This term may be defined as the flux received on a unit area of a surface. Flux is defined as the amount of radiation in '. unit of time, usually the second. In the context of this publication, the definitions require qualification. Here, we refer to radiation only in the visible portion of the electromagnetic spectrum; that is, radiation capable of stimulating the human sense of sight. The illuminance calculated within the computer routines, and exhibited graphically in Section III, refers to visible natural light only. Further, the light of the sky is included and, therefore, the sea level, horizontal surface is assumed to be exposed to all parts of the sky. In ordinary terms then, illuminance is the amount of natural light reaching the surface of the Earth. The illuminance is given in lux, or lumens per square meter. The older term foot-candle may be more familiar to some, and to obtain illuminance in foot-candles, divide the quantity given in lux by 10.764. In addition to the restrictions already mentioned, the condition of the atmosphere modifies the illuminance to a considerable degree. This is accommodated in a rough way by the computer routines and graphs. At the user's option, the values of illuminance are divided by the numbers assigned to the conditions stated:

- 1 Average clear sky, less than 70 percent covered by (scattered) clouds; the direct rays of the Sun or Moon are unobstructed relative to the location of interest.
- 2 The Sun or Moon easily visible but direct rays obstructed by thin clouds.
- 3 The direct rays of the Sun or Moon are obstructed by average clouds.
- 10 Dark stratus clouds cover the entire sky.

The recommended approach to interpreting calculated illuminance is to consider the numbers as threshold values which, without additional knowledge, determine only whether a particular activity should not be planned or carried out. Even simple questions such as driving without headlamps, or detecting and identifying distant objects cannot be completely decided by knowledge of the illuminance alone. Other information specific to the illuminated surfaces, the nature of the activity, the conditions of vision, and other immediate circumstances must be included in planning and decision making processes.

The value of the illuminance calculated by the computer routines may appear in the output as a number with as many as 10 digits. Only the first two digits are significant, the remainder are necessary to accommodate the extreme variability of the illuminance - 124000 lux to .0005 lux.

Calculation of illuminance is described in more detail in Appendix B.

Percent of the Moon Illuminated: Considering the Moon as a circular disk, the ratio of its illuminated area to its total area is the fraction illuminated. The percent illuminated is the same number multiplied by 100. At New Moon the percent illuminated is 0; it is 50 at First and Last Quarters, and 100 at Full Moon. Percent of the Moon illuminated is produced by the computer routines; but independently of the fraction or percent illuminated, the amount of light provided by the Moon may vary by a factor of 300, depending upon the Moon's altitude above the horizon. The percentage illuminated, therefore, is of value principally during the initial stages of planning, preferably when it is available in the form of a daily or half-daily tabulation.




Figure 2 -- C is a point on the Earth's surface. The horizon plane, centered at C, is represented by ENDWS. The sky is shown by the arcs EZW and ZPD. The point directly overhead at C is the zenith (Z) and the direction of the vertical at C is CZ. P is the position of the Sun or Moon with direction CP as seen from C. The altitude of P is arc DP on the sky and equal to the angle between the lines CP and CD. Azimuth is the angle measured from line CN, positive eastward on the horizon plane, to line CD.

SECTION II

Computer Programs

The purpose of this section is to provide three self-contained routines for use with computers and powerful programmable calculators. The first is a FORTRAN code which was tested by compiling and executing on a large so-called main-frame computer, and with no changes, on two personal computers of different manufacture. The second version of the code is written in BASIC and was tested on three personal computers of different manufacture without modification, and two additional devices after some revisions. The third routine, again in BASIC, was written and tested on a scientific programmable calculator.

Despite the number and variety of computing devices now available, the FORTRAN and BASIC languages have much in common from one system to another. Differences among compilers and interpreters do exist in addition to machine architecture differences, however. For that reason, the computer codes given on the following pages have been kept simple and have not been optimized. In adapting them to one particular device or another, any required changes should be simple and straightforward (syntax, for example). Nevertheless, the burden of m-king the routines workable necessarily belongs to the user and the Naval Obser atory cannot undertake to advise anyone concerning computers, software systems or alterations to the routines.

The design goal for the computer routines was 0.5 degrees in angle and, consequently, two minutes of time. Rounding of numbers may cause discrepencies larger than these amounts in some cases. A realistic interpretation of the angles and times which are the output would be to take the last digit as uncertain by one unit. Illuminance is given in lux (lumens per square meter), formally accurate to one or two digits. There are situations in which the calculated illuminance differs from the real light level by a factor of 10 or more, depending on the local atmospheric circumstances. The illuminated fraction of the Moon is independent of Earth's atmosphere, but approximations in the formulas for calculating it may produce errors of 1 or 2 units in the computed quantity.

There are characteristics common to the operation (use) of all three routines and they are, therefore, given here. Notes concerning a particular routine are provided with the routine.

The operation (execution) of the programs is primarily interactive. The programs prompt the user by displaying key words and phrases.

Dialog is initiated by the programs by requesting the longitude and latitude.

These coordinates must be specified by the user as degrees and decimals. Although

it is possible to enter more precise values, accuracy of the programs is such that degrees and tenths are more than adequate.

Longitude must be entered as a positive number if East of the prime meridian and a negative number if West. North latitude is entered as a positive number and South latitude entered as a negative number.

Year, month and day are next requested. These are entered sequentially in order to provide flexibility to the programs. Their format is obvious from Figure 3 which shows a complete example (using the FORTRAN version).

The system of time measurement wanted by the user is then requested. The selection is to be specified by the user by entering one digit in response. It is important to remember that the next input after selecting the time system, and even the date itself, must be expressed in the selected system. Furthermore, all output quantities will be in the selected time system.

When the program prompts the user for time of day, it should be entered in the 24 hour clock scheme, as described in the Introduction.

With time of day entered as a positive number, the program will ask for an estimate of the sky condition. Reference should be made to the discussion of illuminance in the Introduction for an explanation. The number given by the user to the computer at this point will divide calculated illuminance before it appears as output.

Following the sky condition prompt and response, the program provides the following, for the desired time and relative to the specified location:

Sun's azimuth, altitude, illuminance
Moon's azimuth, altitude, illuminance
Percent of the Moon illuminated (phase)
Total (Sun + Moon + night sky background) illuminance

As an alternative to specifying the time, any negative number may be entered. If, instead of entering a time of day, the user enters a negative number, the program provides 13 quantities relative to the Sun and Moon for the date and place specified. These are shown in Figure 3 following the entry of a "negative" time. Figure 3 is the record of an actual computer run and may be used as a test case during installation of the programs. Additional test cases are provided by Table A to assist with verification of program performance.

Special Cases

1. At high northern or southern latitudes some events may not always occur. The Moon may remain above or below the horizon for more than one day. The Sun may remain above or below the horizon for months; and, during that period, twilight may not occur, or it may last for long periods of time. When these conditions prevail, one or more lines of output will be missing from the computer output. The user may determine the significance of the missing information by examining the altitude of

```
INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END)
-4.0
INPUT LATITUDE (DEG.)
58.0
INPUT YEAR (YYYY), NUMERAL
1987
INPUT MONTH (MM), NUMERAL
INPUT DAY (DD), NUMERAL
?
11
INPUT TIME ZONE SELECTION
    0 => TIME IS UT (GMT)
    1 => TIME IS STANDARD (ZONE) TIME
    2 => TIME IS LOCAL MEAN TIME
?
0
INPUT TIME OF DAY AS HOURS AND MINUTES OF 24 HOUR CLOCK (HHMM), OR
INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA (RISE/SET, ETC.), OR
INPUT NULL LINE TO END
?
2215
INPUT SKY CONDITION
    1 => SUN/MOON VISIBLE, SKY < 70% OVERCAST
    2 => SUN/MOON OBSCURED BY THIN CLOUDS
    3 => SUN/MOON OBSCURED BY AVERAGE CLOUDS
    10 => SUN/MOON OBSCURED BY DARK STRATUS CLOUDS (RARE)
?
   -4.0 DEG LONGITUDE, 50.0 DEG LATITUDE
AT
DATA FOR 1987, MONTH 5, DAY 11, AT 2215 HOURS
SOLAR AZIMUTH (DEG.)
                                   332
                                   -10
SOLAR ALTITUDE (DEG.)
                                    0.0278
SOLAR ILLUMINANCE (LUX)
LUNAR AZIMUTH (DEG.)
                                   172
LUNAR ALTITUDE (DEG.)
                                   18
LUNAR ILLUMINANCE (LUX)
                                    0.0317
 ( 97% OF MOON IS ILLUMINATED)
TOTAL ILLUMINANCE (LUX)
                                    0.0600
```

EXECUTION BEGINS...

Figure 3 -- Interactive Input, Output (FORTRAN).

INPUT TIME OF DAY AS HOURS AND MINUTES OF 24 HOUR CLOCK (HHMM), OR INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA (RISE/SET, ETC.), OR INPUT NULL LINE TO END ? -1 AT -4.0 DEG LONGITUDE, 58.0 DEG LATITUDE DATA FOR 1987, MONTH 5, DAY 11 TIME OF SOLAR MERIDIAN PASSAGE 1212 ALTITUDE AT MERIDIAN PASSAGE (DEG.) 50 TIME OF SUNRISE 0402 TIME OF SUNSET 2025 TOTAL HOURS AND MINUTES OF DAYLIGHT 1623 TIME BEGINNING CIVIL TWILIGHT 0309 TIME ENDING CIVIL TWILIGHT 2118 TIME BEGINNING NAUTICAL TWILIGHT 2144 TIME ENDING MAUTICAL TWILIGHT 2246 TIME OF LUNAR MERIDIAN PASSAGE 2248 ALTITUDE AT MERIDIAN PASSAGE (DEG.) 18 TIME OF MOONRISE 1757 0318 TIME OF MOONSET

INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END)

Figure 3 -- continued.

the Sun or Moon at meridian passage using the following scheme:

missing output:	alt. at mer. pass:	signifies:
rise/set	positive negative	body continuously above horizon body continuously below horizon
civil twilight	Sun alt6 deg. or greater Sun alt. less than -6 deg.	twilight lasts all night civil twilight does not occur
nautical twilight	Sun alt12 deg. or greater Sun alt. less than -12 deg.	twilight lasts all night darkness exceeds 24 hours

Since the Earth and Moon are in continuous motion, the program tests are not infallible at extremes of latitude. For limiting cases, the calculations may deviate in the sense that predicted events may not actually take place. Or, they may occur when the program tests indicate their absence. More exacting calculations are possible, but the improvement in reliability and accuracy is marginal for the plain reason that physical conditions at the extreme latitudes render the actual occurrence of events uncertain. Also, this may be easily seen by reference to the graphs of Section III where, for example, at latitudes above 65 degrees, the track of the Sun is seen to intersect the horizon at very shallow angles during certain times of the year.

- 2. About once per month at any latitude, there will be a 24 hour day during which the Moon does not cross the meridian. In this case, the Moon's meridian passage will appear in the program output with a time greater than 24 hours. This is normal and merely signifies that the next meridian passage after the beginning of a day will be on the following day. Moonrise and moonset may also appear with times exceeding 24 hours. These are also normal events, with a period of about one lunar month, and can occur at any latitude.
- 3. At high latitudes, the Moon may rise or set twice in one day. These are very infrequent events and the computer program will produce only one of the double phenomena.
- 4. Occasionally, a time of an event may appear with the minutes part e₂₀, 1 to 60 (cg., 1060). Program code to avoid this possibility was deliberately omitted, as the significance of such numbers is obvious (1060=1100).
- 5. For some purposes it may be necessary to have the times of events expressed both in a local Zone Time and in Universal Time. The computer routines may be used to compute the times in both systems. Some results, when compared, may appear discordant, however. For an illustration, consider the beginning and end of nautical twilight computed for 1986 September 13 at longitude 77 deg. West and latitude 39 deg. North. With Zone Time specified, the results are 0449 and 1918. With UT specified, the results are 0949 and 0020. It is known that the Zone Time differs from UT by exactly 5 hours, and it is perfectly correct to add 5 hours to the Zone Time to obtain the UT times. Adding 5 hours to the Zone Times of the events produces 0949 and 2418. The second number exceeds 24 hours and can be written 0018 provided the date is increased by one day. It is also correct procedure to subtract 5 hours from the UT times to obtain the Zone Times. The results are then 0949-0500 = 0449; and 0020-0500 = -0440, or 1920 provided the date is retarded by one day. The results are collected in the following scheme for time ending nautical twilight:

September:	12	13	14
Zone Time:	1920	1918	
Universal Time:		0020	0018

It is seen that, for September 13, the computer programs have given results that do not refer to the same, identical event. Once a date is specified within the computer programs, it is invariant and the programs will not change it. The date is also that date associated with the time reference meridian specified by the time zone parameter which is entered by the user. Clearly, the proper interpretation of the data shown above is that the times computed for events depend upon the date which is kept at the reference meridian of the specified time zone. As a result, computed times of events which do not agree after adjustment for longitude difference may both be correct; each within its own frame of date and time measurement, but each referring to a separate event. In the illustration, the

end of nautical twilight for the given location on September 13, occurred at 1918 when reckoned according to date and time on the 75th meridian (September 14 at 0018 for date and time on the prime meridian). When reckoned according to date and time of the prime meridian it occurred on September 13 at 0020 (Sept. 12 at 1920 for date and time on the 75th meridian).

Table A, Test Cases for Program Certification

	I	II	III	IV	V	VI	VII
Longitude	+35.5	-150	-135.8	+180	+180	0	+39.5
Latitude	+46.0	+ 45	- 23.4	+ 70	+ 70	-68	+21.3
Year	1986	1986	1986	1987	1987	1988	1988
Month	7	9	12	2	2	1	8
Day	3	28	18	19	19	1	13
Zone	1	1	0	2	0	0	2
Hour	-1	- 3	2100	- 9	-1	-2	- 3
Sky			1				
Sun merid. pass.	1142	1151		1214	0014	1203	1205
Alt. at m.p.	67	43		9	9	45	83
Sunrise	0352	0554		0819	2014		0538
Sunset	1932	1746		1610	0410		1831
Tot. daylight	1540	1152		0751	0756		1254
Beg. civil twi.	0314	0525		0712	1908		0514
End civil twi.	2010	1815		1717	0517		1855
Beg. naut. twi.	0223	0451		0601	1757		0447
End naut. twi.	2101	1849		1829	0629		1922
Moon merid. pass.	0835	0803		0340	1627	2216	1244
Alt. at m.p.	66	69		8	3	-7	81
Moonrise	0048	2504		2555	1356		0612
Moonset	1635	1558		0725	1835		1912
Hour							1831
Sky							1
Sun azimuth			346				286
Sun altitude			90				0
Sun illuminance			123786				697
Moon azimuth			282				278
Moon altitude			-62				8
Moon illuminance			0				0
(% illuminated)			94				1
Tot. illuminance			123786				697

The FORTRAN Program

The complete program consists of a main program, eight subroutines and three function statements. All are listed on succeeding pages. The following notes supplement those beginning with the first page of this section and apply to the FORTRAN code.

1. Precision

The program is in double precision for use with computers having 4 byte single precision words. If a computer can consistently maintain 8 significant digits during computation, then a single precision version of the program could be constructed.

2. Changes to the program

The leading statement IMPLICIT DOUBLE PRECISION (A-Z) may be changed to read IMPLICIT REAL*8 (A-Z) in order to satisfy syntax requirements of certain compilers.

If a single precision version of the program is desired and is possible, then all references to the following double precision functions must be converted to corresponding single precision references:

DABS DINT DASIN DCOS DEXP

DACOS DSIGN DSIN DTAN DATAN

Constants written in double precision format (D) convert to E format. The leading (IMPLICIT....) statement of the main program, subroutines and functions must be changed.

Program flow may be altered to some extent. As provided here, the flow follows certain ideas concerning probable usage. The main program statement following statement 580 may be changed to redirect execution. From GOTO 100, the statement may be altered to

GOTO 125 to rerun with a new year, month and day

GOTO 150 to input only a new month and day

GOTO 175 to input only a new day of the month

GOTO 200 to input a time during the year, month and day already specified The main program statement following statement 805 may be altered from GOTO 200 to GOTO 125, or 150, or 175 with the same results as above. All of these changes will cause the program to produce data for the same longitude and latitude. To compute data for a different geographic place, at least one of the above GOTO statements must direct a transfer to statement 100.

3. Other changes

An experienced programmer might make changes to the program other than these described above. The programmer should be extremely cautious, however. Several of the variables are multiply-defined and certain computational sequences must not be disturbed or their results may be totally false. In the worst case, the end results may appear reasonable.

4. Operation

Once the program begins to execute, operation is interactive with prompting. The user should refer to Fig. 3 for an example, and is encouraged to reproduce the example at least once in order to gain familiarity with program usage.

The FORTRAN Program

```
IMPLICIT DOUBLE PRECISION (A-Z)
       INTEGER IY, IM, ID, IH, L, I, K, N, J, IAZ, IHA
       DIMENSION A(4), B(2)
       RD = 57.29577951D0
       DR = 1.0D0/RD
       A(1) = -0.01454D0
       A(2) = -0.10453D0
       A(3) = -0.20791D0
       A(4) = +0.00233D0
       CE = 0.91775D0
       SE = 0.39715D0
100
       WRITE (*,*) ' '
      WRITE (*,*) ' '
       WRITE (*,*) 'INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END) '
       READ (*,*,END=9999) LO
       WRITE (*,*) 'INPUT LATITUDE (DEG.)'
       READ (*,*) F
125
       WRITE (*,*) 'INPUT YEAR (YYYY), NUMERAL'
       READ (*,*) IY
150
       WPITE (*,*) 'INPUT MONTH (MM), NUMERAL'
       READ (*,*) IM
175
       WRITE (*,*) 'INPUT DAY (DD), NUMERAL'
       READ (*,*) ID
       C = 360.000
       LI = DABS(LO)
       FO = F
       F = F*DR
       SI = DSIN(F)
       CI = DCOS(F)
       J = 367*IY-INT(7*(IY+INT((IM+9)/12))/4)+INT(275*IM/9)+ID-730531
       WRITE (*,*) 'INPUT TIME ZONE SELECTION'
       WRITE (*,*) ' '
       WRITE (*,*) '
                        0 => TIME IS UT (GMT)'
       WRITE (*,*) '
                        1 => TIME IS STANDARD (ZONE) TIME'
       WRITE (*,*) '
                        2 => TIME IS LOCAL MEAN TIME'
       READ (*,*) Z
       zT = z
       DT = 0
       IF (Z .EQ. 0.0D0) DT =-LO/360.0D0
       IF (Z .EQ. 1.0D0) DT = (LI-15.0D0*DINT((LI+7.5D0)/15.0D0))/C
         *DSIGN(1.0D0,-L0)
200
       WRITE (*, *) ' '
       WRITE (*,*) ' '
       WRITE (*,*) 'INPUT TIME OF DAY AS HOURS AND MINUTES OF 24',
       ' HOUR CLOCK (HHMM), OR'
       WRITE (*,*) 'INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA',
        ' (RISE/SET, ETC.), OR'
       WRITE (*,*) 'INPUT NULL LINE TO END'
       READ (*,*,END=9999) H
       IF (H .GE. 0.0D0) GOTO 600
       WRITE (*, 205) LO, FO
```

```
205
       FORMAT (' AT ', F6.1,' DEG LONGITUDE, ', F5.1,' DEG LATITUDE')
       WRITE (*,210) IY, IM, ID
210
       FORMAT (' DATA FOR ',14,', MONTH ',12,', DAY ',12)
       z = J-0.5D0
       DO 580 L = 1, 4
          GOTO (260,390,390,250), L
250
          C = 347.81D0
260
          M = 0.5D0+DT
          K = 1
280
          IF (L .LT. 4) K = K+1
             M = M - DT
             E = M-LO/360.0D0
             D = Z + E
             CALL CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
             M = M-U+DT
             GOTO (360,285,360,300,360,370), K
285
             IF (M .GE. 0.0D0 .AND. M .LT. 1.0D0) GOTO 370
             GOTO 320
300
             IF(M .GE. 0.0D0) GOTO 370
320
             M = M-DSIGN(1.0D0, M)
          K = K+1
360
          GOTO 280
370
          H = DASIN(DCOS(F-DS))*RD
          IF(L .EQ. 4) H = H-.95*DCOS(H*DR)
          CALL REFR (H, DR, HA)
390
          CALL HORX (A,L,SI,SD,CI,DS,C,RD,H)
          B(1) = M-H
          B(2) = M+H
          DO 560 I = 1, 2
             K = 2*I-3
             N = 1
450
             IF (L .LT. 4) N = N+1
             B(I) = B(I)-DT
             E = B(I)-LO/360.0D0
             D = Z + E
             CALL CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
             CALL HORX (A,L,SI,SD,CI,DS,C,RD,H)
             B(I) = B(I) + K^*H - U + DT
             GOTO (550,460,550,470,550,560), N
             IF (B(I) .GE. 0.0D0 .AND. B(I) .LT. 1.0D0) GOTO 560
460
             GOTO 480
470
             IF (B(I) .GE. 0.0D0) GOTO 560
480
             B(I) = B(I) - DSIGN(1.0D0,B(I))
550
             N = N+1
             GOTO 450
560
          CONTINUE
          CALL OUT (ZT,M,HA,B,L)
580
       CONTINUE
       GOTO 100
600
       WRITE (*,*) 'INPUT SKY CONDITION'
       WRITE (*,*) ' '
       WRITE (*,*) '1 => SUN/MOON VISIBLE, SKY < 70% OVERCAST'
```

```
WRITE (*,*) '2 => SUN/MOON OBSCURED BY THIN CLOUDS
                WRITE (*,*) '3 => SUN/MOON OBSCURED BY AVERAGE CLOUDS '
                WRITE (*.*) '10 => SUN/MOON OBSCURED BY DARK STRATUS CLOUDS'.
                ' (RARE)'
                READ (*,*) SK
                IH = DINT(H)
                WRITE (*, 205) LO, FO
                WRITE (*,610) TY, IM, ID, IH
610
                FORMAT (' DATA FOR ',14,', MONTH ',12,', DAY ',12,', AT ',14.4,
                ' HOURS')
                E = DEG(H/100.0D0)/24.0D0-DT-LO/360.0D0
                D = J-0.5D0+E
                N = 1
                CALL SUN (D, DR, RD, CE, SE, T, G, LS, AS, SD, DS)
                T = T+360.0D0*E+L0
660
                IF (N .EQ. 2) CALL MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
                H = T-AS
                CALL ALTAZ (DS,H,SD,CI,SI,DR,RD,AZ)
                Z = H*DR
                H = H-0.95D0*(N-1)*DCOS(H*DR)
                CALL REFR (H, DR, HA)
                CALL ATMOS (HA, DR, M)
                HA = DSIGN(DINT(DABS(HA)+0.5D0), HA)
                GOTO (750,790), N
750
                IS = 133775.0D0*M/SK
                IAZ = DINT(AZ)
                WRITE (*,751) IAZ
751
                FORMAT (' SOLAR AZIMUTH (DEG.)', 14X, 14.3)
                IHA = DINT(HA)
                WRITE (*,752) IHA
                FORMAT (' SOLAR ALTITUDE (DEG.)', 14X, 13)
752
                WRITE (*,753) IS
                FORMAT (' SOLAR ILLUMINANCE (LUX)',9X,F11.4)
753
                N = 2
                GOTO 660
790
                E = DACOS(DCOS(V-LS)*CB)
                P = 0.892D0 + DEXP(-3.343D0/((DTAN(E/2.0D0)) + 0.632D0)) + 0.0344D0 + 0.034
                   (DSIN(E)-E*DCOS(E))
                P = 0.418D0*P/(1.0D0-0.005D0*DCOS(E)-0.03D0*DSIN(Z))
                IL = P*M/SK
                 IS = IS+IL+0.0005D0/SK
                IAZ = DINT(AZ)
                WRITE (*,801) IAZ
801
                FORMAT (' LUNAR AZIMUTH (DEG.)', 14X, 14.3)
                IHA = DINT(HA)
                 WRITE (*,802) IHA
802
                 FORMAT (' LUNAR ALTITUDE (DEG.)', 14X, I3)
                WRITE (*,803) IL
803
                 FORMAT (' LUNAR ILLUMINANCE (LUX)', 9X, F11.4)
                 IHA = DINT(50.D0*(1.0D0-DCOS(E))+0.5D0)
                 WRITE (*,804) IHA
804
                 FORMAT (' (',13,'% OF MOON IS ILLUMINATED)')
```

```
WRITE (*,805) IS
805
        FORMAT (' TOTAL ILLUMINANCE (LUX)', 9X, F11.4)
       GOTO 200
9999
        CONTINUE
        END
        SUBROUTINE CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
        IMPLICIT DOUBLE PRECISION (A-Z)
       INTEGER L
       IF (DABS(E) \cdot GE \cdot 1.0D0) E = E-DSIGN(1.0D0, E)
       CALL SUN (D,DR,RD,CE,SE,T,G,LS,AS,SD,DS)
        IF (L .EQ. 4) CALL MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
        T = T+LO+360.0D0*E
        T = T-DINT(T/360.0D0)*360.0D0
        U = T-AS
        IF (DABS(U) .GT. 180.0D0) U = U-DSIGN(360.0D0,U)
        U = U/C
       RETURN
        SUBROUTINE SUN (D,DR,RD,CE,SE,T,G,LS,AS,SD,DS)
        IMPLICIT DOUBLE PRECISION (A-Z)
        T = 280.46D0+0.98565D0*D
        T = T-DINT(T/360.0D0)*360.0D0
        IF (T .LT. 0.0D0) T = T+360.0D0
        G = (357.5D0+0.98560D0*D)*DR
        LS = (T+1.91D0*DSIN(G))*DR
        AS = DATAN(CE^*DTAN(LS))^*RD
        Y = DCOS(LS)
        IF (Y .LT. 0.0D0) AS = AS+180.0D0
        SD = SE*DSIN(LS)
        DS = DASIN(SD)
        T = T-180.0D0
        RETURN
        SUBROUTINE MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
        IMPLICIT DOUBLE PRECISION (A-Z)
        V = 218.32D0+13.1764D0*D
        V = V-DINT(V/360.0D0)*360.0D0
        IF (V .LT. 0.0D0) V = V+360.0D0
        Y = (134.96D0+13.06499D0*D)*DR
        O = (93.27D0+13.22935D0*D)^DR
        W = (235.7D0+24.38150D0*D)*DR
        SB = DSIN(Y)
        CP = DCOS(Y)
        X = DSIN(0)
        S = DCOS(0)
        SD = DSIN(W)
        CD = DCOS(W)
        V = (V+(6.29D0-1.27D0 *CD+0.43D0 *CB) *SB+(0.66D0+1.27D0 *CB) *SD
         -0.19D0*DSIN(G)-0.23D0*X*S)*DR
```

```
Y = ((5.13D0-0.17D0*CD)*X+(0.56D0*SB+0.17D0*SD)*S)*DR
        SV - DSIN(V)
        SB = DSIN(Y)
        CB = DCOS(Y)
        Q = CB*DCOS(V)
        P = CE*SV*CB-SE*SB
        SD = SE*SV*CB+CE*SB
        AS = DATAN(P/Q)*RD
        IF (Q .LT. 0.0D0) AS = AS+180.0D0
        DS = DASIN(SD)
        RETURN
        END
        SUBROUTINE HORX (A,L,SI,SD,CI,DS,C,RD,H)
        IMPLICIT DOUBLE PRECISION (A-Z)
        INTEGER L
        DIMENSION A(4)
        H = (A(L)-SI*SD)/(CI*DCOS(DS))
        IF (DABS(H) .GT. 1.0D0) GOTO 5040
        H = DACOS(H)*RD/C
        RETURN
5040
        H = 1.5D0
        RETURN
        SUBROUTINE ALTAZ (DS,H,SD,CI,SI,DR,RD,AZ)
        IMPLICIT DOUBLE PRECISION (A-Z)
        CD = DCOS(DS)
        CS = DCOS(H*DR)
        Q = SD*CI-CD*SI*CS
        P = -CD*DSIN(H*DR)
        AZ = DATAN(P/Q)*RD
        IF (Q.LT. 0.0D0) AZ = AZ+180.0D0
        IF (AZ .LT. 0.0D0) AZ = AZ+360.0D0
        AZ = DINT(AZ+0.5D0)
        H = DASIN(SD*SI+CD*CI*CS)*RD
        RETURN
        END
        SUBROUTINE REFR (H,DR,HA)
        IMPLICIT DOUBLE PRECISION (A-Z)
        HA = H
        IF (H .LT. (-5.CD0/6.0D0)) RETURN
        HA = H+1.0D0/(DTAN((H+8.6D0/(H+4.42D0))*DR))/60.0D0
        RETURN
        END
        SUBROUTINE ATMOS (HA, DR, M)
        IMPLICIT DOUBLE PRECISION (A-Z)
        U = DSIN(HA*DR)
        X = 753.66156D0
        S = DASIN(X*DCOS(HA*DR)/(X+1.0D0))
```

```
M = X^*(DCOS(S)-U)+DCOS(S)
        M = DEXP(-0.21D0*M)*U+0.0289D0*DEXP(-0.04200*M)*(1.0D0+
         (HA+90.0D0)*U/57.29577951D0)
        RETURN
        END
        SUBROUTINE OUT (ZT,M,HA,B,L)
        IMPLICIT DOUBLE PRECISION (A-Z)
        INTEGER I, L, IR1, IHA
        DIMENSION B(2)
        GOTO (3000,3050,3050,3260), L
3000
        IR1 = DINT(TIMES(M))
        IF (ZT .EQ. 1.0D0) THEN
          WRITE(*,*) *** FOR DAYLIGHT (SUMMER) TIME ADD ONE HOUR ***
        END IF
        WRITE (*,3001) IR1
        FORMAT (' TIME OF SOLAR MERIDIAN PASSAGE', 6X, 14.4)
3001
3030
        IHA = DINT(DSIGN(DINT(DABS(HA)+0.5D0), HA))
        WRITE (*,3031) IHA
        FORMAT (' ALTITUDE AT MERIDIAN PASSAGE (DEG.)', 2X, 13)
3031
3050
        I = 1
3060
        R = TIMES(B(I))
        IF (R .GE. 4800.0D0 .OR. R .LT. 0.0D0) GOTO 3330
        GOTO (3100,3120,3180,3200,3220,3240,3300,3320), 2*(L-1)+I
3100
        IR1 = DINT(R)
        WRITE (*,3101) IR1
        FORMAT (' TIME OF SUNRISE',21X,14.4)
3101
        GOTO 3330
3120
        IR1 = DINT(R)
        WRITE (*,3121) IR1
        FORMAT (' TIME OF SUNSET', 22X, 14.4)
3121
        R = B(2)-B(1)
        IF (R . LT. 0.0D0) R = R+1
        R = TIMES(R)
        IR1 = DINT(R)
        WRITE (*,3171) IR1
        FORMAT (' TOTAL HOURS AND MINUTES OF DAYLIGHT ',14.4)
3171
        GOTO 3330
3180
        IR1 = DINT(R)
        WRITE (*,3181) IR1
3181
        FORMAT (' TIME BEGINNING CIVIL TWILIGHT',7X,14.4)
        GOTO 3330
3200
        IR1 = DINT(R)
        WRITE (*,3201) IR1
3201
        FORMAT (' TIME ENDING CIVIL TWILIGHT', 10X, 14.4)
        GOTO 3330
3220
        IR1 = DINT(R)
        WRITE (*,3221) IR1
        FORMAT (' TIME BEGINNING NAUTICAL TWILIGHT', 4X, 14.4)
3221
        GOTO 3330
3240
        IR1 = DINT(R)
        WRITE (*,3241) IR1
```

```
3241
        FORMAT (' TIME ENDING NAUTICAL TWILIGHT', 7X, 14.4)
        GOTO 3330
3260
        R = TIMES(M)
        IR1 = .DINT(R)
        WRITE (*,3261) IR1
3261
        FORMAT (' TIME OF LUNAR MERIDIAN PASSAGE', 6X, 14.4)
        GOTO 3030
3300
        IR1 = DINT(R)
        WRITE (*,3301) IR1
3301
        FORMAT (' TIME OF MOONRISE', 20X, 14.4)
        GOTO3330
3320
        IR1 = DINT(R)
        WRITE (*,3321) IR1
3321
        FORMAT (' TIME OF MOONSET', 21X, 14.4)
3330
        I = I + 1
        IF (I .LT. 3) GOTO 3060
        RETURN
        END
        DOUBLE PRECISION FUNCTION TIMES (X)
        IMPLICIT DOUBLE PRECISION (A-Z)
        TIMES = DINT(100.0D0*DMS(X*24.0D0)+0.5D0)
        RETURN
        END
        DOUBLE PRECISION FUNCTION DMS (X)
        IMPLICIT DOUBLE PRECISION (A-Z)
        DMS = DINT(X)+6.0D0*(X-DINT(X))/10.0D0
        RETURN
        DOUBLE PRECISION FUNCTION DEG (X)
        IMPLICIT DOUBLE PRECISION (A-2)
        DEG = DINT(X)+((X-DINT(X))*10.0D0)/6.0D0
        RETURN
        END
```

The BASIC Program for Computers

This version of the program consists of a main program which begins at statement 10 and ends at statement 1210. There are several subprograms which are written in open style so that variables do not pass through calling sequences. One of these is embedded in the main program. Definition statements for such functions as arccosine, arcsine are at the beginning of the program, as required. These functions may be available in some interpreters. The notes which follow apply to the BASIC code for personal computers and supplement the general notes beginning with the first page of this Section.

1. Precision

The program is written using a mixed precision; that is, most of the program uses single precision. There are several calculations which produce large numbers, and to retain significance at the half-degree level, extended precision is required. The use of extended or double precision must be identified to the interpreter in some way. In the BASIC dialect given here, that is accomplished by appending the symbol # to certain variables and constants. There are some computers in which numbers are stored and manipulated with sufficient precision such that extended or double precision is not needed and is not an interpreter option. For such configurations of machine and language, the following statements should be edited and the symbol # deleted:

310, 430, 900, 1220, 1230, 1250, 1260, 1720, 1730, 1750, 1760, 1770, 1780, 1790, 1800.

2. Changes to the program

Syntax rules for BASIC interpreters vary considerably and not all possibilities can be explored here. Nevertheless, since it is to be expected that some changes will be required for implementation of the program, a few guidelines can be given.

It will be seen in the code that the words THEN and LET frequently appear in combination. In testing, it was found that LET was not required by one interpreter. Another interpreter required LET but not THEN. Still another, older interpreter required LET to precede any equality or equation statement and required it in combination with THEN in conditional statements. Obviously, the user should explore the possibilities and requirements of the particular machine/language combination for simplifications.

Many versions of BASIC allow multicharacter variable and function names to be defined. Of these, some versions will actually use only the initial two characters when referencing the function or variable. If this is not known to the programmer or user, the results can be unpredictable. In the worst case tested, some of the program output actually contained valid results. Should it be found that two character function and variable names are required, the program given here can be easily modified. Only function names, not variable names, need to be changed. In

order to avoid conflicts, the following functions could be renamed as shown:

ARCOS - RC

ARCSIN - RS

DEG - DG

DMS - DM

Of course, program references to the functions must be changed accordingly.

In addition to the restriction of two-character variable and user defined function references, the interpreter may offer an expanded set of commands. Unfortunately, corresponding to the expanded command set is a similarly enlarged list of words or acronyms which are described as reserved, protected, or privileged. Since it is not possible to predict which two-character combinations will infringe upon the reserved set of every computer/interpreter configuration, the program user must be aware of possible consequences. Those should be addressed in the literature describing the interpreter and its use. Often, infringement triggers syntax error messages, so that the offending variable may be readily found and redefined.

Some versions of BASIC do not allow function definitions by the user, but do provide the functions. The user should then modify this program so that the function ARCOS is replaced, where used, by whatever is provided for computing the arccosine. The arcsine function (ARCSIN) should be replaced likewise. The functions DEG and DMS can be re-defined as subroutines, and statements 890 and 1700 modified accordingly.

Statement 1100 requires that a trigonometric tangent be raised to the fractional exponent .632. As given here, the operation is specified by the symbol ^. (Specifically, the character is an ASCII hexadecimal 5E or decimal 94.) This is acceptable to several versions of BASIC; but in one dialect encountered, the required symbol for the same operation was a vertical arrow. The user should be aware of this and related variations of notation.

Program flow may be altered to some extent. As provided here, the flow reflects certain ideas concerning probable usage. Other modes may be more convenient for certain applications. The statements numbered 860 and 1200 may be changed to redirect execution:

GO TO 150 to initialize all input

GO TO 170 to input a new year, month, day, etc.

GO TO 180 to input a new month, day, etc.

GO TO 190 to input a new day, etc.

GO TO 300 to input a time during the year, month and day already specified. Statement 1200 transfers control to 300. It may be changed to send control to statements 150, 170, 180 or 190, as above. At least one of the statements (860 or 1200) should direct a transfer to statement 150 if data for more than one location are to be computed during a session.

3. Other changes

An experienced programmer might make changes to the program other than those already described. However, caution must be used. Several variables are multiply-defined and certain computational sequences may not be disturbed or their results will be false. In the worst case, the end results may appear reasonable.

4. Operation

Once the program has been implemented, operation should proceed interactively with prompting by key words and phrases provided. The user should refer to Fig. 3 for an example of use. Output of the BASIC program will differ from the example in appearance, but not in data sequence or actual content.

The BASIC Program for Computers

```
10 DEF FNARCOS(ARG)=1.570796-ATN(ARG/SQR(1.-ARG*ARG))
20 DEF FNARCSIN(ARG)=ATN(ARG/SQR(1.-ARG*ARG))
30 DEF FNDEG(ARG)=INT(ARG)+((ARG-INT(ARG))*10.)/6.
40 DEF FNDMS(ARG)=INT(ARG)+6.*(ARG-INT(ARG))/10.
50 RD=57.29578
60 DR=1./RD
70 DIM A(4)
80 DIM B(2)
90 A(1)=-.01454
100 A(2)=-. 10453
110 A(3)=-.20791
120 A(4)=.00233
130 CE=. 91775
140 SE=.39715
150 INPUT"LONGITUDE IN DEG.";LO
160 INPUT"LATITUDE IN DEG. ": F
170 INPUT"YEAR (4 DIGITS)"; IY
180 INPUT"MONTH (NUMERAL)"; IM
190 INPUT"DAY (NUMERAL)"; ID
200 F=F*DR
210 C=360.
220 LI=ABS(LO)
230 SI=SIN(F)
240 CI=COS(F)
250 J=367*IY-INT(7*(IY+INT((IM+9)/12))/4)+INT(275*IM/9)+ID-730531.
260 INPUT"UNIVERSAL TIME = 0, ZONE TIME = 1, LOCAL MEAN TIME = 2";Z
270 DT=0.
280 IF Z=0. THEN LET DT=-JO/C
290 IF Z=1. THEN LET DT=-(LI-15*INT((LI+7.5)/15))/C*SGN(LO)
300 INPUT"HOUR (4 DIGIT NUMERAL ON 24 HOUR CLOCK)"; H
310 Z0#=J-.5
320 IF H>0 THEN GOTO 870
330 PRINT"DATA FOR "; IY; ", MONTH "; IM; ", DAY "; ID
340 FOR L=1 TO 4
350 ON L GOTO 370,650,650,360
360 C=347.81
370 M=.5+DT
380 K=1
390 M-M-DT
400 E=M-LO/360.
410 GOSUB 430
420 GOTO 530
430 D#=Z0#+E
440 IF ABS(E)>=1 THEN LET E=E-SGN(E)
450 GOSUB 1220
460 IF L=4 THEN GOSUB 1720
470 T=T+LO+360.*E
480 T=T-INT(T/360.)*360.
490 U-T-AS
500 IF ABS(U)>18C. THEN LET U=U-360.*SGN(U)
510 U=U/C
520 RETURN
```

```
530 M=M-U+DT
540 IF L<4 THEN LET K=K+1
550 ON K GOTO 600,560,600,580,600,620
560 IF M>=0. AND M<1. THEN GOTO 620
570 GOTO 590
580 IF M>=0. THEN GOTO 620
590 M=M-SGN(M)
600 K=K+1
610 GOTO 390
620 H=FNARCSIN(COS(F-DS))*RD
630 IF L=4 THEN LET H=H-.95*COS(H)
640 GOSUB 2160
650 GOSUB 2000
660 B(1)=M-H
670 B(2)=M+H
680 FOR I=1 TO 2
690 K=2*I-3
700 FOR N=1 TO 6
710 B(I)=B(I)-DT
720 E=B(I)-LO/360.
730 GOSUB 430
740 GOSUB 2000
750 B(I)=B(I)+K+H-U+DT
760 IF L<4 THEN LET N=N+1
770 ON N GOTO 820,780,820,800,820,830
780 IF B(I) > = 0. AND B(I) < 1. THEN GOTO 830
790 GOTO 810
800 IF B(I)>=0. THEN GOTO 830
810 B(I)=B(I)-SGN(B(I))
820 NEXT N
830 NEXT I
840 ON L GOSUB 1350, 1400, 1400, 1610
850 NEXT L
860 GOTO 150
870 INPUT"SKY CONDITION = 1,2,3,10,";SK
880 PRINT"DATA FOR "; IY; ", MONTH "; IM; ", DAY "; ID; ", AT "; H; " HOURS"
890 E=FNDEG(H/100.)/24.-DT-LO/360.
900 D#=Z0#+E
910 N=1
920 GOSUB 1220
930 T=T+360.*E+LO
940 IF N=2 THEN GOSUB 1720
950 H-T-AS
960 GOSUB 2060
970 Z=H*DR
980 H=H-.95*(N-1)*COS(H*DR)
990 GOSUB 2160
1000 GOSUB 2200
10 10 HA=INT(ABS(HA)+.5)*SGN(HA)
1020 ON N GOTO 1030,1090
1030 IS=133775.*M/SK
```

"; AZ

1040 PRINT"SUN AZIMUTH (DEG.)

```
1050 PRINT"SUN ALTITUDE (DEG.)
                                    ";HA
                                    ";IS
1060 PRINT"SUN ILLUMINANCE (LUX)
1070 N=2
1080 GOTO 940
1090 E=FNARCOS(COS(V-LS)*CB)
1100 P=.892*EXP(-3.343/((TAN(E/2.))\Lambda.632))+.0344*(SIN(E)-E*COS(E))
1110 P=.418*P/(1.-.005*COS(E)-.03*SIN(Z))
1120 IL=P*M/SK
1130 IS=IS+IL+.0005/SK
1140 PRINT"MOON AZIMUTH (DEG.)
                                    "; AZ
1150 PRINT"MOON ALTITUDE (DEG.)
                                    ";HA
1160 PRINT"MOON ILLUMINANCE (LUX) ";IL
1170 IL=INT(50.*(1.-\cos(E))+.5)
1180 PRINT" (":IL;"% OF MOON ILLUMINATED)"
1190 PRINT"TOTAL ILLUMINANCE (LUX) "; IS
1200 GOTO 300
1210 END
1220 TD#=280.46#+.98565#*D#
1230 T=TD#-INT(TD#/360#)*360#
1240 IF T<0. THEN LET T=T+360.
1250 TD#=357.5#+.9856#*D#
1260 G=(TD#-INT(TD#/360#)*360#)*DR
1270 LS=(T+1.91*SIN(G))*DR
1280 AS=ATN(CE*TAN(LS))*RD
1290 Y=COS(LS)
1300 IF Y<0. THEN LET AS=AS+180.
13 10 SD=SE*SIN(LS)
1320 DS=FNARCSIN(SD)
1330 T-T-180.
1340 RETURN
1350 R=M
1360 GOSUB 1700
1370 PRINT"SUN MERIDIAN PASSAGE AT ":R
1380 HA=INT(ABS(HA)+.5)*SGN(HA)
1390 PRINT"ALTITUDE AT MER. PASS. "; HA
1400 FOR I=1 TO 2
1410 R=B(I)
1420 GOSUB 1700
1430 IF R>=4800. OR R<0. THEN GOTO 1680
1440 ON 2*(L-1)+I GOTO 1450,1470,1530,1550,1570,1590,1650,1670
1450 PRINT"TIME OF SUNRISE
                                    ":R
1460 GOTO 1680
1470 PRINT"TIME OF SUNSET
1480 R=B(2)-B(1)
1490 IF R<0. THEN LET R=R+1.
1500 GOSUB 1700
1510 PRINT"TOTAL DAYLIGHT
                                    ";R
1520 GOTO 1680
1530 PRINT"BEGIN CIVIL TWILIGHT AT ";R
1540 GOTO 1680
1550 PRINT"END CIVIL TWILIGHT AT
                                    ";R
1550 GOTO 1680
```

```
1570 PRINT"BEGIN NAUTICAL TWILIGHT ";R
1580 GOTO 1680
1590 PRINT"END NAUTICAL TWILIGHT
1600 GOTO 1680
1610 R=M
1620 GOSUB 1700
1630 PRINT"MOON MERIDIAN PASSAGE AT"; R
1640 GOTO 1380
1650 PRINT"TIME OF MOONRISE
1660 GOTO 1680
                                    ";R
1670 PRINT"TIME OF MOONSET
1680 NEXT I
1690 RETURN
1700 R=INT(100.*FNDMS(R*24.)+.5)
1710 RETURN
1720 TD#=218.32#+13.1764#*D#
1730 V=TD#-INT(TD#/360#)*360#
1740 IF V<0. THEN LET V=V+360.
1750 TD#=134.96#+13.06499#*D#
1760 Y=(TD\#-INT(TD\#/360\#)*360\#)*DR
1770 TD#=93.27#+13.22935#*D#
1780 O=(TD#-INT(TD#/360#)*360#)*DR
1790 TD#=235.7#+24.3815#*D#
1800 W=(TD#-INT(TD#/360#)*360#)*DR
1810 SB=SIN(Y)
1820 CB=COS(Y)
1830 X=SIN(O)
1840 S=COS(O)
1850 SD=SIN(W)
1860 CD=COS(W)
1870 V=V+(6.29-1.27*CD+.43*CB)*SB+(.66+1.27*CB)*SD-.19*SIN(G)-.23*X*S
1880 V=V*DR
1890 Y=((5.13-.17*CD)*X+(.56*SB+.17*SD)*S)*DR
1900 SV=SIN(V)
1910 SB=SIN(Y)
1920 CB=COS(Y)
1930 Q=CB*COS(V)
1940 P=CE*SV*CB-SE*SB
1950 SD=SE*SV*CB+CE*SB
1960 AS=ATN(P/Q)*RD
1970 IF Q<0. THEN LET AS=AS+180.
1980 DS=FNARCSIN(SD)
1990 RETURN
2000 H=(A(L)-SI*SD)/(CI*COS(DS))
2010 IF ABS(H)>1. THEN GOTO 2040
2020 H=FNARCOS(H)*RD/C
2030 RETURN
2040 H=1.5
2050 RETURN
2060 CD=COS(DS)
2070 CS=COS(H*DR)
2080 Q=SD*CI-CD*SI*CS
```

```
2090 P=-CD*SIN(H*DR)
2100 AZ=ATN(P/Q)*RD
2110 IF Q<0. THEN LET AZ=AZ+180.
2120 IF AZ<0. THEN LET AZ=AZ+360.
2130 AZ=INT(AZ+.5)
2140 H=FNARCSIN(SD*SI+CD*CI*CS)*RD
2150 RETURN
2160 HA=H
2170 IF H<(-5./6.) THEN GOTO 2190
2180 HA=H+1./(TAN((H+8.59/(H+4.42))*DR))/60.
2190 RETURN
2200 U=SIN(HA*DR)
2210 X=753.6616
2220 S=FNARCSIN(X*COS(HA*DR)/(X+1.))
2230 M=X*(COS(S)-U)+COS(S)
2240 M=EXP(-.21*M)*U+.0289*EXP(-.042*M)*(1.+(HA+90.)*U/57.29578)
2250 RETURN
```

The BASIC Routine for Programmable Calculator

This version of BASIC was written for a particular unit having a dual mode of operation -- one as a calculator with single keystroke trigonometric, power, root and other functions, the other as a computer having a BASIC interpreter resident in read-only-memory. The salient feature of a device of the type is a random-access-memory which retains programs when power is turned off. Coupled with small size and low cost, machines having these features may become attractive for many small scale computer needs and applications and, therefore, widely owned and used. There are limitations to this type of device too. Among them is the display, which holds only one line of prompt or output at one time; and that is further limited to relatively few characters. An attached printer would be more than a convenience.

Most of the comments applicable to the BASIC routine for personal computers apply to this routine also. The notes which follow supplement the general notes which begin this Section and those applicable to the routines for personal computers.

With the exception of one embedded subroutine, the main program begins at statement 10 and ends at statement 117. The remaining statements belong to the subroutines. The user may add code in statements 1 through 9, reserved for the purpose.

1. Precision

All scientific calculators routinely provide at least 8 to 10 digits of precision, so that consideration of extended or double precision code was unnecessary.

2. Changes to the program

Any changes required by syntax rules of various versions of BASIC must be accommodated. Some of these are discussed in the notes for the personal computer version.

If the DMS (convert to degrees, minutes, seconds) and DEG (convert to degrees and decimals) functions are not built in functions, they may be coded as user defined functions or as subroutines, according to the specific dialect available. If coded as subroutines, then statements 85 and 166 must be changed to GOSUB commands. If DMS and DEG are coded as user defined functions, then statement 85 may stand as it is. In the case of change to either subroutine or defined function form, the computation performed at statement 166 must be changed such that the constant .7 is replaced by .5. Statements which define the DMS and DEG functions are to be found on lines 30 and 40 of the personal computer version of the program, and should be keyed in to this version with line numbers less than 10.

Programmable calculators generally provide for recording programs so that they may be re-loaded without keying the instruction sequence. The user may find that a

label, title, or some other identification is then required at the head of the program. This may be added as statement number 1, if required.

At line 158 in the program is the single command BEEP. On some machines this produces audible tones. It was included at that point in the program to signal that a lengthy computation has been completed for the Moon; thus it allows the user to divert his attention for a time. The statement may be removed if the feature is not available or not wanted.

A printer connected to the calculator, or integrated, is a definite asset. The program may be modified to direct output to a printer by replacing all PRINT commands, (which usually only display output) if necessary, with whatever commands are necessary to produce actual printing. Examples include PRINT# and LPRINT. It may be possible, as an alternative, to issue a command which redefines the output device. One example of this is the statement PRINT=LPRINT which is required at some point in the program prior to the first PRINT command. It can be inserted in this program by assigning it using a line number less than 10. The user must not make any of the changes described before reading the requirements of the specific machine-interpreter configuration. The examples cited are not general or standard options.

Program execution may be re-directed to a limited degree. As provided here, the flow reflects certain ideas concerning probable usage. Other modes may be more convenient for some applications. Statement 82 may be altered to read GOTO 28, for entering a time of day. Statement 116 may be changed to read GOTO 18, for entering a new set of geographic coordinates and date. At least one of the statements should transfer to statement 18 for purposes of reinitializing.

3. Other changes

Relative to current programmable calculators, this is a large program. Changes other than those described in the preceding paragraph should be made with caution. Although some other changes could be made, it is possible that memory would be exceeded. Also, several variables are multiply-defined and certain computational sequences may not be disturbed or their results will be false. In the worst case, the end results (output) may appear reasonable.

4. Operation

Some devices are capable of operation with other than decimal numbers and, or, with angles in radians or grads. Decimal and degree modes must be specified before using this program.

Once the program has been implemented, operation should proceed interactively, with prompting by key words and phrases provided. Of necessity, abbreviations are used for prompting.

Figure 4 illustrates what is typically to be expected from the calculator version of the program. Two characteristics may be noted. For input to the program, no decimal points were used; the calculator is indifferent in this regard.

In the output, the times of events include decimal points, although not needed. The calculator assumes all numbers should have a decimal point. This should not trouble the user. The second characteristic is the appearance of a possibly unfamiliar notation for values of the illuminance. This form of writing a number is known as scientific notation, exponential form, or as power of 10 notation. The illuminance can vary through the course of a day by a factor of 100 million, yet calculated values may only contain one or two significant digits. Scientific notation is an appropriate way to represent the numbers and is, in fact, almost unavoidable. Any user who is unfamiliar with this notation can usually find it described fully in the literature which is supplied with the calculator.

LONG=-77 **LAT=39 YEAR=1986** MONTH=9 **DAY=13** UT=0,STD=1,LMT=2 HOUR=1955 SKY=1,2,3,10?1 SUN AZ. 291. SUN ALT. -19.SUN ILL. 2.7E-06 MOON AZ. 169. 24. MOON ALT. MOON ILL2.0E-02 %MOON ILL. TOT. ILL 2.1E-02 HOUR=-3 1204 SUN M.P. ALT AT MP 55. SUNRISE 547. 1820. SUNSET 1233. DAYLIGHT 520. BEG. C.T. 1847. END C.T. BEG. N.T. 449. END N.T. 1918. 2039. MOON M.P. ALT AT MP 25. MOONRISE 1603. 8. MOONSET

Figure 4 -- Interactive Input. Output (programmable calculator).

The BASIC Routine for Programmable Calculator

```
10 DIM A(4)
11 DIM B(2)
12 A(1)=-.01454
13 A(2)=-.10453
14 A(3)=-.20791
15 A(4) = .00233
16 CE=.91775
17 SE=.39715
18 INPUT"LONG=";LO,"LAT=";F,"YEAR=";Y,"MONTH=";M,"DAY=";D
19 C=360
20 L=ABS LO
21 SI=SIN F
22 CI=COS F
23 J=367*Y-INT(7*(Y+INT((M+9)/12))/4)+INT(275*M/9)+D-730531
24 INPUT"UT=0,STD=1,LMT=2",Z
25 DT=0
26 IF Z=0 LET DT=-LO/C
27 IF Z=1 LET DT=-(L-15*INT((L+7.5)/15))/C*SGN LO
28 INPUT"HOUR=";H
29 Z=J-.5
30 IF H>0 GOTO 83
31 FOR L=1 TO 4
32 ON L GOTO 34,61,61,33
33 C=347.81
34 M=.5+DT
35 FOR K=1 TO 6
36 M=M-DT
37 E=M-LO/360
38 GOSUB 40
39 GOTO 50
40 D=Z+E
41 IF ABS E >=1 LET E=E-SGN E
42 GOSUB 118
43 IF L=4 GOSUB 168
44 T=T+LO+360*E
45 T=T-INT(T/360)*360
46 U=T-AS
47 IF ABS U >180 LET U=U-360*SGN U
48 U=U/C
49 RETURN
50 M=M-U+DT
51 IF L<4 LET K=K+1
52 ON K GOTO 57,53,57,55,57,58
53 IF M>=0 AND M<1 GOTO 58
54 GOTO 56
55 IF M>=0 GOTO 58
56 M=M-SGN M
57 NEXT K
58 H=ASN(COS(F-DS))
59 IF L=4 LET H=H-.95*COS H
60 GOSUB 208
```

61 GOSUB 192

```
62 B(1)=M-H
63 B(2)=M+H
64 FOR I=1 TO 2
65 K=2*I-3
66 FOR N=1 TO 6
67 B(I)=B(I)-DT
68 E=B(I)-LO/360
69 GOSUB 40
70 GOSUB 192
71 B(I)=B(I)+K*H-U+DT
72 IF L<4 LET N=N+1
73 ON N GOTO 78,74,78,76,78,79
74 IF B(I) > = 0 AND B(I) < 1 GOTO 79
75 GOTO 77
76 IF B(I)>=0 GOTO 79
77 B(I)=B(I)-SGN B(I)
78 NEXT N
79 NEXT I
80 ON L GOSUB 130, 135, 135, 156
81 NEXT L
82 GOTO 18
83 INPUT"SKY=1,2,3,10?";SK
84 PRINT"AT ";H;" HOURS"
85 E=DEG(H/100)/24-DT-LO/360
86 D=Z+E
87 N=1
88 GOSUB 118
89 T=T+360*E+LO
90 IF N=2 GOSUB 168
91 H=T-AS
92 GOSUB 198
93 Z=H
94 H=H-.95*(N-1)*COS H
95 GOSUB 208
96 GOSUB 212
97 HA=INT(ABS HA+.5)*SGN HA
98 ON N GOTO 99,105
99 I=133775.*M/SK
100 PRINT"SUN AZ.",AZ
101 PRINT"SUN ALT.", HA
102 PRINT"SUN ILL.",I
103 N=2
104 GOTO 90
105 E=ACS(COS(V-LS)*CB)
106 P=.892*EXF(-3.343/((TAN(E/2))\Lambda.632))+.0344*(SIN E-E/57.29578*COSE)
107 P=.418*P/(1-.005*COS E-.03*SIN Z )
108 L=P*M/SK
109 I=I+L+.0005/SK
110 PRINT"MOON AZ.", AZ
111 PRINT"MOON ALT.", HA
112 PRINT"MOON ILL.",L
```

113 L=INT(50*(1-COS E)+.5)

```
114 PRINT"% MOON ILL.",L
115 PRINT"TOT.ILL.",I
116 GOTO 28
117 END
118 T=280.46+.98565*D
119 T=T-INT(T/360)*360
120 IF T<0 LET T=T+360
121 G=SIN(357.5+.9856*D)
122 LS=T+1.91*G
123 AS=ATN(CE*TAN LS)
124 Y=COS LS
125 IF Y<0 LET AS=AS+180
126 SD=SE*SIN LS
127 DS=ASN SD
128 T=T-180
129 RETURN
130 R=M
131 GOSUB 166
132 PRINT"SUN M.P.",R
133 HA=INT(ABS HA+.5)*SGN HA
134 PRINT"ALT AT MP", HA
135 FOR I=1 TO 2
136 R=B(I)
137 GOSUB 166
138 IF R>=4800 OR R<0 GOTO 164
139 ON 2*(L-1)+I GOTO 140, 142, 148, 150, 152, 154, 161, 163
140 PRINT"SUNRISE",R
141 GOTO 164
142 PRINT"SUNSET", R
143 R=B(2)-B(1)
144 IF R<0 LET R=R+1
145 GOSUB 166
146 PRINT"DAYLIGHT", R
147 GOTO 164
148 PRINT"BEG. C.T.",R
149 GOTO 164
150 PRINT"END C.T.",R
151 GOTO 164
152 PRINT"BEG. N.T.",R
153 GOTO 164
154 PRINT"END N.T.",R
155 GOTO 164
156 R=M
157 GOSUB 166
158 BEEP 3
159 PRINT"MOON M.P.",R
160 GOTO 133
```

161 PRINT"MOONRISE", R

163 PRINT"MOONSET", R

152 GOTO 164

164 NEXT I 165 RETURN

```
166 R=INT(100*DMS(R*24)+.7)
167 RETURN
168 V=218.32+13.1764*D
169 \text{ V=V-INT}(\text{V}/360)*360
170 IF V<0 LET V=V+360
171 Y=134.96+13.06499*D
172 O=93.27+13.22935*D
173 W=235.7+24.3815*D
174 SB=SIN Y
175 CB=COS Y
176 X=SIN O
177 S=COS O
178 SD=SIN W
179 CD≂COS W
180 V=V+(6.29-1.27*CD+.43*CB)*SB+(.66+1.27*CB)*SD-.19*G-.23*X*S
181 Y=(5.13-.17*CD)*X+(.56*SB+.17*SD)*S
182 SV=SIN V
183 SB=SIN Y
184 CB=COS Y
185 Q=CB*COS V
186 P=CC*SV*CB-SE*SB
187 SD=SE*SV*CB+CE*SB
188 AS=ATN(P/Q)
189 IF Q<0 LET AS=AS+180
190 DS=ASN SD
191 RETURN
192 H=(A(L)-SI*SD)/(CI*COS DS)
193 IF ABS H>1 GOTO 196
194 H=(ACS H)/C
195 RETURN
195 H=1.5
197 RETURN
198 CD=COS DS
199 CS=COS H
200 Q=SD*CI-CD*SI*CS
201 P=-CD*SIN H
202 AZ=ATN(P/Q)
203 IF Q<0 LET AZ=AZ+180
204 IF AZ<0 LET AZ=AZ+360
205 AZ=INT(AZ+.5)
206 H=ASN(SD*SI+CD*CI*CS)
207 RETURN
208 HA=H
209 IF H<(-5/6) GOTO 211
210 HA=H+1/(TAN(H+8.6/(H+4.42)))/60
211 RETURN
212 U-SIN HA
213 X=753.65156
214 S=ASN (X*COS(HA)/(X+1))
215 M=X*(COS S-U)+COS S
216 M=EXP(-.21*M)*U+.0289*EXP(-.042*M)*(1+(HA+90)*U/57.29578)
217 RETURN
```

SECTION III

Contingent Tables and Diagrams

As the heading suggests, the tables and diagrams are for use when a computing device is not available. For the Sun, all of the data provided by the computer routines are also available from the tables and diagrams. Tables required for manual calculation of the Moon's positions and phenomena are not provided, since they would be numerous and complex. Graphs of lunar illuminance are included should the altitude and phase be available from other sources. Otherwise, the graphs will provide only an indication of available moonlight, based on whatever information concerning Moon visibility is at hand.

The terminology and descriptions found in Section I are relevant to the methods described in this section and are not repeated. Declination is a term not described in Section I. It is one of the coordinates used to specify the position of an object on the celestial sphere, in a manner analogous to latitude on the Earth. Since the Sun's declination is used here only to determine other quantities, it can be considered as an intermediate quantity, and a full description or visualization of it is not strictly necessary.

These tables and diagrams are not new; variations have appeared in handbooks and other literature in the past. Many of those publications are no longer available. Moreover, many were less extensive and more complicated to use correctly. These tables and diagrams are complete and, it is hoped, more direct. Nevertheless, at extreme latitudes, it is to be expected that they will produce times of rising, setting and twilight which may compare poorly to more refined calculations and to the times of the actual events. The altitude, azimuth diagrams for such latitudes demonstrate that the Sun's path will approach and cross the horizon slowly and at shallow angles during certain times of the year. Meteorological conditions, rarely nominal in those regions, cause wide variations in refraction, which in turn combines almost directly with the geometry of the situation to produce significant differences between calculated and observed events.

Description of the tables and diagrams:

Table 1 -- Sun Meridian Passage Increment and Declination: For each day of the year, the table provides an adjustment (MP) which must be applied to Noon and to all other event times to express them in Local Mean Time. It also gives the Sun's declination, for the date, which is required for the use of Table 2 or the altitude, azimuth diagrams. The meridian passage increment is given to the nearest minute and the Sun's declination to the nearest half-degree. The fractional degree is provided for estimating times halfway between those given by Table 2, should the

user desire. Ordinarily this will not be required. (At latitudes where the Sun will rise or set and then remain above or below the horizon for long periods, the declination column for Table 2 provides for direct entry to the nearest half-degree). Following Table 1 are graphs showing MP and DEC which may be used in place of Table 1, if desired.

Table 2: For the latitude of the location of interest, and for the Sun's declination from Table 1, Table 2 immediately provides the altitude of the Sun above the horizon when it crosses the meridian (AL) and the length of the day (LD) from sunrise to sunset. Table 2 also yields three quantities which are the core times for the calculation of sunrise, sunset (R/S), and civil (CT) and nautical (NT) twilight. The interval of latitude between 0 and 82 degrees is one degree throughout. Declination is generally at a one degree interval, but there are exceptions. The maximum solar declination is about 23.5 degrees and that value is tabulated on every page of the table. Half-degree values of solar declination near the condition which produces periods of continuous sunlight or darkness are also included.

Table 3 -- Longitude, Time Adjustments: This table, entered with longitude, provides adjustments which convert Local Mean Time to Universal Time (UT) or to Zone Time (ZC), or conversely. The interval of longitude is one degree which corresponds to the UT and ZC intervals of four minutes. The table may be interpolated visually for fractions of a degree of longitude corresponding to the nearest minute of time, if desired. In applying the adjustment from Mean Time to Zone Time, if Daylight (Summer) Time is in effect, or if the legal time of a place is not within the boundaries of the uniform system, the table may still be used with an additional hour added or subtracted afterward, as dictated by the circumstances.

Altitude, Azimuth Diagrams: These are 33 diagrams which transform a time of day and solar declination into altitude and azimuth referred to the geographic position of interest. The diagrams are drawn for whole multiples of five degrees of latitude and marked with offsets which make them useful for any latitude, from the equator to 82 degrees North and South. Cardinal directions are indicated. On the diagrams, lines extending North to South (the meridian) are intersected by lines from East to West at the origin, which point corresponds to the latitude printed at the top of the page in large type. Above and below the origin are short line segments representing one and two degrees of latitude greater or less than that for which to figure was drawn. These are used to recken altitudes and azimuths for latitudes which are not multiples of five degrees. Azimuth is indicated for every two degrees at the edge of the diagrams, but one degree resolution is easily achieved by eye. The outermost circle (boundary) represents an altitude of six degrees below the horizon and corresponds to civil twilight. The horizon circle is drawn inside the twilight circle. On each diagram, there are curves representing the path of the Sun from morning civil twilight through rise, meridian passage and set, to evening civil twilight. The interval between these paths is two degrees of

solar declination except for the limiting values of 23.5 degrees, which are also shown. Curves representing every 10 degrees of declination are accented and labelled. Time lines drawn at 10 minute intervals, with each hour accented, intersect the declination curves. The time lines are labelled at an hourly interval but, with the exception of the Noon line, only with two digits. At the foot of each diagram is an altitude scale.

When the Sun is nearly overhead, at a specific location, the azimuth is poorly determined by the diagrams. This approximates the real situation of indeterminate azimuth when the Sun is in the zenith.

The diagrams can also be used inversely to obtain times and dates when the Sun is at specific altitudes or azimuths.

Solar Illuminance Diagram: This single diagram gives the illuminance by the Sun on a horizontal surface as a function of altitude. The scale of illuminance is logarithmic. The altitude scale is expanded for solar altitude less than +10 deg., since the change in illuminance with altitude is greatest when the Sun is near the horizon. Above 10 deg. altitude the change in illuminance is less dramatic, as far as vision is concerned, and the exact amount of illuminance is less important for practical concerns. Four curves are shown in the diagram. Each corresponds to a sky condition, or factor, described in Section I and is indicated by the letter F with numerical suffix to the right of the diagram.

Lunar Illuminance Diagrams: Four diagrams are provided, cach corresponding to a condition of the sky as described in Section I. Each diagram shows illuminance on a horizontal surface as a function of altitude. But the illuminance by the Moon also depends upon its phase. Phase is a continuous function of the angular separation of the Moon from the Sun (elongation), and for quantitative purposes it is better represented by the percent of the Moon illuminated than by the traditional, restrictive terms Quarter, Full, etc. At the right of each diagram, therefore, the illuminance curves are designated by percent illuminated and by corresponding values of the elongation. Values of the percent of the Moon illuminated must be taken from other sources. The Air Almanac, for example, gives the quantity in tabular format at semi-daily interval.

Figure 5 shows an altitude, azimuth diagram for an actual location which has an obstructed horizon. The shaded area was determined by crude measurements of altitudes and azimuths of the obstructions which included trees and buildings on rolling landscape. For example, the spike at azimuth 155 deg. is a tower supporting environmental sensors; at azimuth 350 deg. is a church tower. The profile of the shaded area was faired by hand, since the particular application of the diagram was not critical. The shading suggests collateral uses for the diagrams, as well as the obvious applications in which the availability of direct sunlight is a factor. It should also amplify the significance of the assumptions made in determining illuminance by calculation or graphically. In Figure 5, for example, it is seen that when the Sun's azimuth is greater than 212 deg. while its

altitude is less than 12 deg., there is no direct sunlight. The actual illuminance would be considerably less than predicted, for the circumstances. Also, less (indirect) skylight would be available at any time, since not all of the sky is visible at the location. On the other hand, both natural and manmade obstructions reflect various amounts of incident light, so that it is not generally possible to estimate the attenuated light level from the geometry of the figure only. The safe interpretation of illuminance figures, therefore, is to postulate that they are the maximum possible amounts. This may be adequate to determine whether certain activities are possible without artificial lighting or aided vision.




Figure 5 -- Altitude, Azimuth Diagram showing obstructed horizon.

Instructions for calculation of events using the tables:

- 1. Obtain and record the geographic coordinates to the nearest degree of latitude and longitude for the location of interest. Label the latitude with N or S according to whether the location is North or South of the equator. Label the longitude E or W according to whether the location is East or West of the prime meridian.
- 2. Enter Table 1 (page 50) at the month (column) and day of the month (row). Take out the quantity MP with its positive (+) or negative (-) sign, and DEC with its prefix N or S. Write MP with its sign under the number 1200 and perform the indicated operation of addition or subtraction. Record the result as the Local Mean Time of the Sun's meridian passage.
- 3. Open Table 2 (page 52) at the latitude. Two tables will be found on each page. If the latitude and DEC are both N or both S, use the table headed "Latitude and Declination SAME." If the latitude and DEC are not both N or both S use the table labelled "Latitude and Declination OPPOSITE." In the column under the numerical value of the latitude and at the row indicated by the numerical value of declination, take out and record the quantities AL, LD, R/S,CT, NT. The quantity AL is the altitude of the Sun at the time of its meridian passage (crossing), LD is the length of the day (number of hours of daylight) from sunrise until sunset.
- 4. Write MP with its sign under the quantities R/S, CT, NT and perform the indicated operation (addition or subtraction). The results are the Local Mean Times of sunrise and beginning morning civil and nautical twilight respectively.
- 5. Add LD to the LMT of sunrise. The result is the LMT of sunset.
- 6. Subtract the quantities CT and NT, as given by Table 2, from 24 hours. This is accomplished more readily by subtracting each from the equivalent quantity 2360.
- 7. Write MP with its sign under each result found by step 6. Perform the indicated operation (addition or subtraction). The results are the Local Mean Times for the end of evening civil and nautical twilight.
- 8. Turn to Table 3 (page 69). Identify the column and row containing the longitude, under the heading Lo. If zone (standard) time is required, continue at step 10.
- 9. If Universal Time is required, take from Table 3 the UT adjustment found in the same column at the same row as the longitude.

- 9a. If the longitude is West (W) of the prime meridian, add the UT adjustment to the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. The events are now expressed in Universal Time. Continue at step 11.
- 9b. If the longitude is East (E) of the prime meridian, subtract the UT adjustment from the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. The events are now expressed in Universal Time. Continue at step 11.
- 10. To express the times of events in zone (standard) time, find the quantity ZC (zone adjustment) in the last column of Table 3 on the same row as the longitude.
- 10a. If the longitude is West of the nearest standard meridian (center of the zone), add the ZC adjustment to the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. Continue at step 11.
- 10b. If the longitude is East of the nearest standard meridian (center of the zone), subtract the ZC adjustment from the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight.
- 11. Do not apply the UT or ZC adjustments to the length of the day.

 After applying the adjustment to the specified events:
- 11a. If the time of any event is greater than 2400, subtract 2400 from the time AND increase the date by one day. This completes the calculation.
- 11b. If the time of any event is less than 0000, add 2400 to the time AND decrease the date by one day. This completes the calculation.

Two examples illustrating the use of the tables are given on the next page. The first is straightforward. The second includes the use of visual interpolation in Table 2 (not a requirement) and involves an addition to the date. For both examples, all information required to begin the calculations is stated on the first line, and all events have been computed. The latter is rarely required in practice. The examples might be read in conjunction with the instructions, for better comprehension of both. It is recommended that the user adopt a work form for calculation; it should reduce the possibility for error. The form used for the examples is intended to be suggestive only.

EXAMPLE 1

Date: 17 Nov., Latitude: N13, Longitude: E145, Event Times: Zone

Table 1: MP= -15 DEC= S19

Table 2: (OPPOSITE), AL= 58deg., LD= 1131, R/S= 0615, CT= 0552, NT= 0526

Table 3: (Zone Time adjustment to 150th meridian) ZC= 20

1200	CT 0552	NT 0526
MP -15	MP -15	MP -15
Merid. Pass. 1145 LMT	Beg. Civ. Twi. 0537 LMT	Beg. Naut. Twi. 0511 LMT
R/S 0615	(24 hours) 2360	(24 hours) 2360
MP -15	CT -0552	NT -0526
Sunrise 0600 LMT	1808	1834
LD 1131	MP -15	MP -15
Sunset 1731 LMT	End Civ. Twi. 1753 LMT	End Naut. Twi. 1819 LMT
Local Mean Time 1145 ZC (adjustment) +20 Zone time 1205	Rise Set BCT 0600 1731 0537 +20 +20 +20 0620 1751 0557	ECT BNT ENT 1753 0511 1819 +20 +20 +20 1813 0531 1839

EXAMPLE 2

Date: 3 Feb., Latitude: S59, Longitude: W55, Event Times: Universal

Table 1: MP= +14, DEC= S16.5

Table 2: (SAME), AL=47.5*deg., LD= 1612*, R/S= 0354*, CT= 0300*, NT=0136*

Table 3: (Universal Time adjustment) UT= 0340

1200 MP <u>+14</u> Merid. Pass. 1214 LMT	Beg. Civ.	CT 030 MP <u>+</u> Twi. 03	14	Beg. Naut	NT 01 MP <u>+</u> . Twi. 01	14
R/S 0354* MP <u>+14</u> Sunrise 0408 LMT LD <u>1612</u> * Sunset 2020 LMT	(24 ho	CT - <u>030</u> 210 MP +	00* 00 14	(24 ho	NT - <u>01</u> 22 MP <u>+</u>	36*
M.P. Local Mean Time 1214 UT (adjustment) +0340 U.T., 3 Feb. 1554 U.T., 4 Feb.	Rise 0408 +0340 0748	Set 2020 +0340 2400	BCT 0314 +0340 0654	ECT 2114 +0340 2454 -2400 0054	0150 +0340 0530	ENT 2238 +0340 2618 -2400 0218

^{*} Interpolated from Table 2 by inspection with DEC= 16.5.

Instructions for calculation of the Sun's altitude, azlmuth and Illuminance:

- 1. Obtain and record the geographic coordinates to the nearest degree of latitude and longitude for the location of interest. Label the latitude with N or S according to whether the location is in the northern or southern hemisphere. Label the longitude E or W according to whether the location is East or West of the prime meridian.
- 2. Enter Table 3 (page 69). Identify the column and row containing the longitude, under the heading Lo. If the time of day is given in Zone (Standard) Time, proceed at Step 3. If the time of day is given in Universal Time, take from Table 3 the UT adjustment found in the same column at the same row as the longitude.
- 2a. If the longitude is West of the prime meridian, subtract the UT adjustment from the given time of day. Continue at step 4.
- 2b. If the longitude is East of the prime meridian, add the UT adjustment to the given time of day. Continue at step 4.
- 3. To convert Zone Time, find the ZC adjustment in the last column of Table 3 on the same row as the longitude.
- 3a. If the longitude is West of the nearest standard meridian, subtract the ZC adjustment from the given time of day. Continue at step 4.
- 3b. If the longitude is East of the nearest standard meridian, add the ZC adjustment to the given time of day.
- 4. Enter Table 1 (page 50) with the month (column) and day of the month (row). Take out the MP increment and write it under the Local Mean Time found by step 2 or step 3 but with its sign changed (plus to minus or minus to plus), unless the value of MP is zero. Perform the indicated operation of combining MP with LMT to produce the reference times for the altitude, azimuth diagram. Also take the declination of the Sun (DEC) from Table 1.
- 5. Determine which multiple of five degrees, North or South, is nearest to the given latitude and open the diagram pages (page 70) at that latitude. To prevent deterioration through repeated use, working copies of the page should be made so that notes and azimuth (bearing) lines can be placed on the copies.
- 6. Near the edge of the diagram locate the Sun's declination curve which corresponds most nearly to the value of DEC taken from Table 1. Follow the declination curve to the time line which corresponds most nearly to the reference time found by step 4. Mark the intersection of the reference time line and the declination curve on the diagram.

- 7. Locate the origin for the given latitude on the diagram. If the given latitude is one or two degrees South of the latitude for which the diagram is drawn, the offset origin will be found at the first or second line segment below the East-West line. If the given latitude is one or two degrees North of the diagram latitude, the offset origin will be at the first or second line segment above the East-West line.
- Place a ruler or straightedge on the diagram is such a way as to connect the latitude origin and the Sun's position determined in step
 The straightedge or ruler should then intersect the graduated outer circle of the diagram where the azimuth is read immediately.
- 9. Mark the straightedge or ruler where it meets the origin for the given latitude and where it meets the Sun's indicated position (step 6). Place the straightedge parallel to the altitude scale at the bottom of the diagram so that one of the marks coincides with the point designated 90. The other mark then gives the point on the scale at which the Sun's altitude is read. Dividers may also be used to find the altitude.
- 10. Referring to the Solar Illuminance Diagram (page 103), locate the Sun's altitude, found above, on the horizontal scale. The appropriate illuminance curve is selected by estimating the cloud cover according to the criteria given in Section 1. The illuminance is then read from the vertical scale of the diagram.

Two examples are given to illustrate the use of an altitude, azimuth diagram, both for the location 37 deg. North and 122 deg. West, under clear skies.

Example 3: To find the azimuth, altitude and solar illuminance on 15 March at 0927 (Pacific) Standard Time.

Example 4: To find the azimuth, altitude and solar illuminance on 6 October at 0121 Universal Time.

The calculations and results are summarized on the next page, which also shows the corresponding diagram with azimuth lines drawn. Example 3 is a straightforward application of the instructions. In plotting the position of the Sun for Example 4 however, the declination and reference time indicate a point midway between grid lines, and visual interpolation was used to locate the point. Also, it should be noted that, for the given longitude, the conversion from Universal to Local Mean Time necessitates a change to the date.

EXAMPLE 3 Date: 15 Mar., Lat: N37, Long: W122 Sky: clear Table 3: (Zone Time) ZC= 08 Table 1: MP= +09; DEC= S 2 Zone Time 0927 ZC (adjustment) -08 LMT 0919 MP (opposite sign) -09 Reference time 0910 (for diagram) Diagram: Azimuth = 124 deg. Altitude = +34 deg. Graph: (F1) Illuminance = 60,000 lux

EXAMPLE 4 Date: 6 Oct., Lat: N37, Long: W122 Sky: clear Table 3: (Universal Time) UT= 0808 Table 1: MP= -12, DEC= S 5 Universal Time 0121 UT (adjustment) - 0808 5 Oct., LMT 1713 MP (opposite sign) +12 Reference time 1725 (for diagram) Diagram: Azimuth = 260 deg. Altitude = +4 deg.

Graph: (F1) Illuminance = 4000 lux




Table 1 -- Sun Meridian Passage Increment and Declination

	J	en.	F	eb.	М	ar.	A	pr.	М	ay	J	une
DAY	MP	DEC	MP	DEC-	MP	DEC	MP	DEC	MP	DEC	MP	DEC
	m	0	m	0	m	0	m	0	m	0	m	0
1	+03	\$23.0	+13	\$17.0.	+12	S 7.5	+04	N 4.5	-03	N15.0	-02	N22.0
2	+04	\$23.0	+14	\$17.0	+12	\$ 7.0	+04	N 5.0	- 03	N15.5	-02	N22.0
3	+04	\$23.0	+14	\$16.5	+12	\$ 6.5	+03	N 5.5	- 03	N15.5	-02	N22.5
4	+05	\$22.5	+14	\$16.0	+12	\$ 6.5	+03	N 6.0	-03	N16.0	-02	N22.5
5	+05	\$22.5	+14	\$16.0	+11	s 6.0	+03	N 6.0	-03	N16.5	-01	N22.5
6	+06	\$22.5	+14	\$15.5	+11	\$ 5.5	+02	N 6.5	-03	N16.5	-01	N22.5
7	+06	S22.5	+14	\$15.5	+11	\$ 5.0	+02	N 7.0	-03	N17.0	-01	N22.5
8	+07	S22.0	+14	\$15.0	+11	\$ 5.0	+02	N 7.5	-03	N17.0	-01	N23.0
9	+07	\$22.0	+14	\$14.5	+10	\$ 4.5	+02	N 7.5	-03	N17.5	-01	N23.0
10	+07	\$22.0	+14	\$14.5	+10	\$ 4.0	+01	N 8.0	-04	N17 5	-01	N23.0
11	+08	\$22.0	+14	\$14.0	+10	\$ 3.5	+01	N 8.5	-04	N18.0	00	N23.0
12	+08	\$21.5	+14	\$13.5	+10	\$ 3.0	+01	N 8.5	-04	318.0	00	N23.0
13	+09	S21.5	+14	\$13.5	+09	s 3.0	+01	N 9.0	-04	N18.5	00	N23.0
14	+09	\$21.5	+14	\$13.0	+09	\$ 2.5	00	N 9.5	-04	N18.5	00	N23.0
15	+09	\$21.0	+14	\$12.5	+09	s 2.0	00	N10.0	-04	N19.0	+01	N23.5
16	+10	\$21.0	+14	\$12.5	+09	s 1.5	00	N10.0	-04	N19.0	+01	N23.5
17	+10	\$20.5	+14	\$12.0	+08	\$ 1.5	00	N10.5	-04	N19.5	+01	N23.5
18	+10	\$20.5	+14	\$11.5	+08	s 1.0	-01	N11.0	-03	N19.5	+01	N23.5
19	+11	\$20.5	+14	\$11.5	+08	s 0.5	-01	N11.0	-03	N20.0	+01	N23.5
20	+11	\$20.0	+14	\$11.0	+07	0.0	-01	N11.5	-03	N20.0	+02	N23.5
21	+11	\$20.0	+14	\$10.5	+07	N 0.5	-01	N12.0	-03	N20.0	+02	N23.5
22	+11	\$19.5	+13	\$10.0	+07	N 0.5	-01	N12.5	-03	N20.5	+02	N23.5
23	+12	\$19.5	+13	\$10.0	+07	N 1.0	-02	N12.5	-03	N20.5	+02	N23.5
24	+12	\$19.0	+13	\$ 9.5	+06	N 1.5	-02	N13.0	-03	N21.0	+02	N23.5
25	+12	\$19.0	+13	\$ 9.0	+06	N 2.0	-02	N13.0	-03	N21.0	+03	N23.5
26	+12	\$18.5	+13	\$ 8.5	+06	N 2.5	-02	N13.5	-03	N21.0	+03	N23.5
27	+13	\$18.5	+13	s 8.5	+05	N 2.5	-02	N14.0	-03	N21.5	+03	N23.5
28	+13	\$18.0	+12	\$ 8.0	+05	N 3.0	-02	N14.0	-03	N21.5	+03	N23.0
29	+13	\$18.0	+12	s 7.5	+05	N 3.5	-03	N14.5	-03	N21.5	+03	N23.0
30	+13	\$17.5			+04	N 4.0	-03	N15.0	-02	N22.0	+04	N23.0
31	+13	\$17.5			+04	N 4.0			-02	N22.0		




Table 1 -- Sun Meridian Passage Increment and Declination

	J	uly	A	ug.	s	ep.	0	ct.	N	ov.	D	ec.
DAY	MP	DEC	MP	DEC	MP	DEC	MP	DEC	MP	DEC	MP	DEC
	m	0	m	0	m	0	m	0	m	0	m	0
1	+04	N23.0	+06	N18.0	00	N 8.0	-10	S 3.5	-16	\$14.5	-11	S22.0
2	+04	N23.0	+06	N17.5	00	N 8.0	-11	S 3.5	- 16	\$15.0	-10	S22.0
3	+04	N23.0	+06	N17.5	-01	N 7.5	-11	S 4.0	-16	S15.0	-10	S22.0
4	+04	N23.0	+06	N17.0	-01	N 7.0	-11	S 4.5	-16	S15.5	-10	S22.0
5	+05	N22.5	+06	N17.U	-01	N 6.5	-12	s 5.0	-16	s15.5	- 09	\$22.5
6	+05	N22.5	+06	N16.5	-02	N 6.5	-12	s 5.0	-16	\$16.0	-09	\$22.5
7	+05	N22.5	+06	N16.5	-02	N 6.0	-12	S 5.5	-16	S16.5	-08	S22.5
8	+05	N22.5	+06	N16.0	-02	N 5.5	-12	s 6.0	-16	S16.5	-08	\$22.5
9	+05	N22.5	+05	N16.0	-03	N 5.0	-13	S 6.5	-16	\$17.0	-08	s23.0
10	+05	N22.0	+05	N15.5	-03	N 5.0	-13	s 6.5	-16	\$17.0	-07	\$23.0
11	+05	N22.0	+05	N15.0	-03	N 4.5	-13	s 7.0	-16	\$17.5	- 07	\$23.0
12	+06	N22.0	+05	N15.0	-04	N 4.0	- 13	s 7.5	-16	\$17.5	-06	\$23.0
13	+06	N22.0	+05	N14.5	-04	N 3.5	-14	S 8.0	-16	S18.0	-06	S23.0
14	+06	N21.5	+05	N14.5	-04	N 3.5	- 14	S 8.0	-15	S18.5	- 05	S23.0
15	+06	N21.5	+04	N14.0	-05	N 3.0	-14	s 8.5	- 15	\$18.5	-05	\$23.0
16	+06	N21.5	+04	N13.5	-05	N 2.5	-14	S 9.0	- 15	\$19.0	-04	s23.5
17	+06	N21.0	+04	N13.5	-06	N 2.0	- 15	s 9.5	- 15	\$19.0	-04	s23.5
18	+06	N21.0	+04	N13.0	-06	N 2.0	- 15	s 9.5	-15	\$19.0	-03	s23.5
19	+06	N21.0	+04	N12.5	-06	N 1.5	- 15	S10.0	-14	\$19.5	-03	s23.5
20	+06	N20.5	+03	N12.5	-07	N 1.0	-15	s10.5	-14	s19.5	-02	s23.5
21	+06	N20.5	+03	N12.0	-07	N 0.5	-15	\$11.0	-14	\$20.0	-02	\$23.5
22	+06	N20.0	+03		-07	0.0	-15	\$11.0	-14	\$20.0	-01	s23.5
23	+06	N20.0	+03	N11.5	-08	0.0	-16	\$11.5	-13	s20.5	-01	s23.5
24	+06	N20.0	+02	N11.0	-08	s 0.5	-16	s12.0	-13	\$20.5	00	s23.5
25	+06	N19.5	+02	N10.5	-08	s 1.0	-16	\$12.0	-13	S21.0	00	s23.5
26	+06	N19.5	+02	N10.5	-09	s 1.5	-16	\$12.5	-13	\$21.0	+01	s23.5
27	+06	N19.0	+01	N10.0	-09	s 1.5	- 16	\$13.0	-12	S21.0	+01	s23.5
28	+06	N19.0	+01	N 9.5	-09	s 2.0	- 16	\$13.0	-12	S21.5	+02	S23.0
29	+06	N18.5	+01	N 9.5	-10	\$ 2.5	- 16	\$13.5	-12	\$21.5	+02	S23.0
30	+06	N18.5	+01	N 9.0	-10	s 3.0	- 16	\$14.0	-11	s21.5	+03	s23.0
31	+06	N18.0	00	N 8.5			-16	\$14.0			+03	\$23.0




Table 2

	Latitude and Decl	ination SAME		Latitude and Declination OPPOSITE		
	LAT. 2	LAT. 1	LAT. O	LAT. 1	LAT. 2	
DEC	AL LD R/S CT NT	AL LD R/S CT NT				
0	o hm hmhmhm	o hm hmhmhm	o hm hmhmhm		o hm hmhmhm	
0	88 1207 557 536 512	89 1207 557 536 512	90 1207 557 536 512	89 1207 557 536 512	88 1207 557 536 512	
1	89 1207 557 536 512	90 1207 557 536 512	89 1207 557 536 512	88 1207 557 536 512	87 1206 557 536 512	
2	90 1207 556 536 512	89 1207 557 536 512	88 1207 557 536 512	87 1206 557 536 512	86 1206 557 536 512	
3	89 1208 556 536 511	88 1207 556 536 512	87 1207 557 536 512	86 1206 557 536 512	85 1206 557 536 512	
4	88 1208 556 535 511	87 1207 556 536 512	86 1207 557 536 512	85 1206 557 536 512	84 1206 557 536 512	
5	87 1208 556 535 511	86 1207 556 536 511	85 1207 557 536 512	84 1206 557 536 512	83 1205 557 537 512	
6	86 1208 556 535 511	85 1208 556 535 511	84 1207 557 536 512	83 1206 557 536 512	82 1205 557 537 513	
7	85 1209 556 535 511	84 1208 556 535 511	83 1207 557 536 512	82 1206 557 536 512	81 1205 558 537 513	
8	84 1209 556 535 510	83 1208 556 535 511	Re 1207 557 536 512	81 1206 557 536 512	80 1204 558 537 513	
9	83 1209 555 534 510	82 1208 556 535 511	81 1207 557 536 511	80 1205 557 536 512	79 1204 558 537 513	
10	82 1210 555 534 510	81 1208 556 535 511	80 1207 557 536 511	79 1205 557 536 512	78 1204 558 537 513	
11	81 1210 555 534 509	80 1208 556 535 510	79 1207 557 536 511	78 1205 557 536 512	77 1204 558 537 513	
12	80 1210 555 534 509	79 1209 556 535 510	78 1207 557 535 511	77 1205 557 536 512	76 1203 558 537 513	
13	79 1211 555 533 509	78 1209 556 534 510	77 1207 557 535 511	76 1205 558 536 512	75 1203 558 537 513	
14	78 1211 555 533 508	77 1209 556 534 509	76 1207 557 535 511	75 1205 558 536 512	74 1203 559 537 513	
15	77 1211 554 533 508	76 1209 555 534 509	75 1207 557 535 510	74 1205 558 536 511	73 1203 559 537 512	
16	76 1212 554 533 508	75 1209 555 534 509	74 1207 557 535 510	73 1205 558 536 511	72 1202 559 537 512	
17	75 1212 554 532 507	74 1209 555 534 509	73 1207 557 535 510	72 1205 558 536 511	71 1202 559 537 512	
18	74 1212 554 532 507	73 1210 555 533 508	72 1207 556 535 509	71 1204 558 536 511	70 1202 559 537 512	
19	73 1213 554 532 506	72 1210 555 533 508	71 1207 556 535 509	70 1204 558 536 511	69 1202 559 537 512	
20	72 1213 554 532 506	71 1210 555 533 507	70 1207 556 534 509	69 1204 558 536 510	68 1201 559 537 512	
21	71 1213 553 531 505	70 1210 555 533 507	69 1207 556 534 509	68 1204 558 536 510	67 1201 559 537 512	
22	70 1214 553 531 505	69 1210 555 532 506	68 1207 556 534 508	67 1204 558 536 510	66 1201 600 537 511	
23	69 1214 553 530 504	68 1211 555 532 506	67 1207 556 534 508	66 1204 558 536 510	65 1200 600 537 511	
23.5	69 1214 553 530 504	68 1211 555 532 506	67 1207 556 534 508	66 1204 558 536 509	65 1200 600 537 511	

Table 2, Latitude and Declination SAME

	LAT. 3	LAT. 4	LAT. 5	LAT. 6	LAT. 7		
DEC	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT		
0	o hm hmhmhm	o hm hmhmhm	o h m h m h m h m	o h m h m h m h m			
0	87 1207 557 536 512	86 1207 557 536 512	85 1207 557 536 512	84 1207 557 536 512	83 1207 557 536 512		
1	88 1207 556 536 512	87 1207 556 536 512	86 1207 556 536 511	85 1208 556 535 511	84 1208 556 535 511		
2	89 1208 556 536 511	88 1208 556 535 511	87 1208 556 535 511	86 1208 556 535 5.1	85 1209 556 535 511		
3	90 1208 556 535 511	89 1208 '56 535 511	88 1209 556 535 511	87 1209 555 535 510	86 1210 555 534 510		
4	39 1208 556 535 511	90 1209 356 535 511	89 1210 555 534 510	88 1210 555 534 510	87 1211 555 534 509		
5	88 1209 556 535 511	39 1210 555 534 510	90 1210 555 534 510	89 1211 555 534 509	88 1212 554 533 509		
6	87 1209 555 535 510	88 1210 555 534 510	89 1211 555 534 509	90 1212 554 533 509	89 1213 554 533 508		
7	86 1210 555 534 510	87 1211 555 534 509	88 1212 554 533 509	89 1213 554 533 508	90 1214 553 532 508		
8	85 1210 555 534 510	86 1211 554 533 509	87 1212 554 533 508	88 1214 553 532 508	89 1215 553 522 507		
9	84 1211 555 534 509	85 1212 554 533 509	86 1213 553 532 508	87 1214 553 532 507	88 1216 552 531 506		
10	83 1211 554 533 509	84 1212 554 533 508	85 1214 553 532 507	86 1215 552 531 507	87 1217 552 530 506		
11 i	82 1211 554 533 509	83 1213 553 532 508	84 1215 553 532 507	85 1216 552 531 506	86 1218 551 530 505		
12	81 1212 554 533 508	82 1214 553 532 507	83 1215 552 531 506	84 1217 551 530 505	85 1219 551 529 504		
13 j	80 1212 554 533 508	81 1214 553 532 507	82 1216 552 531 506	83 1218 551 530 505	84 1220 550 529 504		
14	79 1213 554 532 507	80 1215 553 531 506	81 1217 552 530 505	82 1219 551 529 504	83 1221 550 528 503		
15	78 1213 553 532 507	79 1216 552 531 506	80 1218 551 530 505	81 1220 550 529 503	82 1222 549 527 502		
16	77 1214 553 532 506	78 1216 552 530 505	79 1218 551 529 504	80 1221 550 528 503	81 1223 548 527 501		
17	76 1214 553 531 506	77 1217 552 530 505	78 1219 550 529 503	79 1222 549 527 502	80 1224 548 526 501		
18	75 1215 553 53′. 505	76 1217 551 529 504	77 1220 550 528 503	78 1223 549 527 501	79 1225 547 525 500		
19	74 1215 552 530 505	75 1218 551 529 503	76 1221 550 528 502	77 1224 548 526 500	78 1226 547 525 459		
20	73 1216 552 530 504	74 1219 551 529 503	75 1222 549 527 501	76 1225 548 525 500	77 1228 546 524 458		
21	72 1216 552 539 504	73 1219 550 528 502	74 1223 549 526 500	75 1226 547 525 459	76 1229 546 523 457		
22	71 1217 552 529 503	72 1220 550 528 501	73 1223 548 526 500	74 1227 547 524 458	75 1230 545 522 456		
23	70 1217 551 529 502	71 1221 550 527 501	72 1224 548 525 459	73 1228 546 523 457	74 1231 544 522 455		
23.5	70 1218 551 529 502	71 1221 549 527 500	72 1225 548 525 458	73 1228 546 523 456	74 1232 544 521 455		

Latitude and Declination OPPOSITE

	LAT. 3	LAT. 4	LAT. 5	LAT. 6	LAT. 7
DEC	AL LD R/S CT N	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o hm hmhmh	n ohm hmhmhm	o hm hmhmhm	o h m h m h m h m	
0	87 1207 557 536 51	8 86 1207 557 536 512	85 1207 557 536 512	84 1207 557 536 512	83 1207 557 536 512
1	85 1206 557 536 51		84 1206 557 536 512	83 1206 557 536 512	82 1206 557 536 512
2	85 1206 557 536 51		83 1205 557 537 512	82 1205 557 537 513	81 1205 558 537 513
3	84 1205 557 537 51	83 1205 557 537 513	82 1205 558 537 513	81 1204 558 537 513	80 1204 558 537 513
4	83 1205 557 537 51	82 1204 558 537 513	81 1204 558 537 513	80 1203 558 538 513	79 1203 559 538 514
5	82 1205 558 537 51	81 1204 558 537 513	80 1203 558 538 513	79 1203 559 538 514	78 1202 559 538 514
6	81 1204 558 537 51		79 1203 559 538 514	78 1202 559 .38 514	77 1201 600 539 514
7	80 1204 558 537 51	79 1203 559 538 514	78 1202 559 538 514	77 1201 600 539 514	76 1200 600 539 515
8	79 1203 558 537 51		77 1201 559 539 514	76 1200 600 539 515	75 1159 601 540 515
9	78 1203 559 538 51	5 77 1202 559 538 514	76 1200 600 539 514	75 1159 600 539 515	74 1158 601 540 516
10	77 1203 559 538 51	76 1201 559 538 514	75 1200 600 539 515	74 1158 601 540 515	73 1157 602 540 516
11	76 1202 559 538 51	5 75 1201 600 539 514	74 1159 600 539 515	73 1157 601 540 516	72 1156 602 541 516
12	75 1202 559 538 51		73 1158 601 540 515	72 1157 602 540 516	71 1155 603 541 517
13	74 1201 559 538 51		72 1158 601 540 515	71 1156 602 541 516	70 1154 603 542 517
14	73 1201 600 538 51	6 72 1159 601 539 514	71 1157 602 540 515	70 1155 603 541 516	69 1153 604 542 517
15	72 1200 600 538 51	71 1158 601 539 515	70 1156 602 540 516	69 1154 603 541 517	68 1152 604 543 518
16	71 1200 600 538 51	3 70 1158 601 540 515	69 1155 602 541 516	68 1153 603 542 517	67 1151 605 543 518
17	70 1200 600 539 51	5 69 1157 601 540 515	68 1155 603 541 516	67 1152 604 542 517	66 1150 605 543 518
18	69 1159 600 539 51		67 1154 603 541 516	66 1151 604 542 517	65 1149 606 544 518
19	68 1159 601 539 51	67 1156 602 540 515	66 1153 603 541 516	65 1151 605 543 517	64 1148 606 544 519
20	67 1158 601 539 51	66 1155 602 540 515	65 1153 604 542 516	64 1150 605 543 518	63 1147 607 545 519
21	66 1158 601 539 51	65 1155 603 540 515	64 1152 604 542 516	63 1149 606 543 518	62 1146 607 545 519
22	65 1157 601 539 51	64 1154 603 541 515	63 1151 604 542 516	62 1148 606 544 515	61 1145 608 545 519
23	64 1157 601 539 51	63 1154 603 541 515	62 1150 605 542 516	61 1147 607 544 518	60 1143 608 546 520
23.5	64 1157 602 539 51	65 1153 603 541 515	62 1150 605 542 516	61 1146 607 544 518	60 1143 609 546 520

Table 2, Latitude and Declination SAME

	LAT. 8		LAT. 9	LAT.10	LAT.11	LAT.12		
DEC	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT		
0	o h m	hmhmhm			o hm hmhmhm			
0	82 1207	557 536 512	81 1207 557 536 511	80 1207 557 536 511	79 1207 557 536 511	78 1207 557 535 511		
1	83 1208	556 535 511	82 1208 556 535 511	81 1208 556 535 511	80 1208 556 535 510	79 1209 556 535 510		
2	84 1209	556 535 510	83 1209 555 534 510	82 1210 555 534 510	81 1210 555 534 509	80 1210 555 534 509		
3	85 1210	555 534 510	84 1211 555 534 509	83 1211 554 533 509	82 1211 554 533 509	81 1212 554 533 508		
4	86 1211	554 533 509	85 1212 554 533 509	84 1212 554 533 508	83 1213 553 532 508	82 1214 553 532 507		
5	87 1212	554 533 508	86 1213 553 532 508	85 1214 553 532 507	84 1215 553 532 507	83 1215 552 531 506		
6	88 1214	553 532 508	87 1214 553 532 507	86 1215 552 531 507	85 1216 552 531 506	84 1217 551 530 505		
7	89 1215	553 532 507	88 1216 552 531 506	87 1217 552 530 506	86 1218 551 530 505	85 1219 551 529 504		
8	90 1216	552 531 506	89 1217 551 530 506	88 1218 551 530 505	87 1219 550 529 504	86 1221 550 528 503		
9	89 1217	551 530 506	90 1218 551 530 505	89 1220 550 529 504	88 1221 550 528 503	87 1222 549 527 502		
10	88 1218	551 530 505	89 1220 550 529 504	90 1221 549 528 503	89 1223 549 527 502	88 1224 548 526 501		
11	87 1219	550 529 504	88 1221 550 528 503	89 1223 549 527 502	90 1224 548 526 501	89 1226 547 525 500		
12	86 1221	550 528 503	87 1222 549 527 502	88 1224 548 526 501	89 1226 547 525 500	90 1228 546 524 459		
13	85 1222	549 528 503	86 1224 548 527 501	87 1226 547 526 500	88 1228 546 525 459	89 1230 545 523 458		
14	84 1223	548 527 502	85 1225 547 526 501	86 1227 546 525 459	87 1229 545 524 458	88 1231 544 522 457		
15	83 1224	548 526 501	84 1226 547 525 500	85 1229 546 524 458	86 1231 545 523 457	87 1233 543 521 456		
16	82 1225	547 525 500	83 1228 546 524 459	84 1230 545 523 457	85 1233 544 522 456	86 1235 542 520 454		
17	81 1227	547 525 459	82 1229 545 523 458	83 1232 544 522 456	84 1234 543 521 455	85 1237 542 519 453		
18	80 1228	546 524 458	81 1231 545 523 457	82 1233 543 521 455	83 1236 542 520 454	84 1239 541 518 452		
19	79 1229	545 523 457	80 1232 544 522 456	81 1235 542 520 454	82 1238 541 519 452	83 1241 540 517 451		
20	78 1231	545 522 456	79 1234 543 521 455	80 1237 542 519 453	81 1240 540 518 451	82 1243 539 516 449		
21	77 1232	544 522 455	78 1235 542 520 453	79 1238 541 518 452	80 1242 539 516 450	81 1245 538 515 448		
22	76 1233	543 521 454	77 1237 542 519 452	78 1240 540 517 450	79 1243 538 515 448	80 1247 537 514 447		
23	75 1235	543 520 453	76 1238 541 518 451	77 1242 539 516 449	78 1245 537 514 447	79 1249 536 512 445		
23.5	75 1235	542 519 453	76 1239 541 518 451	77 1243 539 516 449	78 1246 537 514 446	79 1250 535 512 444		

Latitude and Declination OPPOSITE

	LAT. 8	LAT. 9	LAT.10	LAT.11	LAT.12
DEC	AL LD R/S CT NT		AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	ohm hmhmhm		o hm hmhmhm	o hm hmhmhm	o hm hmhmhm
0	82 1207 557 536 512		80 1207 557 536 511	79 1207 557 536 511	78 1207 557 535 511
1 .	81 1206 557 536 512		79 1205 557 536 512	78 1205 557 536 512	77 1205 557 536 512
2	80 1204 558 537 513	79 1204 558 537 513	78 1204 558 537 513	77 1204 558 537 513	76 1203 558 537 513
3	79 1203 558 537 513		77 1203 559 538 513	76 1202 559 538 513	75 1202 559 538 513
4	78 1202 559 533 514	77 1202 559 538 514	76 1201 559 538 514	75 1201 600 539 514	74 1200 600 539 514
5	77 1201 559 539 514	76 1200 600 539 514	75 1200 600 539 515	74 1159 600 539 515	73 1158 601 540 515
6	76 1200 600 539 515	75 1159 600 539 515	74 1158 601 540 515	73 1157 601 540 516	72 1157 602 540 516
7	75 1159 601 540 515	74 1158 601 540 516	73 1157 602 540 516	72 1156 602 541 516	71 1155 603 541 517
8	74 1158 601 540 516	73 1157 602 541 516	72 1155 602 541 517	71 1154 603 542 517	70 1153 603 542 517
9	73 1157 602 541 516	72 1155 602 541 517	71 1154 603 542 517	70 1153 604 542 518	69 1151 604 543 518
10	72 1155 602 541 517	71 1154 603 542 517	70 1153 604 542 518	69 1151 604 543 518	68 1150 605 544 519
11	71 1154 603 542 517	70 1153 604 542 518	69 1151 604 543 518	68 1150 605 544 519	67 1148 606 545 520
12	70 1153 603 542 517	69 1151 604 543 518	68 1150 605 544 519	67 1148 606 545 520	66 1146 607 545 520
13	69 1152 604 543 518		67 1148 606 544 519	66 1146 607 545 520	65 1144 608 546 521
14	68 1151 605 543 518	67 1149 606 544 519	66 1147 607 545 520	65 1145 608 546 521	64 1143 609 547 522
15	67 1150 605 544 519	66 1148 606 545 520	65 1145 607 546 521	64 1143 608 547 522	63 1141 610 548 522
16	66 1149 606 544 519	65 1146 607 545 520	64 1144 608 546 521	63 1142 609 547 522	62 1139 610 548 523
17	65 1147 606 545 519		63 1142 609 547 522	62 1140 610 548 523	61 1137 611 549 524
18	64 1146 607 545 520		62 1141 610 548 522	61 1138 611 549 523	60 1135 612 550 524
19	63 1145 608 545 520	62 1142 609 547 521	61 1139 610 548 523	60 1136 612 550 524	59 1134 613 551 525
20	62 1144 608 546 520	61 1141 610 547 522	60 1138 611 549 523	59 1135 613 550 524	58 1132 614 552 526
21	61 1142 609 546 521	60 1139 610 548 522	59 1136 612 549 524	58 1133 613 551 525	57 1130 615 552 526
22	60 1141 609 547 521		58 1135 613 550 524	57 1131 614 552 526	56 1128 616 553 527
23	59 1140 610 547 521		57 1133 613 551 524	56 1130 615 552 526	55 1126 617 554 528
23.5	<u> 59 1139 610 548 521</u>	58 1136 612 549 523	57 1132 614 551 525	56 1129 616 553 526	55 1125 617 554 528

Table 2, Latitude and Declination SAME

	LAT.13	LAT.14	LAT.15	LAT.16	LAT.17	
DEC	AL LD R/S CT NT					
0	o hm hmhmhm	o hm hmhmhm	o hm hmhmhm			
0	77 1207 557 535 511	76 1207 557 535 511	75 1207 557 535 510	74 1207 557 535 510	73 1207 557 535 510	
1	78 1209 556 534 510	77 1209 556 534 509	76 1209 555 534 509	75 1209 555 534 509	74 1209 555 534 509	
2	79 1211 555 533 509	78 1211 555 533 508	77 1211 554 533 508	76 1212 554 533 508	75 1212 554 532 507	
3	80 1212 554 533 508	79 1213 554 532 507	78 1213 553 532 507	77 1214 553 532 506	76 1214 553 531 506	
4	81 1214 553 532 507	80 1215 553 531 506	79 1216 552 531 506	78 1216 552 530 505	77 1217 552 530 505	
5	82 1216 552 531 506	81 1217 552 530 505	80 1218 551 530 505	79 1218 551 529 504	78 1219 550 529 503	
6	83 1218 551 530 505	82 1219 551 529 504	81 1220 550 529 503	80 1221 550 528 503	79 1222 549 527 502	
7	84 1220 550 529 504	83 1221 550 528 503	82 1222 549 527 502	81 1223 548 527 501	80 1224 548 526 501	
8	85 1222 549 528 503	84 1223 548 527 502	83 1224 548 526 501	82 1225 547 525 500	81 1227 547 525 459	
9	86 1224 548 527 501	85 1225 547 526 501	84 1226 547 525 500	83 1228 546 524 459	82 1229 545 523 458	
10	87 1226 547 526 500	86 1227 546 525 459	85 1229 546 524 458	84 1230 545 523 457	83 1232 544 522 456	
11	88 1228 546 525 459	87 1229 545 524 458	86 1231 545 523 457	85 1233 544 522 456	84 1234 543 521 455	
12	89 1230 545 523 458	88 1231 544 522 457	87 1233 543 521 456	86 1235 542 520 454	85 1237 542 519 453	
13	90 1231 544 522 457	89 1233 543 521 456	88 1235 542 520 454	87 1238 541 519 453	86 1240 540 518 452	
14	89 1233 543 521 456	90 1236 542 520 454	89 1238 541 519 453	88 1240 540 518 452	87 1242 539 516 450	
15	88 1235 542 520 454	89 1238 541 519 453	90 1240 540 518 451	89 1242 539 516 450	88 1245 538 515 448	
16	87 1238 541 519 453	88 1240 540 518 452	89 1242 539 516 450	90 1245 538 515 448	89 1248 536 514 447	
17	86 1240 540 518 452	87 1242 539 516 450	88 1245 538 515 448	89 1248 536 514 447	90 1250 535 512 445	
18	85 1242 539 517 450	86 1244 538 515 449	87 1247 536 514 447	88 1250 535 512 445	89 1253 534 511 443	
19	84 1244 538 515 449	85 1247 537 514 447	86 1250 535 512 445	87 1253 534 511 444	88 1256 532 509 442	
20	83 1246 537 514 447	84 1249 535 513 446	85 1252 534 511 444	86 1255 532 509 442	87 1259 531 507 440	
21	82 1248 536 513 446	83 1251 534 511 444	84 1255 533 509 442	85 1258 531 508 440	86 1301 529 506 438	
22	81 1250 535 512 445	82 1254 533 510 442	83 1257 531 508 440	84 1301 530 506 438	85 1304 528 504 436	
23	80 1252 534 510 443	81 1256 532 508 441	82 1300 530 507 439	83 1304 528 504 436	84 1307 526 502 434	
23.5	80 1254 533 510 442	81 1257 531 508 440	82 1301 529 506 438	83 1305 528 504 435	84 1309 526 502 433	

Latitude and Declination OPPOSITE

	LAT	r.13	L	AT.14	L	AT.15	LAT.16	LAT.17
DEC	AL LD F	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0		nmhmhm	o h m	hmhmhm	o h m	hmhmhm		
0		557 535 511	76 1207	557 535 511	75 1207	557 535 510	74 1207 557 535 510	73 1207 557 535 510
1		558 536 512	75 1205	558 536 512	74 1205	558 536 511	73 1205 558 536 511	72 1205 558 536 511
2		558 537 513	74 1203	559 537 513	73 1203	559 537 512	72 1202 559 537 512	71 1202 559 537 512
3	74 1201 5	559 538 513	73 1201	600 538 514	72 1200	600 538 514	71 1200 600 538 513	70 1200 600 539 513
4	73 1159 6	500 539 514	72 1159	601 539 514	71 1158	601 539 515	70 1158 601 540 515	69 1157 601 540 515
5	/2 1158 6	501 540 515	71 1157	602 540 515	70 1156	602 540 516	69 1155 602 541 516	68 1155 603 541 516
6	71 1156 6	502 541 516	70 1155	603 541 516	69 1154	603 541 517	68 1153 603 542 517	67 1152 604 542 517
7	70 1154 6	503 542 517	69 1153	604 542 517	68 1152	604 543 518	67 1151 605 543 518	66 1150 605 543 518
8	69 1152 6	504 543 518	68 1151	605 543 518	67 1150	605 544 519	66 1149 606 544 519	65 1147 606 545 519
9	68 1150 6	505 543 519	67 1149	606 544 519	66 1148	606 545 520	65 1146 607 545 520	64 1145 608 546 520
10	67 1148 6	506 544 519	66 1147	607 545 520	65 1145	607 546 521	64 1144 608 546 521	63 1142 609 547 522
11	66 1146 6	507 545 520	65 1145	608 546 521	64 1143	608 547 522	63 1142 609 547 522	62 1140 610 548 523
12	65 1144 6	508 546 521	64 1143	609 547 522	63 1141	610 548 522	62 1139 610 548 523	61 1137 611 549 524
13	64 1143 6	509 547 522	63 1141	610 548 523	62 1139	611 549 523	61 1137 612 550 524	60 1135 613 550 525
14	63 1141 6	510 548 523	62 1139	611 549 523	61 1136	612 550 524	60 1134 613 551 525	59 1132 614 552 526
15	62 1139 6	511 549 523	61 1136	612 550 524	60 1134	613 551 525	59 1132 614 552 526	58 1130 615 553 527
16	61 1137 6	612 550 524	60 1134	613 551 525	59 1132	614 552 526	58 1130 615 553 527	57 1127 616 554 528
17	60 1135 6	613 550 525	59 1132	614 552 526	58 1130	615 553 527	57 1127 616 554 528	56 1124 618 555 529
18	59 1133 6	614 551 526	58 1130	615 553 527	57 1127	616 554 528	56 1125 618 555 529	55 1122 619 556 530
19	58 1131 6	615 552 526	57 1128	616 554 528	56 1125	618 555 529	55 1122 619 556 530	54 1119 620 558 531
20	57 1129 6	616 553 527	56 1126	617 555 528	55 1123	619 556 530	54 1119 620 557 531	53 1116 622 559 532
21	56 1127 6	617 554 528	55 1123	618 555 529	54 1120	620 557 531	53 1117 622 559 532	52 1114 823 600 533
22	55 1125 6	618 555 529	54 1121	619 556 530	53 1118	621 558 532	52 1114 623 600 533	51 1111 625 601 535
23	54 1122 6	619 556 529	53 1119	621 557 531	52 1115	622 559 532	51 1112 624 601 534	50 1108 626 603 536
23.5	54 1121 6	619 556 530	53 1118	621 558 531	52 1114	623 600 533	51 1110 625 601 534	50 1107 627 603 536

Table 2, Latitude and Declination SAME

	LAT.18		L	AT.19	L	AT.20	LAT.21		L	AT.22
DEC	AL LD R/S CT		AL LD	R/S CT NT	AL LD	R/S CT NT		CT NT	AL LD	R/S CT NT
0			o h m	hmhmhm	o h m	hmhmhm		mhm	o h m	hmhmhm
0	72 1207 556 535		71 1207	556 535 509	70 1207	556 534 509		34 509	68 1207	556 534 508
1	73 1210 555 533		72 1210	555 533 508	71 1210	555 533 507		33 507	69 1210	555 532 506
2	74 1212 554 53 2 75 1215 55 3 53 1		73 1213	554 532 506	72 1213	554 532 506		31 505 30 504	70 1214	553 531 505
4	76 1217 551 529		74 1215 75 1218	552 530 505 551 529 503	73 1216 74 1219	552 530 504 551 529 503		28 502	71 1217 72 1220	552 529 503 550 528 501
5	77 1220 550 528	503	76 1221	550 528 502	75 1222	549 527 501	74 1223 549 5	26 500	73 1223	548 526 500
6	78 1223 549 527		77 1224	548 526 500	76 1225	548 525 500		25 459	74 1227	547 524 458
7	79 1225 547 525		78 1226	547 525 459	77 1228	546 524 458		23 457	75 1230	545 522 456
8	80 1228 546 524		79 1229	545 523 457	78 1231	545 522 456		22 455	76 1233	543 521 454
9	81 1231 545 523	457	80 1232	544 522 456	79 1234	543 521 455	78 1235 542 5	20 453	77 1237	542 519 452
10	82 1233 543 521	455	81 1235	542 520 454	80 1237	542 519 453	79 1238 541 5	18 452	78 1240	540 517 450
11	83 1236 542 520	454	82 1238	541 519 452	81 1240	540 518 451	80 1242 539 5	16 450	79 1243	538 515 448
12	84 1239 541 518		83 1241	540 517 451	82 1243	539 516 449		15 448	80 1247	537 514 447
13	85 1242 539 517		84 1244	538 515 449	83 1246	537 514 447		13 446	81 1250	535 512 445
14	86 1244 538 515	449	85 1247	537 514 447	84 1249	535 513 446	83 1251 534 5	11 444	82 1254	533 510 442
15	87 1247 536 514	447	86 1250	535 512 445	85 1252	534 511 444	84 1255 533 5	09 442	83 1257	531 508 440
16	88 1250 535 512	445	87 1253	534 511 444	86 1255	532 509 442	85 1258 531 5	08 440	84 1301	530 506 438
17	89 1253 534 511	443	88 1256	532 509 442	87 1259	531 507 440	86 1301 529 5	06 438	85 1304	528 504 436
18	90 1256 532 509		89 1259	531 507 440	88 1302	529 506 438		04 436	86 1308	526 502 434
19	89 1259 531 507	440	90 1302	529 506 438	89 1305	527 504 436	88 1308 526 5	02 434	87 1312	524 500 432
20	88 1302 529 506		89 1305	527 504 436	90 1309	526 502 434		00 431	88 1315	522 458 429
21	87 1305 528 504		88 1308	526 502 434	89 1312	524 500 431		58 429	89 1319	520 456 427
22	86 1308 526 502		87 1312	524 500 432	88 1315	522 458 429		56 427	90 1323	518 454 424
23	85 1311 524 500		86 1315	523 458 429	87 1319	521 456 427		54 424	89 1327	517 452 422
23.5	85 1313 524 459	431	86 1317	522 457 428	87 1321	520 455 426	88 1325 518 4	53 423	89 1329	516 451 421

Latitude and Declination OPPOSITE

		Latitude a	ild Decimation Of I	OSTIE :	
	LAT.18	LAT.19	LAT.20	LAT.21	LAT.22
DEC	AL LD R/S CT NT				
0	o hm hmhmhm				
0	72 1207 556 535 509	71 1207 556 535 509	70 1207 556 534 509	69 1207 556 534 509	68 1207 556 534 508
1	71 1204 558 536 511	70 1204 558 536 511	69 1204 558 536 510	68 1204 558 536 510	67 1204 558 536 510
,2 3	70 1202 559 537 512	69 1202 559 537 512	68 1201 559 537 512	67 1201 559 537 512	56 1201 600 537 511
3	69 1159 600 539 513	68 1159 601 539 513	67 1158 601 539 513	66 1158 601 539 513	65 1157 601 539 513
4	68 1157 602 540 515	67 1156 602 540 515	66 1155 602 540 515	65 1155 603 540 515	64 1154 603 541 515
5	67 1154 603 541 516	66 1153 603 541 516	65 1153 604 542 516	64 1152 604 542 516	63 1151 604 542 516
6	66 1151 604 542 517	65 1151 605 543 517	64 1150 605 543 518	63 1149 606 543 518	62 1148 606 544 518
7	65 1149 606 544 518	64 1148 606 544 519	63 1147 607 545 519	62 1146 607 545 519	61 1145 608 545 519
8	64 1146 607 545 520	63 1145 608 545 520	62 1144 608 546 520	61 1142 609 546 521	60 1141 609 547 521 !
9	63 1144 608 546 521	62 1142 609 547 521	61 1141 610 547 522	60 1139 610 548 522	59 1138 611 549 522
10	62 1141 610 548 522	61 1139 610 548 523	60 1138 611 549 523	59 1136 612 549 524	58 1135 613 550 524
11	61 138 611 549 523	60 1136 612 550 524	59 1135 613 550 524	58 1133 613 551 525	57 1131 614 552 526
12	66 1135 612 550 524	59 1134 613 551 525	58 1132 614 552 526	57 1130 615 552 526	56 1128 616 553 527
13	59 1133 614 551 526	58 1131 615 552 526	57 1129 616 553 527	56 1127 617 554 528	55 1125 618 555 529
14	58 1130 615 553 527	57 1128 616 554 528	56 1126 617 555 528	55 1123 618 555 529	54 1121 619 556 530
15	57 1127 616 554 528	56 1125 618 555 529	55 1123 619 556 530	54 1120 620 55? 531	53 1118 621 558 532
16	56 1125 618 555 529	55 1122 619 556 530	54 1119 620 557 531	53 1117 622 559 532	52 :114 623 600 533
17	55 1122 619 556 530	54 1119 620 558 531	53 1116 622 559 532	52 1114 623 600 533	51 1111 625 601 535
18	54 1119 621 558 531	53 1116 622 559 533	52 1113 623 600 534	51 1110 625 602 535	50 1107 626 603 536
19	53 1116 622 559 533	52 1113 623 600 534	51 1110 625 602 535	50 1107 627 603 536	49 1104 628 605 537
20	52 1113 623 600 534	51 1110 625 602 535	50 1107 627 603 536	49 1103 628 605 538	48 1100 630 606 539
21	51 1110 625 602 535	50 1107 627 603 536	49 1103 628 605 538	48 1100 630 606 539	47 1056 632 608 540
22	50 1107 626 603 536	49 1104 628 605 537	48 1100 630 606 539	47 1056 632 608 540	46 1053 634 610 542
23	49 1104 628 604 537	48 1100 630 606 539	47 1057 632 608 540	46 1053 634 609 542	45 1049 636 611 543
23.5	49 1103 629 605 538	48 1059 631 607 539	47 1055 633 608 541	46 1051 634 610 543	45 1047 636 612 544

Table 2, Latitude and Declination SAME

	LAT.23	LAT.24	LAT.25	LAT.26	LAT.27
DEC	AL LD R/S CT		AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o hm hmhm		o hm hmhmhm		ohm hmhmhm
0	67 1207 556 534		65 1207 556 534 507	64 1207 556 533 507	63 1207 556 533 506
1	68 1211 555 532		66 1211 554 532 505	65 1211 554 531 504	64 1212 554 531 504
2	69 1214 553 530		67 1215 553 530 503	66 1215 552 529 502	65 1216 552 529 502
3	70 1217 551 529		68 1219 551 528 501	67 1219 550 527 500	66 1220 550 527 500
4	71 1221 550 527	01 70 1222 549 526 500	69 1222 549 526 459	68 1223 548 525 458	67 1224 548 525 457
5	72 1224 548 525	59 71 1225 547 525 458	70 1226 547 524 457	69 1227 546 523 456	68 1228 546 523 455
6	73 1228 546 523	57 72 1229 546 523 456	71 1230 545 522 455	70 1231 545 521 454	69 1232 544 520 453
7	74 1231 544 522	55 73 1232 544 521 454	72 1234 543 520 453	71 1235 543 519 452	70 1236 542 518 451
8	75 1235 543 520	53 74 1236 542 519 452	73 1238 541 518 451	72 1239 541 517 450	71 1240 540 516 448
9	76 1238 541 518	51 75 1240 540 517 450	74 1241 539 516 449	73 1243 539 515 447	72 1245 538 514 446
10	77 1242 539 516	49 76 1243 538 515 448	75 1245 537 514 447	74 1247 536 513 445	73 1249 536 512 444
11	78 1245 537 514	47 77 1247 536 513 446	76 1249 535 512 444	75 1251 534 511 443	74 1253 533 510 441
12	79 1249 536 512	45 78 1251 535 511 444	77 1253 533 510 442	76 1255 532 509. 440	75 1257 531 507 439
13	80 1252 534 510	43 79 1255 533 509 441	78 1257 531 508 440	77 1259 530 506 438	76 1302 529 505 436
14	81 1256 532 508	41 80 1259 531 507 439	79 1301 529 506 437	78 1304 528 504 436	77 1306 527 503 434
15	82 1300 530 507	39 81 1302 529 505 437	80 1305 527 503 435	79 1308 526 502 433	78 1311 525 500 431
16	83 1304 528 504	36 82 1306 527 503 435	81 1309 525 501 433	80 1312 524 500 431	79 1315 522 458 428
17	84 1307 526 502	34 83 1310 525 501 432	82 1313 523 459 430	81 1316 522 457 428	80 1320 520 455 426
18	85 1311 524 500	32 84 1314 523 459 430	83 1318 521 457 428	82 1321 520 455 425	81 1324 518 453 423
19	86 1315 523 458	29 85 1318 521 456 427	84 1322 519 454 425	83 1325 517 452 423	82 1329 516 450 420
20	87 1319 521 456	27 86 1322 519 454 425	85 1326 517 452 422	84 1330 515 450 420	83 1334 513 448 417
21	88 1323 519 454	24 87 1327 517 452 422	86 1331 515 450 419	85 1334 513 447 417	84 1338 511 445 414
22	89 1327 517 452	22 88 1331 515 449 419	87 1335 513 447 417	86 1339 510 445 414	85 1343 508 442 411
23	90 1331 514 449	19 89 1335 512 447 417	88 1339 510 445 414	87 1344 508 442 411	86 1348 506 440 408
23.5	90 1333 513 448	18 90 1337 511 446 415	89 1342 509 443 412	88 1346 507 441 409	87 1351 505 438 406

Latitude and Declination OPPOSITE

	L	AT.23	L	AT .24	L	AT.25	LAT.2	6	L	AT.27
DEC	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT		CT NT	AL LD	R/S CT NT
0	o h m	hmhmhm	o h m	pwpwpw	o h m	hmhmhm		hmhm	o h m	hmhmhm
0	67 1207	556 534 508	66 1207	556 534 507	65 1207	556 534 507		533 507	63 1207	556 533 506
1	66 1204	558 536 510	65 1204	558 536 509	64 1204	558 535 509		535 508	62 1203	558 535 508
2	65 1200	600 537 511	64 1200	600 537 511	63 1200	600 537 511		537 510	61 1159	600 537 510
3	64 1157	601 539 513	63 1157	602 539 513	62 1156	602 539 513		539 512	60 1155	602 539 512
4	63 1154	603 541 515	62 1153	603 541 515	61 1152	604 541 514	60 1152 604	541 514	59 1151	604 541 514
5	62 1150	605 542 516	61 1149	605 543 516	60 1149	606 543 516	59 1148 606	543 516	58 1147	606 543 516
6	61 1147	607 544 518	60 1146	607 544 518	59 1145	608 545 518	58 1144 608	545 518	57 1143	609 545 518
7	60 1143	608 546 520	59 1142	609 546 520	58 1141	609 546 520	57 1140 610	547 520	56 1139	611 547 520
8	59 1140	610 547 521	58 1139	611 548 521	57 1137	611 548 522	56 1136 612	549 522	55 1135	613 549 522
9	58 1137	612 549 523	57 1135	612 550 523	56 1134	613 550 524	55 1132 614	551 524	54 1131	615 551 524
10	57 1133	613 551 524	56 1131	614 551 525	55 1130	615 552 525	54 1128 616	553 526	53 1126	617 553 526
11	56 1130	615 552 526	55 1128	616 553 527	54 1126	617 554 527	53 1124 618	555 528	52 1122	619 555 528
12	55 1126	617 554 528	54 1124	618 555 528	53 1122	619 556 529	52 1120 620	557 529	51 1118	621 557 530
13	54 1122	619 556 529	53 1120	620 557 530	52 1118	621 558 531	51 1116 622	558 531	50 1114	623 559 532
14	53 1119	621 557 531	52 1117	622 558 532	51 1114	623 559 532	50 1112 624	600 533	49 1109	625 601 534
15	52 1115	622 559 532	51 1113	624 600 533	50 1110	625 601 534	49 1108 626	602 535	48 1105	627 603 536
16	51 1112	624 601 534	50 1109	626 602 535	49 1106	627 603 536	48 1103 628	604 537	47 1101	630 606 538
17	50 1108	626 603 536	49 1105	627 604 537	48 1102	629 605 538	47 1059 630	606 539	46 1056	632 608 540
18	49 1104	628 604 537	48 1101	629 606 538	47 1058	631 607 539	46 1055 633	608 541	45 1052	634 610 542
19	48 1100	630 606 539	47 1057	631 607 540	46 1054	633 609 541	45 1051 635	610 542	44 1047	636 612 544
20	47 1057	632 608 540	46 1053	633 609 542	45 1050	635 611 543	44 1046 637	612 544	43 1043	639 614 546
21	46 1053	634 609 542	45 1049	635 611 543	44 1046	637 613 545	43 1042 639	614 546	42 1038	641 616 548
22	45 1049	636 611 543	44 1045	637 613 545	43 1041	639 615 546	42 1037 641	616 548	41 1033	643 618 549
23	44 1045	638 613 545	43 1041	640 615 547	42 1037	642 617 548	41 1033 644	619 550	40 1028	646 620 551
23.5	44 1043	639 614 546	43 1039	641 616 547	42 1035	643 618 549	41 1030 645	620 551	40 1026	647 621 552

Table 2, Latitude and Declination SAME

				aute 2, Lati	tude unit	Docimatio		
	LAT.28		L	AT.29	L	AT.30	LAT.31	LAT.32
DEC	AL LD R/S	CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	ohm hmh	mhm	o h m	hmhmhm	o h m	h,m h m h m	o h m h m h m h m	o h m h m h m h m
0		33 506	61 1208	556 533 505	60 1208	556 532 504	59 1208 556 532 504	58 1208 556 532 503
1	63 1212 554 5	31 503	62 1212	554 530 503	61 1212	554 530 502	60 1213 554 530 501	59 1213 554 529 501
2		28 501	63 1217	552 528 500	62 1217	552 528 500	61 1217 551 527 459	60 1218 551 527 458
3		26 459	64 1221	550 526 458	63 1222	549 525 457	62 1222 549 525 456	61 1223 549 524 455
4	66 1225 548 5	24 457	65 1225	547 524 456	64 1226	547 523 455	63 1227 546 522 454	62 1228 546 521 453
5	67 1229 546 5	22 454	66 1230	545 521 453	65 1231	545 520 452	64 1232 544 520 451	63 1233 544 519 450
6	68 1233 543 5	20 452	67 1234	543 519 451	65 1236	542 518 450	65 1237 542 517 448	64 1238 541 516 447
7	69 1238 541 5	17 450	68 1239	541 517 448	67 1240	540 516 447	66 1242 539 515 446	65 1243 538 514 444
8	70 1242 539 5	15 447	69 1243	538 514 446	68 1245	537 513 444	67 1247 537 512 443	66 1248 536 511 442
9	71 1246 537 5	13 445	70 1248	536 512 443	69 1250	535 511 442	68 1252 534 509 440	67 1253 533 508 439
10	72 1251 535 5	11 442	71 1253	534 509 441	70 1255	533 508 439	69 1257 532 507 438	68 1259 531 506 436
11	73 1255 532 5	08 440	72 1257	531 507 438	71 1259	530 506 436	70 1302 529 504 435	69 1304 528 503 433
12	74 1300 530 5	06 437	73 1302	529 504 435	72 1304	528 503 434	71 1307 527 502 432	70 1309 525 500 430
13	75 1304 528 5	03 435	74 1307	527 502 433	73 1309	525 500 431	72 1312 524 459 429	71 1315 523 457 427
14	76 1309 526 5	01 432	75 1311	524 459 430	74 1314	523 458 428	73 1317 521 456 426	72 1320 520 454 424
15	77 1313 523 4	59 429	76 1316	522 457 427	75 1319	520 455 425	74 1322 519 453 423	73 1325 517 451 420
16	78 1318 521 4	56 426	77 1321	519 454 424	76 1324	518 452 422	75 1328 516 450 419	74 1331 515 448 417
17	79 1323 519 4	53 423	78 1326	517 452 421	77 1330	515 450 419	76 1333 514 447 416	75 1336 512 445 414
18	80 1328 516 4	51 421	79 1331	514 449 418	78 1335	513 447 416	77 1338 511 445 413	76 1342 509 442 410
19	81 1333 514 4	48 418	80 1336	512 446 415	79 1340	510 444 412	78 1344 508 441 410	77 1348 506 439 407
20	82 1337 511 4	45 415	81 1341	509 443 412	80 1345	507 441 409	79 1350 505 438 406	78 1354 503 436 403
21		43 411	82 1347	507 440 409	81 1351	505 438 406	80 1355 502 435 403	79 1400 500 433 359
22	and the second s	40 408	83 1352	504 437 405	82 1356	502 435 402	81 1401 459 432 359	80 1406 457 429 356
23		37 405	84 1357	501 434 402	83 1402	459 432 358	82 1407 457 429 355	81 1412 454 426 352
23.5		36 403	85 1400	500 433 400	84 1405	457 430 357	83 1410 455 427 353	82 1415 452 424 350

Latitude and Declination OPPOSITE

	L	AT.28	LAT.29	LAT.30	LAT.31	LAT.32
DEC	AL LD	R/S CT NT	AL LD R/S CT NT	The state of the s	AL LD R/S CT NT	AL LD R/S CT NT
0	o h m	hmhmhm	ohm hmhmhm		o hm hmhmhm	o hm hmhmhm
0	62 1208	556 533 506	61 1208 556 533 505		59 1208 556 532 504	58 1208 556 532 503
1	61 1203	558 535 508	60 1203 558 535 507		58 1203 559 534 506	57 1203 559 534 506
2	65 1159	600 537 510	59 1159 601 537 510		57 1158 601 537 509	56 1158 601 537 508
3	59 1155	603 539 512	58 1154 603 539 512		56 1153 603 539 511	55 1153 604 539 511
4	58 1151	605 541 514	57 1150 605 541 514	56 1149 605 542 514	55 1149 606 542 514	54 1148 606 542 513
5	57 1146	607 543 516	56 1145 607 544 516	55 1145 608 544 516	54 1144 608 544 516	53 1143 609 544 516
6	56 1142	609 546 518	55 1141 610 546 518	54 1140 610 546 518	53 1139 611 546 518	52 1138 611 547 518
7	55 1138	611 548 520	54 1136 612 548 521		52 1134 613 549 521	51 1133 614 549 521
8	54 1133	613 550 522	53 1132 614 550 523		51 1129 615 551 523	50 1128 616 552 523
9	53 1129	615 552 525	52 1127 616 552 525	51 1126 617 553 525	50 1124 618 554 525	49 1123 619 554 526
10	52 1125	618 554 527	51 1123 619 555 527	50 1121 619 555 527	49 1119 620 556 528	40 1117 621 557 528
11	51 1120	620 556 529	50 1118 621 557 529	49 1116 622 558 530	48 1114 623 558 530	47 1112 624 559 531
12	50 1116	622 558 531	49 1114 623 559 531	48 1112 624 600 532	47 1109 625 601 532	46 1107 626 602 533
13	49 1111	624 600 533	48 1109 625 601 533	47 1107 627 602 534	46 1104 628 603 535	45 1102 629 604 535
14	48 1107	627 602 535	47 1104 628 603 535	46 1102 629 604 536	45 1059 630 606 537	44 1056 632 (17 538
15	47 1102	629 605 537	46 1100 630 606 538	45 1057 632 607 538	44 1054 633 608 539	43 1051 634 609 540
16	46 1058	631 607 539	45 1055 633 608 540	44 1052 634 609 541	43 1049 636 610 542	42 1046 637 612 543
17	45 1053	633 609 541	44 1050 635 610 542	43 1047 637 612 543	42 1044 638 613 544	41 1040 640 614 545
18	44 1048	636 611 543	43 1045 637 612 544	42 1042 639 614 545	41 1038 641 615 546	40 1035 643 617 547
19	43 1044	638 613 545	42 1040 640 615 546	41 1037 642 616 547	40 1033 644 618 549	39 1029 645 619 550
20	42 1039	641 615 547	41 1035 642 617 548	40 1031 644 619 550	39 1027 646 620 551	38 1023 648 622 552
21	41 1034	643 618 549	40 1030 -645 619 550	39 1026 647 621 552	38 1022 649 623 553	37 1018 651 625 555
22	40 1029	645 620 551	39 1025 648 622 553	38 1021 650 624 554	37 1016 652 626 556	36 1012 654 627 557
23	39 1024	648 622 553	38 1020 650 624 555	37 1015 652 626 556	36 1011 655 628 558	35 1006 657 630 600
23.5	39 1022	649 623 554	38 1017 652 625 556	37 1012 654 627 558	36 1008 656 629 559	35 1003 659 632 601

Table 2, Latitude and Declination SAME

	L	AT.33	LAT.34	LAT.35	LAT.36	LAT.37
DEC	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT HT	AL LD R/S CT NT
0	o h m	hmhmhm	o h m h m h m h m	o hm hmhmhm	o hm hmhmhm	o hm hmhmhm
0	57 1208	556 531 503	56 1208 556 531 502	55 1208 556 531 501	54 1208 556 530 500	53 1208 556 530 500
1	58 1213	553 529 500	57 1213 553 528 459	56 1214 553 528 458	55 1214 553 527 457	54 1214 553 527 457
2	59 1218	551 526 457	58 1219 551 526 456	57 1219 550 525 455	56 1220 550 524 454	55 1220 550 524 453
3	60 1224	548 523 454	59 1224 548 523 453	58 1225 548 522 452	57 1226 547 521 451	56 1226 547 521 450
4	61 1229	546 521 452	60 1230 545 520 451	59 1231 545 519 449	58 1232 544 518 448	57 1233 544 518 447
5	62 1234	543 518 449	61 1235 542 517 448	60 1236 542 516 446	59 1237 541 515 445	58 1239 541 514 444
6	63 1239	540 515 446	62 1241 540 514 445	61 1242 539 513 443	60 1243 538 512 442	59 1245 538 511 440
7	64 1245	538 513 443	63 1246 537 512 442	62 1248 536 510 440	61 1249 535 509 439	60 1251 535 508 437
8	65 1250	535 510 440	64 1252 534 509 439	63 1253 533 507 437	62 1255 532 506 435	61 1257 531 505 433
9	66 1255	532 507 437	65 1257 531 506 435	64 1259 530 504 434	63 1301 529 503 432	62 1303 528 502 430
10	67 1301	530 504 434	66 1303 529 503 432	65 1305 527 501 430	64 1307 526 500 428	63 1310 525 458 426
11	68 1306	527 501 431	67 1309 526 500 429	66 1311 525 458 427	65 1313 523 457 425	64 1316 522 455 423
12	69 1312	524 458 428	68 1314 523 457 426	67 1317 522 455 424	66 1320 520 453 421	65 1322 519 452 419
13	70 1317	521 455 425	69 1320 520 454 422	68 1323 519 452 420	67 1326 517 450 418	66 1329 516 448 415
14	71 1323	519 452 421	70 1326 517 451 419	69 1329 516 449 417	68 1332 514 447 414	67 1335 512 445 411
15	72 1329	516 449 418	71 1332 514 447 415	70 1335 512 445 413	69 1339 511 443 410	68 1342 509 441 407
16	73 1334	513 446 415	72 1338 511 444 412	71 1341 509 442 409	70 1345 508 440 406	69 1349 506 438 403
17	74 1340	510 443 411	73 1344 508 441 408	72 1348 506 439 405	71 1352 504 436 402	70 1356 502 434 359
18	75 1346	507 440 407	74 1350 505 438 405	73 1354 503 435 401	72 1358 501 433 358	71 1402 459 430 355
19	76 1352	504 437 404	75 1356 502 434 401	74 1401 500 432 357	73 1405 458 429 354	72 1409 455 426 351
20	77 1358	501 433 400	76 1403 459 431 357	75 1407 456 428 353	74 1412 454 425 350	73 1417 452 422 346
21	78 1404	458 430 356	77 1409 456 427 353	76 1414 453 424 349	75 1419 451 421 345	74 1424 448 418 342
22	79 1411	455 426 352	78 1416 452 424 348	77 1421 450 421 345	76 1426 447 417 341	75 1431 444 414 337
23	80 1417	451 423 348	79 1422 449 420 344	78 1428 446 417 340	77 1433 443 413 336	76 1439 441 410 332
23.5	81 1420	450 421 346	80 1426 447 418 342	79 1431 444 415 338	78 1437 442 411 334	77 1443 439 408 329

Latitude and Declination OPPOSITE

	LAT.33	LAT.34	LAT.35	-LAT.36	LAT.37
DEC	AL LD R/S CT NT				
0	o hm hmhmhm	o hm hmhmhm			
0	57 1208 556 531 503	56 1208 556 531 502	55 1208 556 531 501	54 1208 556 530 500	53 1208 556 530 500
1	56 1203 559 534 505	55 1203 559 534 505	54 1203 559 533 504	53 1202 559 533 503	52 1202 559 533 503
2	55 1158 601 537 508	54 1157 601 536 507	53 1157 602 536 507	52 1157 602 536 506	51 1156 602 536 506
3	54 1152 604 539 511	53 1152 604 539 510	52 1151 604 539 510	51 1151 605 539 509	50 1150 605 539 509
4	53 1147 606 542 513	52 1146 607 542 513	51 1146 607 542 513	50 1145 608 542 512	49 1144 608 542 512
5	52 1142 609 544 516	51 1141 609 545 516	50 1140 610 545 515	49 1139 610 545 515	48 1138 611 545 515
6	51 1137 612 547 518	50 1136 612 547 518	49 1134 613 547 518	48 1133 613 548 518	47 1132 614 548 518
7	50 :131 614 549 521	49 1130 615 550 521	48 1129 616 550 521	47 1127 616 551 521	46 1126 617 551 521
8	49 1126 617 552 523	48 1125 618 553 524	47 1123 618 553 524	46 1121 619 553 524	45 1120 620 554 524
9	48 1121 620 555 526	47 1119 620 555 526	46 1117 621 556 526	45 1116 622 556 527	44 1114 623 557 527
10	47 1115 622 557 528	46 1114 623 558 529	45 1112 624 559 529	44 1110 625 559 529	43 1107 626 600 530
11	46 1110 625 600 531	45 1108 626 601 531	44 1106 627 601 532	43 1104 628 602 532	42 1101 629 603 533
12	45 1105 628 602 533	44 1102 629 603 534	43 1100 630 604 535	42 1057 631 605 535	41 1055 633 606 536
13	44 1059 630 605 536	43 1057 632 606 537	42 1054 633 607 537	41 1051 634 608 538	40 1049 636 609 539
14	43 1054 633 608 539	42 1051 635 609 539	41 1048 636 610 540	40 1045 637 611 541	39 1042 639 612 542
15	42 1048 636 610 541	41 1045 637 612 542	40 1042 639 613 543	39 1039 641 614 544	38 1036 642 615 544
16	41 1043 639 613 544	40 1039 640 614 545	39 1036 642 616 545	38 1033 644 617 546	37 1029 645 618 547
17	40 1037 642 616 546	39 1033 643 617 547	38 1030 645 619 548	37 1026 647 620 549	36 1022 649 621 550
18	39 1031 644 618 549	38 1027 646 620 550	37 1024 648 621 551	36 1020 650 623 552	35 1016 652 625 553
19	38 1025 647 621 551	37 1021 649 623 552	36 1017 651 624 554	35 1013 653 626 555	34 1009 656 628 556
20	37 1019 650 624 554	36 1015 652 626 555	35 1011 655 627 557	34 1006 657 629 558	33 1002 659 631 559
21	36 1013 653 627 556	35 1009 656 628 558	34 1004 658 630 559	33 1000 700 632 601	32 955 703 634 602
22	35 1007 656 629 559	34 1002 659 631 600	33 958 701 633 602	32 953 704 635 604	31 948 706 638 605
23	34 1001 700 632 601	33 956 702 634 603	32 951 705 637 605	31 946 707 639 607	30 940 710 641 608
23.5	34 958 701 634 603	33 953 704 636 605	32 947 706 638 606	31 942 709 640 608	30 937 712 643 610

Table 2, Latitude and Declination SAME

	LAT.38	LAT.39	LAT.40	LAT-41	LAT.42	
DEC	AL LD R/S CT NT					
0			o hm hmhmhm	o hm hmhmhm		
0	52 1208 556 530 459	51 1209 556 529 458	50 1209 556 529 457	49 1209 556 528 456	48 1209 556 528 455	
1	53 1215 553 526 456	52 1215 552 526 455	51 1215 552 525 454	50 1216 552 525 452	49 1216 552 524 451	
2	54 1221 550 523 452	53 1222 549 523 451	52 1222 549 522 450	51 1223 549 521 449	50 1223 548 520 447	
3	55 1227 546 520 449	54 1228 546 519 448	53 1229 546 518 446	52 1230 545 518 445	51 1231 545 517 444	
4	56 1234 543 517 446	55 1235 543 516 444	54 1236 542 515 443	53 1237 542 514 441	52 1238 541 513 440	
5	57 1240 540 513 442	56 1241 539 512 441	55 1242 539 511 439	54 1244 538 510 437	53 1245 537 509 436	
6	58 1246 537 510 439	57 1248 536 509 437	56 1249 535 508 435	55 1251 535 507 434	54 1253 534 505 432	
7	59 1253 534 507 435	58 1254 533 506 433	57 1256 532 504 432	56 1258 531 503 430	55 1300 530 502 428	
8	60 1259 530 504 432	59 1301 529 502 430	58 1303 528 501 428	57 1305 527 459 426	56 1307 526 458 423	
9	61 1306 527 500 428	60 1308 526 459 426	59 1310 525 457 424	58 1312 524 455 422	57 1315 523 454 419	
10	62 1312 524 457 424	61 1314 523 455 422	60 1317 521 453 420	59 1320 520 452 417	58 1322 519 450 415	
11	63 1319 521 453 420	62 1321 519 452 418	61 1324 518 450 416	60 1327 517 448 413	59 1330 515 446 410	
12	64 1325 517 450 417	63 1328 516 448 414	62 1331 514 446 412	61 1334 513 444 409	60 1338 511 442 406	
13	65 1332 514 446 413	64 1335 512 444 410	63 1338 511 442 407	62 1342 509 440 404	61 1345 507 438 401	
14	66 1339 511 443 409	65 1342 509 440 406	64 1346 507 438 403	63 1349 505 436 400	62 1353 503 433 357	
15	67 1346 507 439 405	66 1349 505 437 402	65 1353 503 434 358	64 1357 501 432 355	63 1401 459 429 352	
16	68 1353 504 435 400	67 1357 502 433 357	66 1401 500 430 354	65 1405 458 427 350	64 1409 455 425 347	
17	69 1400 500 431 356	68 1404 458 429 353	67 1408 456 426 349	66 1413 454 423 345	65 1418 451 420 342	
18	70 1407 457 427 352	69 1411 454 425 348	68 1416 452 422 344	67 1421 450 419 340	66 1426 447 415 336	
19	71 1414 453 423 347	70 1419 451 420 343	69 1424 448 417 339	68 1429 445 414 335	67 1435 443 411 331	
20	72 1422 449 419 342	71 1427 447 416 338	70 1432 444 413 334	69 1438 441 409 330	68 1443 438 406 325	
21	73 1429 445 415 337	72 1435 443 412 333	71 1440 440 408 329	70 1446 437 405 324	69 1452 434 401 319	
22	74 1437 442 411 332	73 1443 439 407 328	72 1449 436 404 323	71 1455 433 400 318	70 1501 429 356 313	
23	75 1445 438 406 327	74 1451 435 403 323	73 1457 431 359 318	72 1504 428 355 312	71 1510 425 351 307	
23.5	76 1449 436 404 325	75 1455 433 400 320	74 1501 429 356 315	73 1508 426 352 309	72 1515 422 348 303	

Latitude and Declination OPPOSITE

	LAT.38	LAT.39	LAT.40	LAT.41	LAT.42
DEC	AL LD R/S CT I		AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o hm hmhmh		o hm hmhmhm	o hm hmhmhm	o hm hmhmhm
0	52 1208 556 530 4		50 1209 556 529 457	49 1209 556 528 456	48 1209 556 528 455
1	51 1202 559 533 50		49 1202 559 532 500	48 1202 559 532 500	47 1202 559 531 459
2	50 1156 602 536 50		48 1155 602 535 504	47 1155 603 535 503	46 1155 603 535 502
3	49 1150 605 539 50		47 1149 606 539 507	46 1148 606 539 507	45 1147 606 539 506
4	48 1143 608 542 5	2 47 1143 609 542 511	46 1142 609 542 511	45 1141 610 542 510	44 1140 610 542 510
5	47 1137 611 545 5		45 1135 612 545 514	44 1134 613 546 514	43 1133 614 546 513
6	46 1131 615 548 5		44 1128 616 549 517	43 1127 617 549 517	42 1126 617 549 517
7	45 1125 618 551 5		43 1121 619 552 521	42 1120 620 552 521	41 1118 621 553 521
8	44 1118 621 554 53		42 1115 623 555 524	41 1113 624 556 524	40 1111 625 556 524
9	43 1112 624 558 5	7 42 1110 625 558 527	41 1108 626 559 527	40 1106 627 559 528	39 1104 628 600 528
10	42 1105 627 601 5		40 1101 630 602 531	39 1059 631 603 531	38 1056 632 604 531
11	41 1059 631 604 5		39 1054 633 606 534	38 1051 634 606 534	37 1049 636 607 535
12	40 1052 634 607 5		38 1047 637 609 537	37 1044 638 610 538	36 1041 639 611 538
13	39 1046 637 610 5		37 1040 640 612 541	36 1037 642 613 541	35 1033 643 615 542
14	38 1039 640 613 5	2 37 1036 642 615 543	36 1033 644 616 544	35 1029 645 617 545	34 1026 647 618 545
15	37 1032 644 617 54		35 1025 647 619 547	34 1022 649 621 548	33 1018 651 622 549
16	36 1025 647 620 5		34 1018 651 623 550	33 1014 653 624 551	32 1010 655 626 552
17	35 1019 651 623 5		33 1010 655 626 554	32 1006 657 628 555	31 1002 659 629 556
18	34 1012 654 626 5	5 33 1007 656 628 556	32 1003 659 630 557	31 958 701 631 558	30 954 703 633 600
19	33 1004 658 630 5	8 32 1000 700 631 559	31 955 702 633 600	30 950 705 635 602	29 945 707 637 603
20	32 957 701 633 6		30 947 706 637 604	29 942 709 639 605	28 937 711 641 607
21	31 950 705 636 6		29 939 710 641 607	28 934 713 643 609	27 928 716 645 611
22	30 942 709 640 6		28 931 714 644 611	27 926 717 647 612	26 920 720 649 614
23	29 935 713 643 6		27 923 718 648 614	26 917 721 650 616	25 911 725 653 618
23.5	29 931 715 645 6	2 28 925 717 647 614	27 919 721 650 616	26 913 724 652 618	25 906 727 655 620

Table 2, Latitude and Declination SAME

	LAT.43	LAT.44	LAT.45	LAT.46	LAT.47
DEC	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0		ohm hmhmhm			
0	47 1209 555 527 454	46 1209 555 527 453	45 1209 555 526 452	44 1210 555 525 450	43 1210 555 525 449
1	48 1217 552 523 450	47 1217 552 523 449	46 1217 551 522 447	45 1218 551 521 446	44 1218 551 520 444
2	49 1224 548 520 446	48 1225 548 519 445	47 1225 547 518 443	46 1226 547 517 442	45 1227 547 516 440
3	50 1232 544 516 442	49 1233 544 515 440	48 1233 543 514 439	47 1235 543 513 437	46 1236 542 512 435
4	51 1239 ,540 512 438	50 1240 540 511 436	49 1242 539 510 434	48 1243 539 508 433	47 1244 538 507 431
5	52 1247 537 508 434	51 1248 536 507 432	50 1250 535 505 430	49 1251 534 504 428	48 1253 534 503 426
6	53 1254 533 504 430	52 1256 532 503 428	51 1258 531 501 425	50 1300 530 500 423	49 1302 529 458 421
7	54 1302 529 500 425	53 1304 528 459 423	52 1306 527 457 421	51 1308 526 455 418	50 1310 525 454 416
8	55 1310 525 456 421	54 1312 524 454 419	53 1314 -523 453 416	52 1317 522 451 414	51 1319 520 449 411
9	56 1317 521 452 417	55 1320 520 450 414	54 1323 519 448 411	53 1325 517 446 409	52 1328 516 444 406
10	57 1325 517 448 412	56 1328 516 446 409	55 1331 515 444 407	54 1334 513 442 404	53 1337 511 439 400
11	58 1333 513 444 408	57 1336 512 442 405	56 1339 510 439 402	55 1343 509 437 358	54 1346 507 434 355
12	59 1341 510 439 403	58 1344 508 437 400	57 1348 506 435 357	56 1352 504 432 353	55 1356 502 430 349
13	60 1349 505 435 358	59 1353 504 433 355	58 1357 502 430 351	57 1401 500 427 348	56 1405 457 424 344
14	61 1357 501 431 353	60 1401 459 428 350	59 1406 457 425 346	58 1410 455 422 342	57 1415 453 419 338
15	62 1406 457 426 348	61 1410 455 423 344	60 1415 453 420 340	59 1419 450 417 336	58 1424 448 414 332
16	63 1414 453 422 343	62 1419 451 419 339	61 1424 448 415 335	60 1429 446 412 330	59 1434 443 409 325
17	64 1422 449 417 338	63 1428 446 414 333	62 1433 444 410 329	61 1438 441 407 324	60 1444 438 403 319
18	65 1431 444 412 332	64 1437 442 409 327	63 1442 439 405 323	62 1448 436 401 317	61 1454 433 357 312
19	66 1440 440 407 326	65 1446 437 404 321	64 1452 434 400 316	63 1458 431 356 311	62 1505 428 352 305
20	67 1449 435 402 320	66 1455 432 358 315	65 1502 429 354 310	64 1508 426 350 304	63 1515 422 346 258
21	68 1458 431 357 314	67 1505 428 353 309	66 1512 424 349 303	65 1519 421 344 256	64 1526 417 339 250
22	69 1508 426 352 308	68 1515 423 347 302	67 1522 419 343 255	66 1529 415 338 249	65 1537 411 333 241
23	70 1517 421 346 301	69 1525 418 342 254	68 1532 414 337 248	67 1540 410 332 240	66 1549 406 326 233
23.5	71 1522 419 343 257	70 1530 415 339 251	69 1538 411 334 244	68 1546 407 328 236	67 1554 403 323 228

Latitude and Declination OPPOSITE

	L	AT.43	L	AT.44	L	AT.45	LAT.46	LAT.47
DEC	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o h m	hmhmhm	o h m	hmhmhm	o h m	hmhmhm		o hm hmhmhm
0	47 1209	555 527 454	46 1209	555 527 453	45 1209	555 526 452	44 1210 555 525 450	43 1210 555 525 449
1	46 1202	559 531 458	45 1202	559 530 457	44 1201	559 530 456	43 1201 559 530 455	42 1201 559 529 453
2	45 1154	603 535 502	44 1154	603 534 501	43 1153	603 534 500	42 1153 603 534 459	41 1153 604 533 458
3	44 1147	607 538 505	43 1146	607 538 505	42 1145	607 538 504	41 1145 608 538 503	40 1144 608 538 502
4	43 1139	610 542 509	42 1138	611 542 509	41 1137	611 542 508	40 1136 612 542 507	39 1135 612 542 507
5	42 1132	614 546 513	41 1131	615 546 513	40 1129	615 546 512	39 1128 616 546 512	38 1127 617 546 511
6	41 1124	618 550 517	40 1123	619 550 516	39 1121	619 550 516	38 1120 620 550 516	37 1118 621 551 515
7	40 1117	622 553 520	39 1115	623 554 520	38 1113	623 554 520	37 1111 624 554 520	36 1109 625 555 520
8	39 1109	625 557 524	38 1107	626 557 524	37 1105	628 558 524	36 1103 629 559 524	35 1101 630 559 524
9	38 1101	629 601 528	37 1059	c30 601 528	36 1057	632 602 528	35 1054 633 603 528	34 1052 634 603 528
10	37 1054	633 604 531	36 1051	634 605 532	35 1048	636 606 532	34 1046 637 607 532	33 1043 639 608 532
11	36 1046	637 608 535	35 1043	638 609 535	34 1040	640 610 536	33 1037 641 611 536	32 1034 643 612 537
12	35 1038	641 612 539	34 1035	643 613 539	33 1032	644 614 540	32 1028 646 615 540	31 1025 648 616 541
13	34 1030	645 616 542	33 1027	647 617 543	32 1023	648 618 544	31 1019 650 619 544	30 1016 652 621 545
14	33 1022	649 620 546	32 1018	651 621 547	31 1015	653 622 548	30 1011 655 624 548	29 1006 657 625 549
15	32 1014	653 623 550	31 1010	655 625 551	30 1006	657 626 552	29 1001 659 628 553	28 957 702 630 554
16	31 1006	657 627 554	30 1001	659 629 555	29 957	702 631 556	28 952 704 632 557	27 947 706 634 558
17	30 957	701 631 557	29 953	704 633 558	28 948	706 635 600	27 943 709 637 601	26 938 711 639 602
18	29 949	706 635 601	28 944	708 637 602	27 939	711 639 604	26 933 713 641 605	25 928 716 643 606
19	28 940	710 639 605	27 935	713 641 606	26 929	715 643 608	25 924 718 646 609	24 918 721 648 611
20	27 932	714 643 608	26 926	717 645 610	25 920	720 648 612	24 914 723 650 613	23 907 726 653 615
21	26 923	719 647 612	25 917	722 650 614	24 910	725 652 616	23 904 728 655 618	22 857 732 657 620
22	25 913	723 651 616	24 907	726 654 618	23 900	730 657 620	22 853 733 659 622	21 846 737 702 624
23	24 904	728 656 620	23 857	731 658 622	22 850	735 701 624	21 843 739 704 626	20 835 742 707 628
23.5	24 859	730 658 622	23 852	734 701 624	22 845	737 704 626	21 838 741 707 628	20 830 745 710 631

Table 2, Latitude and Declination SAME

	1	1	i dad and Beenman		
	LAT.48	LAT.49	LAT.50	LAT.51	LAT.52
DEC	AL LD R/S CT NT				
0	o hm hmhmhm				
0	42 1210 555 524 448	41 1210 555 523 446	40 1210 555 523 445	39 1211 555 522 443	38 1211 555 521 441
1	43 1219 551 520 443	42 1219 550 519 441	41 1220 550 518 439	40 1220 550 517 438	39 1221 549 516 436
2	44 1228 546 515 438	43 1229 546 514 436	42 1229 545 513 434	41 1230 545 512 432	40 1231 544 510 430
3	45 1237 542 510 433	44 1238 541 509 431	43 1239 540 508 429	42 1240 540 507 427	41 1242 539 505 424
4	46 1246 537 506 428	45 1247 536 504 426	44 1249 536 503 424	43 1250 535 501 421	42 1252 534 500 419
5	47 1255 533 501 423	46 1256 532 500 421	45 1258 531 458 418	44 1300 530 456 416	43 1302 529 454 413
6	48 1304 528 456 418	47 1306 527 455 416	46 1308 526 453 413	45 1310 525 451 410	44 1313 524 449 407
7	49 1313 524 452 413	48 1315 522 450 410	47 1318 521 448 407	46 1321 520 446 404	45 1323 518 443 401
8	50 1322 519 447 408	49 1325 518 445 405	48 1328 516 443 402	47 1331 515 440 358	46 1334 513 438 354
9	51 1331 514 442 403	50 1334 513 440 359	49 1338 511 437 356	48 1341 509 435 352	47 1345 508 432 348
10	52 1341 510 437 357	51 1344 508 434 353	50 1348 506 432 350	49 1352 504 429 346	48 1356 502 426 341
11	53 1350 505 432 351	52 1354 503 429 348	51 1358 501 426 343	50 1402 459 423 339	49 1407 457 420 335
12	54 1400 500 427 346	53 1404 458 424 341	52 1408 456 421 337	51 1413 453 418 332	50 1418 451 414 328
13	55 1409 455 421 340	54 1414 453 418 335	53 1419 451 415 330	52 1424 448 412 326	51 1429 445 408 320
14	56 1419 450 416 333	55 1424 448 413 329	54 1430 445 409 324	53 1435 443 405 318	52 1441 440 402 313
15	57 1429 445 411 327	56 1435 443 407 322	55 1440 440 403 317	54 1446 437 359 311	53 1452 434 355 305
16	58 1440 440 405 320	57 1445 437 401 315	56 1451 434 357 309	55 1458 431 353 303	54 1504 428 348 256
17	59 1450 435 359 313	58 1456 432 355 308	57 1503 429 351 301	56 1509 425 346 255	55 1517 422 341 248
18	60 1501 430 353 306	59 1507 426 349 300	58 1514 423 344 253	57 1521 419 339 246	56 1529 415 334 238
19	61 1511 424 347 259	60 1518 421 342 252	59 1526 417 338 245	58 1534 413 332 237	57 1542 409 327 228
20	62 1522 419 341 251	61 1530 415 336 244	60 1538 411 331 236	59 1546 407 325 227	58 1555 402 319 218
21	63 1534 413 334 242	62 1542 409 329 235	61 1550 405 323 226	60 1559 400 317 216	59 1609 356 311 206
22	64 1545 407 328 234	63 1554 403 322 225	62 1603 358 316 215	61 1613 354 309 205	60 1623 349 302 153
23	65 1557 401 320 224	64 1607 357 314 215	63 1616 352 308 204	62 1627 347 301 152	61 1637 341 253 138
23.5	66 1604 358 317 219	65 1613 353 311 209	64 1623 348 304 158	63 1634 343 256 145	62 1645 338 249 129

Latitude and Declination OPPOSITE

		L	AT.48	Ì	L	AT.49	•			L	AT.5	0			L	AT.5	1			L	AT.5	2	
DEC	AL	LD	R/S CT NT		LD		CT		AL				NT	AL			CT			LD		CT	
0	0	h m	hmhmhm	0	h m		hmh		0	h m			h m	0			h m		0	h m		h m	
0		1210	555 524 448				523 4			1210			445		1211		522					521	
1		1201	559 529 452		1201		528 4			1201			450		1201		527	_		1201		526	
2		1152	604 533 457		1152		533 4			1151			454		1151		532			1150	-	531	
3		1143	608 537 501		1143		537 5			1142			459		1141		537			1140		536	
4	38	1134	613 542 506	37	1133	613	542 5	505	36	1132	614	542	504	35	1131	614	542	503	34	1130	615	541	502
5	37	1125	617 546 510	36	1124	618	546 5	510	35	1123	619	546	509	34	1121	619	547	508	33	1119	620	547	508
6	36	1116	622 551 515	35	1115	623	551 5	514	34	1113		551			1111		551		32	1109	625	552	513
7	35	1107	626 555 519	34	1105	627	556 5	519	33	1103	628	556	519	32	1101	629	556	518	31	1059	631	557	518
8	34	1058	631 600 524	33	1056	632	600 5	524	32	1053	633	601	523	31	1051	635	601	523	30	1048	636	602	523
9	33	1049	635 604 528	32	1046	637	605 5	528	31	1044	638	606	528	30	1041	640	606	528	29	1038	641	607	528
10	32	1040	640 609 533	31	1037	642	609 5	533	30	1034	643	610	533	29	1030	645	611	533	28	1027	647	612	533
11	31	1031	645 613 537	30	1027	646	614 5	537	29	1024	648	615	538	28	1020	650	616	538	27	1016	652	617	538
12	30	1021	649 618 541	29	1017	651	619 5	542	23	1014	653	620	542	27	1009	655	621	543	26	1005	657	623	543
13	29	1012	654 622 546	28	1008	656	623 5	546	27	1003	658	625	547	26	959	701	626	548	25	954	703	628	548
14		1002	659 627 550	27	958	701	628 5	551	26	953	704	630	552	25	948	706	631	553	24	943	709	633	553
15	27	952	704 631 554	26	947	706	633 5	555	25	942	709	635	556	24	937	712	637	557	23	931	714	638	558
16	26	942	709 636 559	25	937		638 6		24	932			501	23	926	717	642	602	22	920		644	
17	25	932	714 641 603	24	927	717	643 6	505	23	921	720	645	606	22	914	723	647	607	21	908	726	649	609
18	24	922	719 645 608	23	916		648 6		22	910	725	650	611	21	903	729	652	612	20	856	732	655	614
19	23	911	724 650 612	22	905		653 6		21	858			616	20	851	735	658	617	19	843	738	701	619
20	22	901	730 655 617	21	854	733	658 6	410	50	847	737	700	621	19	839	741	703	622	18	831	745	706	424
21	21	850	735 700 621	20	842		703 6		19	835		706		18	826		709		17	818		712	
22	20	839	741 705 626	1 19	831		708 6		18	822			630	17	814		715		16	804		718	
23	19	827	746 710 631	18	819		713 6		17	810		-	636	16	800		720		15	751		724	
23.5	19	821	749 713 633	18	813		716 6		17	803			638	16	754		723		15	744			643

Table 2, Latitude and Declination SAME

	L	AT.53	LAT.54		L	AT.55	L	AT.56	L	AT .57
DEC	AL LD	R/S CT NT	AL LD R/S C	T NT	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT
0	o h m	hmhmhm	o hm hmh		o h m	hmhmhm	o h m	hmhmhm	o h m	hmhmhm
0	37 1211	554 520 439	36 1211 554 51		35 1212	554 518 435	34 1212	554 517 433	33 1212	554 516 430
1	38 1222	549 515 433	37 1222 549 51		36 1223	548 512 429	35 1224	548 511 426	34 1225	548 509 424
2	39 1232	544 509 428	38 1233 543 50		37 1235	543 506 423	36 1236	542 505 420	35 1237	542 503 417
3	40 1243	538 504 422	39 1244 538 50		38 1246	537 500 416	37 1248	536 459 413	36 1249	535 457 410
4	41 1254	533 458 416	40 1256 532 45	6 413	39 1258	531 454 410	38 1300	530 452 406	37 1302	529 450 403
5	42 1305	528 452 410	41 1307 527 45	0 406	40 1309	525 448 403	39 1312	524 446 359	38 1314	523 444 355
6	43 1315	522 447 403	42 1318 521 44	5 400	41 1321	520 442 356	40 1324	518 440 352	39 1327	516 437 348
7	44 1326	517 441 357	43 1329 515 43	8 353	42 1333	514 436 349	41 1336	512 433 345	40 1340	510 430 340
8	45 1337	511 435 351	44 1341 510 43	2 346	43 1345	508 429 342	42 1349	506 426 337	41 1353	504 423 332
9	46 1349	506 429 344	45 1353 504 42	6 339	44 1357	502 423 334	43 1401	459 420 329	42 1406	457 416 324
10	47 1400	500 423 337	46 1404 458 42	0 332	45 1409	456 416 327	44 1414	453 +13 321	43 1419	450 409 315
11	48 1411	454 417 330	47 1416 452 41	3 324	46 1421	449 410 319	45 1427	447 406 313	44 1432	444 401 306
12	49 1423	449 411 322	48 1428 446 40	7 317	47 1434	443 403 310	46 1440	440 358 304	45 1446	437 354 257
13	50 1435	443 404 315	49 1441 440 40	0 308	48 1447	437 356 302	47 1453	433 351 255	46 1500	430 346 247
14	51 1447	437 357 306	50 1453 433 35	3 300	49 1500	430 348 253	48 1507	427 343 245	47 1514	423 338 236
15	52 1459	431 351 258	51 1506 427 34	6 251	50 1513	423 341 243	49 1521	420 335 234	48 1529	416 329 224
16	53 1511	424 343 249	52 1519 421 33	8 241	51 1527	417 333 233	50 1535	412 327 223	49 1544	408 320 212
17	54 1524	418 336 240	53 1532 414 33	1 231	52 1541	410 325 221	51 1550	405 318 211	50 1559	400 311 158
18	55 1537	411 329 230	54 1546 407 32	3 220	53 1555	402 316 209	52 1605	358 309 157	51 1615	352 302 142
19	56 1551	405 321 219	55 1600 400 31	4 208	54 1610	355 307 156	53 1620	350 300 141	52 1632	344 251 124
20	57 1605	358 312 207	56 1615 353 30	5 155	55 1625	347 258 140	54 1636	342 250 123	53 1649	336 240 059
21	58 1619	351 304 154	57 1630 345 25	6 139	56 1641	339 248 122	55 1653	333 239 059	54 1706	327 229 000
22	59 1634	343 255 139	58 1645 337 24	6 121	57 1657	331 237 058	56 1711	325 227 000	55 1725	318 216 ///
23	60 1649	335 245 121	59 1701 329 23	6 058	58 1715	323 226 000	57 1729	316 215 ///	56 1744	308 202 ///
23.5	61 1657	332 240 110	60 1710 325 23	0 041	59 1724	318 220 ///	58 1738	311 208 ///	57 1755	303 154 ///

Latitude and Declination OPPOSITE

	LAT.53	LAT.54	LAT.55	LAT.56	LAT.57
DEC	AL LD R/S CT NT				
0	o hm hmhmhm	ohm hmhmhm	ohm hmhmhm	ohm hmhmhm	o hm hmhmhm
0	37 1211 554 520 439	36 1211 554 519 437	35 1212 554 518 435	34 1212 554 517 433	33 1212 554 516 430
1	36 1200 600 525 445	35 1200 600 525 443	34 1200 600 524 441	33 1200 600 523 439	32 1200 600 522 437
2	35 1150 605 531 450	34 1149 605 530 449	33 1149 606 530 447	32 1148 606 529 445	31 1148 606 528 443
3	34 1139 610 536 456	33 1138 611 536 454	32 1137 611 535 453	31 1136 612 535 451	30 1135 612 534 450
4	33 1129 616 541 501	32 1127 616 541 500	31 1126 617 541 459	30 1124 618 541 458	29 1123 619 541 456
5	32 1118 621 547 507	31 1116 622 547 506	30 1114 623 547 505	29 1112 624 547 504	28 1110 625 547 502
6	31 1107 626 552 512	30 1105 628 552 511	29 1103 629 552 510	28 1100 630 553 510	27 1058 631 553 509
7	30 1056 632 557 517	29 1054 633 558 517	28 1051 634 558 516	27 1048 636 559 516	26 1045 637 559 515
8	29 1045 637 603 523	28 1042 639 603 522	27 1039 640 604 522	26 1036 642 604 522	25 1033 644 605 521
9	28 1034 643 608 528	27 1031 644 609 528	26 1027 646 610 528	25 1024 648 610 527	24 1020 650 611 527
10	27 1023 648 613 533	26 1019 650 614 533	25 1015 652 615 533	24 1011 654 616 533	23 1007 657 618 533
11	26 1012 654 619 538	25 1008 656 620 539	24 1003 658 621 539	23 959 701 622 539	22 954 703 624 539
12	25 1001 700 624 544	24 956 702 625 544	23 951 704 627 545	22 946 707 628 545	21 940 710 630 546
13	24 949 705 629 549	23 944 708 631 550	22 939 711 633 550	21 933 714 635 551	20 927 717 636 552
14	23 937 711 635 554	22 932 714 637 555	21 926 717 639 556	20 920 720 641 557	19 913 724 643 558
15	22 926 717 640 600	21 919 720 643 601	20 913 724 645 602	19 906 727 647 603	18 859 731 649 604
16	21 913 723 646 605	20 907 727 648 606	19 900 730 651 607	18 852 734 653 609	17 844 738 656 610
17	20 901 729 652 610	19 854 733 654 612	18 846 737 657 613	17 838 741 700 615	16 830 745 703 616
18	19 848 736 658 616	18 841 740 700 617	17 833 744 703 619	16 824 748 706 621	15 815 753 709 623
19	18 836 742 703 621	17 827 746 706 623	16 818 751 710 625	15 809 756 713 627	14 759 801 716 629
20	17 822 749 709 626	16 813 753 713 629	15 804 758 716 631	14 754 803 720 633	13 743 809 723 635
21	16 809 756 715 632	15 759 860 719 634	14 749 806 723 637	13 738 811 727 639	12 726 817 731 642
22	15 755 803 722 638	14 744 808 725 640	13 733 813 729 643	12 721 819 734 646	11 709 826 738 649
23	14 740 810 728 643	13 729 815 732 646	12 717 821 736 649	11 704 828 741 652	10 651 835 746 655
23.5	14 733 814 731 646	13 721 819 735 649	12 709 826 740 652	11 656 832 745 655	10 641 839 750 659

Table 2, Latitude and Declination SAME

	LAT.58	LAT.59	LAT.60	LAT . 61	LAT.62
DEC	AL LD R/S CT NT				
0	ohmhmhmhm	ohm hmhmhm	o hm hmhmhm		
0	32 1213 554 514 428	31 1213 554 513 425	30 1213 553 512 422	29 1214 553 510 418	28 1214 553 509 415
1	33 1225 547 508 421	32 1226 547 506 417	31 1227 546 505 414	30 1228 546 503 410	29 1229 545 501 406
2	34 1238 541 501 413	33 1240 540 459 410	32 1241 539 457 406	31 1243 539 455 402	30 1244 538 453 358
3	35 1251 534 455 406	34 1253 533 452 402	33 1255 532 450 358	32 1257 531 448 354	31 1300 530 445 349
4	36 1304 528 448 359	35 1307 527 445 354	34 1309 525 443 350	33 1312 524 440 345	32 1315 523 437 339
5	37 1317 521 441 351	36 1320 520 438 346	35 1323 518 435 341	34 1327 517 432 336	33 1330 515 429 330
6	38 1330 515 434 343	37 1334 513 431 338	36 1338 511 428 332	35 1342 509 424 326	34 1346 507 420 320
7	39 1344 508 427 335	38 1348 506 423 329	37 1352 504 420 323	36 1357 502 416 317	35 1402 459 412 310
8	40 1357 501 420 326	39 1402 459 416 320	38 1407 457 412 314	37 1412 454 408 307	36 1418 451 403 259
9	41 1411 455 412 318	40 1416 452 408 311	39 1421 449 404 304	38 1427 446 359 256	37 1434 443 354 247
10	42 1424 448 405 308	41 1430 445 400 301	40 1437 442 355 253	39 1443 438 350 244	38 1450 435 344 234
11	43 1439 441 357 259	42 1445 437 352 251	41 1452 434 347 242	40 1459 430 341 232	39 1507 426 335 221
12	44 1453 434 349 249	43 1500 430 343 240	42 1508 426 338 230	41 1516 422 331 219	40 1524 418 325 206
13	45 1507 426 340 238	44 1515 422 335 228	43 1524 418 328 217	42 1533 414 321 204	41 1542 409 314 149
14	46 1522 419 332 226	45 1531 415 326 215	44 1540 410 319 203	43 1550 405 311 148	42 1600 400 303 129
15	47 1538 411 323 214	46 1547 407 316 201	45 1557 402 308 146	44 1608 356 300 128	43 1619 350 251 103
16	48 1553 403 314 200	47 1604 358 306 145	46 1614 353 258 127	45 1626 347 249 102	44 1639 341 238 000
17	49 1610 355 304 144	48 1621 350 255 126	47 1632 344 246 101	46 1645 337 236 000	45 1659 330 224 ///
18	50 1626 347 253 125	49 1638 341 244 101	48 1651 334 234 000	47 1705 327 222 ///	46 1721 320 209 ///
19	51 1644 338 242 100	50 1657 332 232 000	49 1711 325 221 ///	48 1726 317 207 ///	47 1743 309 152 ///
20	52 1702 329 230 000	51 1716 322 219 ///	50 1731 314 206 ///	49 1748 306 150 ///	48 1807 257 131 ///
21	53 1721 320 217 ///	52 1736 312 204 ///	51 1753 304 149 ///	50 1812 254 130 ///	49 1832 244 105 ///
22	54 1740 310 203 ///	53 1757 301 148 ///	52 1816 252 129 ///	51 1837 242 104 ///	50 1900 230 000 ///
23	55 1801 259 147 ///	54 1820 250 128 ///	53 1841 240 103 ///	52 1904 228 000 ///	51 1930 215 /// ///
23.5	56 1812 254 137 ///	55 1832 244 116 ///	54 1854 233 045 ///	53 1918 221 /// ///	52 1947 206 /// ///

Latitude and Declination OPPOSITE

	L	AT.58	L	AT.59	L	AT.60	LAT.61	LAT.62
DEC	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o h m	hmhmhm	o h m	hmhmhm	o h a	hmhmhm		ohm hmhmhm
0	32 1213	554 514 428	31 1213	554 513 425	30 1213	553 512 422	29 1214 553 510 418	28 1214 553 509 415
1	31 1200	600 521 434	30 1200	600 520 432	29 1159	600 519 429	28 1159 600 518 426	27 1159 600 516 423
2	30 1147	607 527 441	29 1146	607 527 439	28 1146	607 526 437	27 1145 608 525 434	26 1144 608 524 431
3	29 1134	613 534 448	28 1133	614 533 446	27 1132	614 533 444	26 1130 615 532 442	25 1129 615 531 439
4	28 1121	619 540 455	27 1120	620 540 453	26 1118	621 540 451	25 1116 622 539 449	24 1114 623 539 447
5	27 1108	626 547 501	26 1106	627 547 500	25 1104	628 547 458	24 1101 629 547 457	23 1059 631 546 455
6	26 1055	632 553 508	25 1053	634 553 507	24 1050	635 554 505	23 1047 637 554 504	22 1043 638 554 503
7	25 1042	639 559 514	24 1039	641 600 513	23 1035	642 600 512	22 1032 644 601 511	21 1028 646 602 510
8	24 1029	645 606 521	23 1025	647 607 520	22 1021	649 607 519	21 1017 652 608 519	20 1012 654 609 518
9	23 1016	652 612 527	22 1011	654 613 527	21 1007	657 614 526	20 1002 659 615 526	19 956 702 617 525
10	22 1002	659 619 533	21 957	701 620 533	20 952	704 621 533	19 946 707 623 533	18 940 710 624 533
11	21 948	706 625 540	20 943	709 627 540	19 937	712 628 540	18 931 715 630 540	17 924 718 632 540
12	20 935	713 632 546	19 928	716 634 546	18 922	719 636 547	17 915 723 638 547	16 907 726 640 548
13	19 920	720 638 552	18 914	723 641 553	17 906	727 643 554	16 858 731 645 555	15 850 735 647 555
14	18 906	727 545 559	17 858	731 648 600	16 850	735 650 601	15 842 739 653 602	14 833 744 655 603
15	17 851	734 652 605	16 843	739 655 606	15 834	743 657 608	14 825 748 700 609	13 815 753 703 610
16	16 836	742 659 612	15 827	746 702 613	14 818	751 705 615	13 807 756 708 616	12 756 802 712 618
17	15 821	750 706 618	14 811	755 709 620	13 800	800 712 622	12 749 805 716 624	11 737 811 720 626
18	14 805	758 713 625	13 754	803 716 627	12 743	809 720 629	11 731 815 724 631	10 717 821 729 633
19	13 748	806 720 631	12 737	812 724 634	11 724	818 728 636	10 711 824 733 639	9 656 832 737 641
20	12 731	814 727 638	11 719	821 732 641	10 705	827 736 643	9 651 835 741 646	8 635 843 746 649
21	11 714	823 735 645	10 700	830 740 648	9 645	837 745 651	8 629 845 750 654	7 612 854 756 657
22	10 655	832 743 652	9 640	840 748 655	8 624	848 753 658	7 607 857 759 702	6 547 906 805 706
23	9 636	842 751 659	8 620	850 756 702	7 602	859 802 706	6 543 909 808 710	5 521 920 815 714
23.5	9 626	847 755 702	8 609	855 801 706	7 551	905 807 710	6 530 915 813 714	5 507 927 820 718

Table 2, Latitude and Declination SAME

	LAT.63	LAT.64	LAT.65	LAT.66	LAT.67
DEC	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	o hm hmhmhm	o hm hmhmhm	o hm hmhmhm	o hm hmhmhm	
Ü	27 1215 553 507 411	26 1215 552 505 407	25 1216 552 503 402	24 1216 552 500 357	23 1217 551 458 351
1	29 1230 545 459 402	27 1232 544 456 357	26 1233 544 454 352	25 1234 543 451 346	24 1236 542 448 340
2	29 1246 537 450 353	28 1248 536 448 348	27 1250 535 445 342	26 1252 534 442 335	25 1255 533 438 328
3	30 1302 529 442 343	29 1305 528 439 338	28 1308 526 436 331	27 1311 525 432 324	26 1314 523 428 316
4	31 1318 -521 434 334	30 1321 519 430 327	29 1325 517 426 320	28 1329 516 422 312	27 1333 513 417 303
5	32 1334 513 425 323	31 1338 511 421 316	30 1343 509 417 308	29 1348 506 412 259	28 1353 504 407 249
6	33 1350 505 416 313	32 1355 502 412 305	31 1401 500 407 256	30 1406 457 401 246	29 1412 454 356 234
7	34 1407 457 407 302	33 1413 454 402 253	32 1419 451 357 243	31 1425 447 351 231	30 1433 444 344 217
8	35 1424 448 358 250	34 1430 445 352 240	33 1437 441 346 228	32 1445 438 340 215	31 1453 433 332 159
9	36 1441 440 348 237	35 1448 436 342 226	34 1456 432 335 212	33 1505 428 328 157	32 1514 423 320 137
10	37 1458 431 338 223	36 1506 427 331 210	35 1515 422 324 155	34 1525 418 316 135	33 1536 412 306 108
11	38 1516 422 328 208	37 1525 418 320 153	36 1535 413 312 133	35 1546 407 303 107	34 1558 401 252 000
12	39 1534 413 317 151	38 1544 408 309 132	37 1555 402 259 106	36 1607 356 249 000	35 1621 350 237 ///
13	40 1553 404 306 130	39 1604 358 256 105	38 1616 352 246 000	37 1630 345 234 ///	36 1645 338 220 ///
14	41 1612 354 254 104	40 1624 348 243,000	39 1638 341 231 ///	38 1653 333 218 ///	37 1710 325 201 ///
15	42 1632 344 241 000	41 1646 337 229 ///	40 1701 330 215 ///	39 1718 321 159 ///	38 1736 312 139 ///
16	43 1653 334 227 ///	42 1708 326 213 ///	41 1725 318 157 ///	40 1744 308 137 ///	39 1805 258 110 ///
17	44 1714 323 211 ///	43 1731 314 155 ///	42 1750 305 136 ///	41 1811 254 109 ///	40 1835 242 000 ///
18	45 1737 311 154 ///	44 1756 302 134 ///	43 1817 251 108 ///	42 1841 240 000 ///	41 1909 226 /// ///
19	46 1802 259 133 ///	45 1823 249 107 ///	44 1846 237 000 ///	43 1914 223 /// ///	42 1946 207 /// ///
20	47 1828 246 106 ///	46 1851 234 000 ///	45 1918 221 /// ///	44 1951 205 /// ///	43 2030 145 /// ///
21	48 1856 232 000 ///	47 1923 219 /// ///	46 1955 203 /// ///	45 2034 143 /// ///	44 2126 117 /// ///
22	49 1927 217 /// ///	48 1958 201 /// ///	47 2037 141 /// ///	46 2129 116 /// ///	45 2302 029 /// ///
23	50 2002 159 /// ///	49 2040 140 /// ///	48 2131 114 /// ///	47 2303 029 /// ///	46 2400 +++
23.5	51 2021 149 /// ///	50 2105 128 /// ///	49 2207 056 /// ///	48 2400 +++	47 2400 +++

+++ = No rise or Set. Sun remains above the horizon.

Latitude and Declination OPPOSITE

		LAT	7.63				L	AT.64				L	AT .65				ι	AT . 66	•			L	AT .67	,	
DEC	AL LO	O R	R/S	CT	NT	AL	LD	R/S	CT	NŤ	AL	ĹD	R/S		NT	AL	LD	R/S			AL	LD	R/S	CT	NT
0	o h			h mit	1.500	0	h m	h m			0	h m	h m			0	h m	h m			0	h m		h m	
0	27 121			507 4		_	1215	552				1216	552				1216	552				1217		458	
1	26 115			515 4			1159	601				1159	601				1158	601	-			1158		508	
2	25 114			523 4		_	1142	609				1141	609				1140	610				1139		517	
3	24 112		_	531 4			1126	617				1124	618				1122	619				1120		527	
4	23 111	12 6	524	539 4	45	55	1109	625	538	442	21	1107	627	538	440	20	1104	628	537	437	19	1101	629	536	433
5	22 105	56 6	632	546 4	53	21	1053	634	546	451	20	1050	635	546	449	19	1046	637	546	446	18	1042	639	546	443
6	21 104	40 6	640	554 5	01	20	1036	642	554	459	19	1032	644	555	458	18	1028	646	555	455	17	1023	649	555	453
7	20 102	24 6	648	602 5	509	19	1019	650	603	508	18	1014	653	603	506	17	1009		604		16	1003		605	
8	19 100	07 6	656	610 5	517	18	1002	659	611	516	17	956		612		16	950		613	_	15	943		614	
9	18 95	51 7	705	618	25	17	945	708	619	524	16	938	711	620	524	15	931	715	622	523	14	923	718	623	52%
10	17 93	34 7	713	626	33	16	927	717	627	532	15	919	720	629	532	14	911	724	631	532	13	903	729	633	531
11	16 9	17 7	722	634 5	640	15	909	726	636	541	14	900	730	638	541	13	851	734	640	541	12	841	739	643	541
12	15 8	59 7	730	642 5	548	14	850	735	644	549	13	841	740	647	549	12	831		650		11	820		653	
13	14 84	41 7	739	650 5	56	13	832	744	653	557	12	821		656		11	810	_	659		10	757		702	
14	13 8	23 7	749	658 6	504	12	812	754	702	605	11	800	800	705	606	10	748	806	709	608	9	734	813	713	609
15.	12 80	04 7	758	707	512	11	752	804	710	613	10	739	810	714	615	9	725	818	718	617	8	709	825	723	618
16	11 74	44 8	808	715	520	10	731	814	719	622	9	717	822	724	624	8	701	829	729	626	7	644	838	734	628
17	10 7	24 8	818	724 (528	9	710	825	729	630	8	654	833	734	632	7	636		739		6	616		745	
18	9 70	03 8	829	733 (536	8	647	837	738	639	7	629	845	744	641	6	610		749		5	547		756	
19	8 6	41 8	840	742 (544	7	623	845	748	647	6	603	858	754	650	5	541	909	800	654	4	516	922	808	658
20	7 6	17 8	851	752 6	552	6	558	901	758	656	5	535	912	805	700	4	510	925	812	703	3	441	939	820	708
21	6 5	52 9	904	802	701	5	530	915	808	705	4	505	927	816	709	3	436	942	824	713	2	401		833	
22	5 5	25 9	917	812	710	4	501	930	819	714	3	432	944	827	718	2	357	1001	836	723	1	314	1023	846	729
23	4 4	56 9	932	823	718	3	428	946	831	123	2		1003			1		1025			0	211			
23.5	4 4	41 9	940	828	723	_ 3	410	955	837	728	2	332	1014	846	733	1_1	243	1039	857	739	0	123	1119	908	745

Table 2, Latitude and Declination SAME

	LAT.68	LAT.69	LAT.70	LAY.71	LAT.72
DEC	AL LD R/S CT NT		AL LD R/S CT NT	AL LD R/S CT NT	AL LD R/S CT NT
0	ohm hmhmhm				
0	22 1218 551 455 345	21 1219 551 452 338	20 1219 550 449 330	19 1220 550 445 321	18 1222 549 441 311
_ 1 _	23 1238 541 445 333	22 1239 540 441 325	21 1242 539 437 316	20 1244 538 433 306	19 1246 537 428 254
2	24 1258 531 434 320	23 1300 530 430 311	22 1304 528 425 301	21 1307 526 420 249	20 1311 524 414 235
3	25 1318 521 423 307	24 1322 519 418 257	23 1326 517 413 245	22 1331 515 407 231	21 1336 512 400 214
4	26 1338 511 412 253	25 1343 508 407 241	24 1349 506 400 227	23 1355 503 353 210	22 1402 459 345 149
5	27 1358 501 401 237	26 1405 457 4 224	25 1412 454 347 207	24 1419 450 339 146	23 1428 446 330 117
6	28 1419 450 349 220	27 1427 44. 2 204	26 1435 443 334 143	25 1444 438 324 115	24 1454 433 314 000
7	29 1440 440 337 201	28 1449 435 329 141	27 1459 431 319 113	26 1509 425 309 000	25 1521 419 256 ///
8	30 1502 429 324 139	29 1512 424 315 111	28 1523 418 304 000	27 1536 412 252 ///	26 1550 405 237 ///
9	31 1524 418 310 110	30 1536 412 300 000	29 1549 406 248 ///	28 1603 359 233 ///	27 1619 351 216 ///
10	32 1547 406 256 000	31 1600 400 244 ///	30 1615 353 229 ///	29 1631 344 212 ///	28 1650 335 150 ///
11	33 1611 354 240 ///	32 1626 347 226 ///	31 1642 339 209 ///	30 1701 330 148 ///	29 1722 319 118 ///
12	34 1636 342 223 ///	33 1652 334 206 ///	32 1711 325 145 ///	31 1732 314 116 ///	30 1757 302 000 ///
13	35 1701 329 204 ///	34 1720 320 143 ///	33 1741 309 114 ///	32 1806 257 000 ///	31 1835 243 /// ///
14	36 1729 316 141 ///	35 1750 305 113 ///	34 1814 253 000 ///	33 1843 239 /// ///	32 1917 221 /// ///
15	37 1758 301 111 ///	36 1822 249 000 ///	35 1850 235 /// ///	34 1924 218 /// ///	33 2007 157 /// ///
16	38 1829 246 000 ///	37 1857 232 /// ///	36 1930 215 /// ///	35 2012 154 /// ///	34 2109 125 /// ///
17	39 1903 229 /// //;	38 1936 212 /// ///	37 2017 151 /// ///	36 2113 123 /// ///	35 2256 032 /// ///
18	40 1941 209 /// ///	39 2022 149 /// ///	38 2117 122 /// ///	37 2257 031 /// ///	36 2400 +++
19	41 2026 147 /// ///	40 2120 120 /// ///	39 2258 031 /// ///	38 2400 +++	37 2400 +++
20	42 2123 118 /// ///	41 2300 030 /// ///	40 2400 +++	39 2400 +++	38 2400 +++
21	43 2301 030 /// ///	42 2400 +++	41 2400 +++	40 2400 +++	39 2400 +++
22	44 2400 +++	43 2400 +++	42 2400 +++	41 2400 +++	40 2400 +++
23	45 2400 +++	44 2400 +++	43 2400 +++	42 2400 +++	41 2400 +++
23.5	46 2400 +++	45 2400 +++	44 2400 +++	43 2400 +++	42 2400 +++

+++ = No rise or Set. Sun remains above the horizon.

Latitude and Declination OPPOSITE

		ι	AT.6	3				LAT.69	,		ĺ	ι	AT.70)			ı	.AT . 7	1			t	AT.7	2	
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	K/S	CT	NT
0	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m
0	22	1218	551	455	345	21	1219	551	452	338	20	1219	550	449	330	19	1220	550	445	321	18	1222	549	441	311
1		1158		505			1:58		503			1158	601	-			1157	601			17	1157	602	454	327
2		1138		516			1137		514			1136	612				1134	613			16	1132	614	507	342
3		1118		526			1116		524		•	1113	623				1111	625				1108		519	
4	18	1058	631	536	430	17	1055	633	535	426	16	1051	634	534	421	15	1047	636	533	416	14	1043	639	532	411
5	17	1038	641	545	440	16	1034	643	545	437	15	1029	646	545	433	14	1023	648	544	429	13	1017	651	544	424
6	16	1018	651	555	451	15	1012	654	556	448	14	1006	657	556	445	13	959	700	556	441	12	952	704	556	437
7	15	957	701	605	501	14	950	705	606	459	13	943	709	607	456	12	935	713	608	453	11	926	717	609	450
8	14	936	712	615	511	13	925	716	616	509	12	919	720	618	507	11	910	725	619	505	10	859	731	621	503
9	13	915	723	525	521	12	906	727	627	520	11	855	732	629	518	10	844	738	631	517	9	831	744	633	515
10	12	853	734	635	531	11	842	739	638	530	10	831	745	640	529	9	817	751	643	529	8	803	759	646	528
11 j	11	830	745	645	541	10	818	751	648	541	9	805	758	651	540	8	750		655		7	733	814	659	540
12	10	807	756	656	551	9	733	803	659	551	8	738	811	703	551	7	721	819	707	552	6	702	829	712	552
13	9	743	808	706	600	8	728	816	710	601	7	710	825	715	602	6	651	835	720	603	5	628	846	725	605
14	8	718	821	717	610	7	70 i	830	722	612	6	641	840	727	613	5	618	851	733	615	4	552	904	739	617
15	7	652	834	728	620	6	632	844	733	622	5	610	855	739	625	4	544	908	746	627	3	513	924	753	629
16	6	624	848	739	630	5	602	859	745	633	4	536	912	752	636	3	505	927	800	639	2	428	946	808	642
17	5	554	903	751	641	4	528	916	758	644	3	458	931	805	647	5	422	949	814	651	1	335	1012	824	655
18	4	522		803		3	452	934	811	655	2	416	952	819	659	1	330	1015	829	703	0	225	1048	840	738
18.5	4	505		809		3	432		817		2		1004			1		1930			0		1114		
19	3	446		815		2	411		824		1		1017			0		1049			-1	000		858	
19.5	3	427	947	822	707	2	347	1006	831	712	1	255	1032	842	717	0	129	1115	854	722	•1	000		908	728
20	2	406	957	829	712	1	321	1019	839	717	0	218	1051	850	723	-1	000	• • •	903	729	-2	000		918	735
20.5	Ž	343	1008	835	718	1	252	1034	846	723	0	127	1116	858	729	-1	000		912	735	1 .2	000	• • •	929	742
21	1	-	1021			0		1052			-1	000			735	-2	000			742	1 -3	000			750
21.5	1		1036			0	126				•1	000			742	.5	000			749	-3				757
22	0		1053			1 .1	000		910		.5	000			748	-3	000			756	1 -4	000		1003	
22.5			1118			1.1	000			747	1.5	000			755	1 .3	000		-	803		000			813
23	1.1	000			746	1.5	000			754	.3	000			802	- 4	000			810	1 .5	000		1039	
23.5	1-1	000	• • •	455	752	.5	000	•••	738	800	•3	000	•••	958	808	-4	000	• • • •	<u> 1024</u>	818	.5	000	•••	1103	829

--- = No Rise or Set. Sun remains below the horizon.

Table 2, Latitude and Declination SAME

	LAT.	73	L	AT.74	L	AT.75	L	AT.76	L	AT.77
DEC	AL LD R/S	CT NT	AL LO	R/S CT NT	AL LO	R/S CT NT	AL LD	R/S CT NT	AL LD	R/S CT NT
0	ohm hr	nhmhm	o h m	hmhmhm	c h m	hmhmhm	o h m	hmhmhm	o h m	hmhmhm
0		436 259	16 1224	548 431 244	1226	547 425 226	14 1228	546 418 203	13 1230	545 409 130
1		422 239	17 1252	534 416 222	iu 1256	532 408 159	15 1300	530 359 127	14 1305	528 349 000
2		2 407 217	18 1320	520 400 155	17 1326	517 351 124	16 1332	514 340 000	15 1340	510 328 ///
3		352 152	19 1349	505 343 121	18 1357	502 333 000	17 1406	457 320 ///	16 1416	452 305 ///
4	21 1409 455	336 119	20 1418	451 326 000	19 1428	446 313 ///	18 1439	440 258 ///	17 1453	434 239 ///
5	22 1437 441	319 000	21 1448	436 307 ///	20 1500	430 252 ///	19 1514	423 233 ///	18 1531	415 209 ///
6	23 1506 427	7 301 ///	22 1518	421 246 ///	21 1533	413 228 ///	20 1551	405 205 ///	19 1611	355 131 ///
7	24 1535 413	242 ///	23 1550	405 224 ///	22 1608	356 200 ///	21 1629	346 128 ///	20 1653	333 000 ///
8	25 1605 357	7 219 ///	24 1623	348 157 ///	23 1644	338 125 ///	22 1709	325 000 ///	21 1739	310 /// ///
9	26 1637 341	153 ///	25 1658	331 122 ///	24 1723	318 000 ///	23 1753	304 /// ///	22 1830	245 /// ///
10	27 1711 325	120 ///	26 1736	312 000 ///	25 1805	257 /// ///	24 1842	239 /// ///	23 1928	216 /// ///
11	28 1747 307	7 000 ///	27 1816	252 /// ///	26 1852	234 /// ///	25 1938	211 /// ///	24 2042	139 /// ///
12	29 1826 247	111 111	28 1901	229 /// ///	27 1946	207 /// ///	26 2048	136 /// ///	25 2245	037 /// ///
13	30 1910 225	111 111	29 1954	203 /// ///	28 2055	133 /// ///	27 2248	036 /// ///	26 2400	+++
14	31 2001 200	111 111	30 2100	130 /// ///	29 2250	035 /// ///	28 2400	+++	27 2400	+++
15	32 2105 128	3 /// ///	31 2252	034 /// ///	30 2400	+++	29 2400	+++	28 2400	+++
16		3 /// ///	32 2400	+++	31 2400	+++	30 2400	+++	29 2400	+++
17	34 2400 +++		33 2400	+++	32 2400	+++	31 2400	+++	30 2400	+++
18	35 2400 +++		34 2400	+++	33 2400	+++	32 2400	+++	31 2400	+++
19	36 2400 ++-		35 2400	+++	34 2400	+++	33 2400	+++	32 2400	+++
20	37 2400 ++-		36 2400	+++	35 2400	+++	34 2400	+++	33 2400	+++
21		٠	37 2400	+++	36 2400	+++	35 2400	+++	34 2400	+++
22		·	38 2400	+++	37 2400	+++	36 2400	+++	35 2400	+++
23		·	39 2400	+++ '	38 2400	+++	37 2400	+++	36 2400	+++
23.5	41 2400 ++-	·	40 2400	+++	39 2400	+++	38 2400	+++	37 2400	+++

+++ = No rise or Set. Sun remains above the horizon.

Latitude and Declination OPPOSITE

								Lat	1100	10 41	10 1	7001	mati	0	01.	00	***								
		Ú	AT.73				L	AT .74				L	AT . 75	i			L	AT . 76	•			Į,	AT.7	7	
DEC	AL !	LD	R/S	CT	NT	AL	LO	R/S	CT	NT	AL	LO	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LO	R/S	CT	NT
0	0 1	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	-		h m		
0	17 1	223	549	436	259	16	1224	548	431	244	15	1226	547	425	226		1228	_	418			1230		409	
1	16 1	157	602	45û	317	15	1156	602	446	304	14	1156	602	441	250		1155		435			1155		428	
2	15 1	130	615	504	333	14	1128	616	500	323		1126	617				1123	618				1120	7.0	447	
3	14 1	104	628	517	349	13	1100	630				1056	632				1051	635				1045		505	
4	13 1	038	<i>6</i> ′1	530	404	12	1032	644	529	357	11	1026	647	527	348	10	1018	651	525	338	9	1010	655	522	326
5	12 1	011	6.	543	419	11	1003	658	543	412	10	955	703	542	405	9	945	708	541	357	8	934		540	
6	11	943	708	556	433	10	934	713	557	428	9	923	718	557	422	8	911		557		7	856		557	
7	10	915	722	609	447	9	904	728	611	442	8	851			438	7	835		613		6	817	127	615	
8	9	847	737	623	500	8	833	744	625	457	7	817			453	6	758		629		5	737		632	
9	8	817	752	636	513	7	801	800	639	511	6	742	809	642	509	5	720	820	646	506	4	653	833	650	502
10	7	746	807	440	527	6	727	817	653	525	5	704	828	657	524	4	638	841	702	522	3	606	857	708	520
11		714	823			5	651		708		4	625			539	3	553	904	719	538	2	513	924	727	537
12	_	639	840		_	4	613			553	3	541	910	729	554	2	502	929	737	554	1	410	955	746	554
13	_	602	859			3	531	915	738	607	2	452	934	746	609	1	402	959	755	610	0		1036		
13.5	4	542	909	739	612	3	508	926	746	614	2	424	948	755	616	1	326	1017	805	618	0		1107		
14	3	521	919	746	619	2	443	938	754	621	1		1003			0		1039			-1	000		828	
14.5	3	459	930	754	626	2	417	952	803	628	1	319	1020	813	631	0	142	1109	825	634	1 -1	000	• • •	839	638
15	2	435	942	802	632	1	347	1006	811	635	0	237	1041	822	639	-1	000		835	643	-2	000	•••	851	647
15.5	_	410	955			1	313	1023	820	643	0	139	1110	832	646	-1	000	•••	846	651	-2	000		904	
16	1	341	101C	818	646	0	233	1044	829	650	-1	000			654	-5			858		1 .3	000		917	
16.5	1	308	1026	826	653	0	136	1112	838	657	-1	000			702	-2			910		-3	000		932	
17	0	228	1046	835	659	-1	000		848		-2				710	-3			923		1 -4	000		948	
17.5	0	134	1113	844	706	-1	000			712	-5				718	-3			937		1 -4	000			733
18	-1	000			713	1 -2	000			720	-3				726	1 -4	000		952		1 -5	000			743
19	-5	000	• • •	914	728	-3	000	•••	932	735	-4	000	•••	556	743	-5	000	•••	1030	753	-6	000	•••	1200	804
20	-3	000	• • •	936	743	1 -4	000	• • •	1000	751	-5	000	•••	1033	801	-6			1200		-7			• • •	
21	-4	000	• • • •	1003	758	-5				808	1 -6				820	-7					-8	000			8/.9
22	-5	000			815	-6	000			826	.7				840	-8			• • •		.9	000		•••	
23	_	000		-	832	-7				845	8.				901	.9			• • •		-10	000			946
23.5	-6	000	•••	•••	841	<u>·7</u>	000	•••		856	-8	000	•••		913	.9	000	• • • •	•••	935	-10	000		•••	1004

--- = No Rise or Set. Sun remains below the horizon.

Table 2, Latitude and Declination SAME

	LAT.78	LAT.79	LAT.80	LAT.81	LAT.82
DEC	AL LD R/S CT NT				
0	o hm hmhmhm				
0	12 1232 544 359 000	11 1235 543 347 ///	10 1238 541 332 ///	9 1243 539 312 ///	8 1248 536 245 ///
1	13 1310 525 337 ///	12 1316 522 322 ///	11 1324 518 302 ///	10 1334 513 236 ///	9 1346 507 156 ///
2	14 1348 506 313 ///	13 1359 501 253 ///	12 1411 455 227 ///	11 1426 447 149 ///	10 1445 437 000 ///
3	15 1428 446 246 ///	14 1442 439 220 ///	13 1459 430 143 ///	12 1521 420 000 ///	11 1548 406 /// ///
4	16 1508 426 214 ///	15 1527 417 139 ///	14 1550 405 000 ///	13 1619 351 /// ///	12 1656 332 /// ///
5	17 1550 405 134 ///	16 1614 353 000 ///	15 1644 338 /// ///	14 1722 319 /// ///	13 1813 253 /// ///
6	18 1635 342 000 ///	17 1705 328 /// ///	16 1743 309 /// ///	15 1834 243 /// ///	14 1948 206 /// ///
7	19 1723 318 /// ///	18 1801 300 /// ///	17 1851 235 /// ///	16 2003 159 /// ///	15 2226 047 /// ///
8	20 1816 252 /// ///	19 1905 227 /// ///	18 2015 153 /// ///	17 2231 044 /// ///	16 2400 +++
9	21 1917 221 /// ///	20 2025 148 /// ///	19 2235 042 /// ///	18 2400 +++	17 2400 +++
10	22 2034 143 /// ///	21 2239 040 /// ///	20 2400 +++	19 2400 +++	18 2400 +++
11	23 2243 039 /// ///	22 2400 +++	21 2400 +++	20 2400 +++	19 2400 +++
12	24 2400 +++	23 2400 +++	22 2400 +++	21 2400 +++	20 2400 +++
13	25 2400 +++	24 2400 +++	23 2400 +++	22 2400 +++	21 2400 +++
14	26 2400 +++	25 2400 +++	24 2400 +++	23 2400 +++	22 2400 +++
15	27 2400 +++	26 2400 +++	25 2400 +++	24 2400 +++	23 2400 +++
16	28 2400 +++	27 2400 +++	26 2400 +++	25 2400 +++	24 2400 +++
17	29 2400 +++	28 2400 +++	27 2400 +++	26 2400 +++	25 2400 +++
18	30 2400 +++	29 2400 +++	28 2400 +++	27 2400 +++	26 2400 +++
19	31 2400 +++	30 2400 +++	29 2400 +++	28 2400 +++	27 2400 +++
20	32 2400 +++	31 2400 +++	30 2400 +++	29 2400 +++	28 2400 +++
21	33 2400 +++	32 2400 +++	31 2400 +++	30 2400 +++	29 2400 +++
22	34 2400 +++	33 2400 +++	32 2400 +++	31 2400 +++	30 2400 +++
23	35 2400 +++	34 2400 +++	33 2400 +++	32 2400 +++	31 2400 +++
23.5		35 2400 +++	34 2400 +++	33 2400 +++	32 2400 +++

+++ = No rise or Set. Sun remains above the horizon.

Latitude and Declination OPPOSITE

	LAT.78				LAT.79				LAT.80					LAT.81					LAT.82						
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m	0	h m	h m	h m	h m
0	12	1232	544	359	000	11	1235	543	347	111	10	1238	541	332	111	9	1243	539	312	111	8	1248	536	245	111
1	11	1154	603	420	133	10	1154	603	411	000	9	1153	603	359	111	8	1152	604	344	111	7	1151	605	325	111
2	10	1117	622	441	213		1113	624	434	138		1108	626	425	000	7	1101	629	414	1//	6	1054	633	359	///
3	9	1039	641	500	244	8	1031	645	455	219	7	1021	649	449	142	6	1010	655	441	000	5	956	702	431	///
4	8	1000	700	520	311	7	948	706	516	252	6	934	713	512	226	5	917	722	507	148	4	855	733	501	000
5	7	920	720	539	335	5	905	728	537	320	5	845	737	535	300	4	821	749	533	234	3	751	805	53 0	155
6	6	839			357	5	819		558		4	754			330	3	722		558		2	640		558	
7	5	756		616		4	730		618		3	658			357	2	616	852			1	518		627	
8	4	710			438	3	638		639		5	557			423	1	500	930			0		1014		
8.5	4	646		645	-	3	610		650		2	522	919			1	415	953			0		1053		
9	3	621		655		2	540		700		1	445			447	0		1020			-1	000	•••		
9.5	3	554	903	704	508	2	507	926	711	504	1	402	959	719	459	0	206	1057	729	452	-1	000	•••	742	444
10	2	525		714		1	431		722		0		1025			-1	000		743		-2	000			459
10.5	2	454		725		1		1005			0	200	1100			•1	000		758		1 -5	000		815	
11	1	420		735		0		1029			1 -1	000			533	1 .5	000		813		-3	000		833	_
11.5	1	341	1009			0	155				•1	000			544	1 .5	000		828		-3	000		852	
12	0	254				• 1	000		809		.2	000			556	-3	000		845		-4	000		_	557
12.5	0	150				1	000		822		1 .5	000			607	-3	000		903		1 -4	000		936	_
13	•1	000		819		.2	000		835		-3	000			618	-4	000		922 1009		-5	000		1003	
14	.5	000		_	633	-3	000		904		-4				641		3-63-7				.6			1200	
15	-3	000			652	-4	000		937		-5	000			705	-6	000		1200		-7	000		• • •	
16	-4	000			712	1 .5	000		1019		-6	000			729	1 .7	020		• • •		8-	000		• • •	
17	-5	000			732	-6	000		1200		.7	000			755	8.	000		• • •		-9	000		• • •	
18	-6	000			754	-7	000		•••		.8	000			823	.9	000		• • •		- 10	000		• • •	
19	-7	000	•••	• • •	817	-8	000	• • • •	•••	533	-9	000	•••	•••	853	1-10	. 000	•••	•••	921	-11	000	•••	•••	1002
20	-8	000			842	-9	000		• • •		•10	000			929	•11	000		• • •		-12	000	•••	• • •	1200
21	-9	000			909	-10	000		• • •		1.11	000			1014	-12	000		• • •		- 13	000	•••	• • •	• • •
22	- 10	600		• • •		-11	000		••••		-12	000	•••	• • •	1200	- 13	000	• • •	• • •	• • •	-14	000	• • • •	• • •	•••
23	-11	000			1022	1-12	000		•••	_	1.13	000	•••		•••	- 14	000	• • •	• • •		15	000	•••		•••
23.5	-11	000	•••	•••	1051	-12	000	•••	•••		-13	000	•••	•••	•••	- 14	000	•••	•••	•••	-15	000	•••	•••	•••


--- = No Rise or Set. Sun remains below the horizon.


/// = Twilight lasts all night.


Table 3 -- Longitude, Time Adjustments


Lo	UT	ro	UT	Lo	UT	Lo	UT	Lo	UT	Lo	UT	zc
deg	h m	deg	h m	deg	h m	deg	h m	deg	h m	deg	h m	m
1	004	31	204	61	404	91	604	121	804	151	1004	04
2	008	32	208	62	408	92	608	122	808	152	1008	08
3	012	33	212	63	412	93	612	123	812	153	1012	12
4	016	34	216	64	416	94	616	124	816	154	1016	16
5	020	35	220	65	420	95	620	125	820	155	1020	20
6	024	36	224	66	424	96	624	126	824	156	1024	24
7	028	37	228	67	428	97	628	127	828	157	1028	28
								,				Note
8	032	38	232	68	432	98	632	128	832	158	1032	28
9	036	39	236	69	436	99	636	129	836	159	1036	24
10	040	40	240	70	440	100	640	130	840	160	1040	20
11	044	41	244	71	444	101	644	131	844	161	1044	16
12	048	42	248	72	448	102	648	132	848	162	1048	12
13	052	43	252	73	452	103	652	133	852	163	1052	08
14	056	44	256	74	456	104	656	134	856	164	1056	04
15	100	45	300	75	500	105	700	135	900	165	1100	00
16	104	46	304	76	504	106	704	136	904	166	1104	04
17	108	47	.708	77	508	107	708	137	908	167	1108	08
18	112	48	312	78	512	108	712	138	912	168	1112	12
19	116	49	316	79	516	109	716	139	916	169	1116	16
20	120	50	320	80	520	110	720	140	920	170	1120	20
21	124	51	324	81	524	111	724	141	924	171	1124	24
22	128	52	328	82	528	112	728	142	928	172	1128	28
		1						-		1		Note
23	132	53	332	83	532	113	732	143	932	173	1132	28
24	136	54	336	84	536	114	736	144	936	174	1136	24
25	140	55	340	85	540	115	740	145	940	175	1140	20
26	144	56	344	86	544	116	744	146	944	176	1144	16
27	148	57	348	87	548	117	748	147	948	177	1148	12
28	152	58	352	88	552	118	752	148	952	178	1152	08
29	156	59	356	89	556	119	756	149	956	179	1156	04
_30	200	60	400	90	600	120	800	150	1000	180	1200	00


Note: In a uniform system of time zones, boundaries are located midway between the longitudes in the table, at the lines indicated. The corresponding adjustment is 30 minutes, to be applied according to the time actually kept at the location of interest.



































































































Sun Illuminance









APPENDIX A

Geographic Coordinates

This list of geographic places in the United States was compiled from data furnished by the U.S. Geological Survey and from a special purpose coordinate file maintained at the U.S. Naval Observatory. For each listed place, geographic coordinates (without headings) are given to the nearest whole degree as appropriate to, and for use with, the procedures described in the main text. West longitude and North latitude precede each place name in the list, but the list is arranged alphabetically by state and within each state for convenience.

From base data files representing approximately 140,000 geographic places, those included here were selected for the purpose of providing uniform coverage of each state in latitude and longitude primarily, and of providing specific reference places for every county or parish within each state secondarily. As a realt, many densely populated places are excluded because of their proximity to similar places previously selected in the compilation process. Also, that a listed place, within a rural county for example, might be neither the county seat nor the most populous place, is another consequence of the process. Some listed places, included for the purpose of geographic and political completeness, may be recognized only by those familiar with the area. In a few instances of this type, a place may have no permanent population but nevertheless has been accorded recognition by the United States Board on Geographic Names.

Alaska is a general exception. Complete coverage according to the stated criteria was impractical. Listed coordinates thus include larger population centers only (based upon 1980 census data and projections through 1984).

ALABAMA		25 32	Phenix City	100 11	Cazador
	Alabaster		Prattvilla		Chinle
	Albertville		Ranburne	109 33	
	Alexander City	1927			
	Alicaville		Roanoke		Douglas
			Russellville	109 34	
86 34	Anniston		Scottsboro		Ehrenberg
	Athens		Selma		Flagstaff
87 31	Atmore		Sheffield		Fort Defiance
	Auburn		Talladega	113 36	
	Bessemer	-	Tallassee	113 37	Fredonia
87 34	Birmingham	86 32	Troy	111 33	Globe
87 33	Brent	88 33	Tuscaloosa	112 36	Grand Canyon
88 32	Butler	86 32	Tuskegee	110 35	Holbrook
87 32	Camden	86 32	Union Springs	110 37	Kayenta
87 31	Castleberry	88 34	Vernon	114 35	Kingman
86 34	Centre	88 32	York	114 34	Lake Havasu City
88 31	Chatom			114 37	Littlefield
87 33	Clanton	ALASKA		111 31	Nogales
87 34	Cullmen	177 52	Adak Station	111 37	Page
87 35	Decatur	150 61	Anchorage	111 34	Payson
88 33	Demopolis	157 71	Barrow	112 33	Phoenix
85 31	Dothan	162 61	Bethel	110 33	Safford
86 31	Elbe	146 61	Cordova	115 32	San Luis
85 32	Eufaula	158 59	Dillingham	112 31	Sasabe
88 33	Eutav	147 65	Eialson	112 32	Sells
88 34	Fayette	148 65	Fairbarks	110 34	Show Low
88 35	Florence	146 64	Fort Greely	110 32	Siarra Vista
88 30	Foley	152 60	Homer	109 35	St. Johns
87 32	Fort Deposit	134 58	Juneau	111 36	Tube City
\$5 34	Fort Payne	151 61	Kenai		Tucson
86 34	Gadsden	132 55	Ketchikan	114 34	Vicksburg Junction
86 31	Geneva	152 58	Kodiak		Wickenburg
86 33	Goodwater	163 67	Kotzebue	111 35	Winslow
88 33	Greensboro	132 55	Metlakatla	115 33	Yuma
87 32	Greenville	151 61	Nikishka		
88 34	Haleyville	165 65	Nome	ARKANSA	S
88 34	Hamilton	149 62	Palmer	93 34	Arkadelphia
85 31	Headl and	133 57	Petarsburg	94 34	Ashdown
87 35	Huntsville	149 60	-	91 35	Augusta
88 32	Jackson	135 57	Sitka	92 36	Batesville
87 34	Jasper	151 60	Soldotna	93 35	Benton
85 33	Lanett	167 54	Unelaska	94 36	Berryville
87 30	Lillian	146 61		90 36	
86 33	Lineville		Wrangell	91 35	Brinkley
86 32	Luverne			93 36	Bull Shoels
87 33	Marion	ARIZONA		92 35	Cabot
88 31	Mobile	113 32		93 34	Camden
87 32	Monroeville	109 32	Apache	92 36	Cave City
86 32	Hontgomery	113 35	Bagdad	93 35	·
87 34	Houlton	115 35		92 36	
86 34	Oneonta	109 37	·	92 35	
86 31	Opp	114 36		93 36	
86 31	Ozark	113 33	Suckeye	92 33	
		112 33	Casa Grande	93 35	
86 34	Pell City	112 33	Casa Grance	73 33	DELOGIE! (C

				400 44	- 111
94 34	De Queen		West Helena	122 41	Redding
91 35	Des Arc		West Memphis	124 40	Redway
91 34	Dumas	91 35	Wynne	119 37	Reedley
93 33	El Dorado			118 36	Ridgecrest
91 33	Eudora	CALIFOR		117 34	Riverside
94 36	Fayetteville	116 35		121 39	Roseville
92 34	Fordyce	121 41	Alturas	121 39	Sacramento
91 35	Forrest City	119 35	Bakersfield		San Andreas
94 35	Fort Smith	117 35	THE COURSE OF TH		San Clemente
92 34	Hampton	120 38			San Diego
93 36	Harrison	117 37	The same of the sa	122 38	San Francisco
92 35	Heber Springs	118 38			San Jose
94 34	Hope	118 37		121 35	San Luis Obispo
93 35	Hot Springs	114 34	Black Meadow Landing	122 38	San Mateo
91 36	Hoxie	115 34	Blythe	123 38	San Rafael
94 36	Huntsville	120 41	Brockman	120 34	Santa Barbara
93 36	Jasper	115 36	Calada	121 37	Santa Clara
91 36	Jonesboro	115 33	Calexico	122 37	Santa Cruz
92 35	Little Rock	122 36	Carmel Valley	120 35	Santa Maria
93 33	Magnolia	120 42	Cedarville	123 38	Santa Rosa
93 34	Halvern	122 40	Chico	117 36	Searles Valley
92 36	Mammoth Spring	122 39	Colusa	120 38	Sonora
91 35	Marianna	122 38	Concord	120 39	South Lake Tahoe
93 36	Marshall	123 40	Covelo	121 38	Stockton
92 36	Melbourne	124 42	Crescent City	121 40	Susanville
94 35	Hena	127. 39	Davis	121 42	Tulelake
92 34	Monticello	116 36	Death Valley Junction	123 39	Ukiah
93 35	Morrilton	122 42	Dorris	122 38	Vallajo
94 35	Hount 1da	116 33	El Centro	119 36	Visalia
92 36	Mountain View	121 36	El Paso de Robles	123 41	Weaverville
94 34	Murfreesboro	124 41	Eureka	122 40	Willows
94 34	Nashville	124 39	Fort Bragg	123 42	Yreka
94 35	Ozark	120 37	Fresno	122 39	Yuba City
91 36	Paragould	121 39	Grass Valley		
94 35	Paris	120 36	Hanford	COLORAD	0
93 35	Perryvilla	121 37	Hollister	106 37	Alamosa
90 36	• • • • • • • • • • • • • • • • • • •	116 34	Indio	107 39	
	Pine Bluff	121 38			Aurora
	Pocahontas	123 39		105 40	
93 34	Prescott	118 35	and the same of th		Bouer Place
92 34	Rison	122 39			Branson
	Russellville	118 34			Burlington
	Searcy		Loyalton		Canon City
					Castle Rock
	Sheridan	120 37			Center
	Siloam Springs	117 38			Central City
	Stamps		Mariposa		·
	Star City		Herced		Cheyenne Wells
	Stuttgert	121 38			Clifton
	Taxarkana	122 38	and the second s		Colorado Springs
	Trumenn	115 35			Columbine
	Tuckerman		Oekland		Cortez
	Van Buren		Oxnerd		Craig
	Waldron		Portola		Creede
92 34	Verren	122 40	Red Bluff	108 39	Delta

105 40 Denver	102 40 Wray	22.70
108 37 Durango	103 40 Yuma	82 30 Hastings
103 38 Eads		83 28 Holiday 80 25 Homestead
105 39 Elizabeth	CONNECTICUT	
105 40 Englewood	74 42 Amenia Union	
106 40 Estes Park	73 41 Bridgeport	
106 39 fairplay	73 42 Hartford	and an analytic beach
105 41 Fort Collins	73 42 Middletoun	and the state of t
104 40 Fort Morgan	73 41 New Haven	,
106 40 Frisco	72 41 New London	81 28 Kissimmee 82 30 Lake Butler
103 38 Gilpin	72 42 Norwich	
109 39 Grand Junction	74 41 Stamford	83 30 Lake City 82 29 Leesburg
104 41 Grover	72 42 Storrs	
107 39 Gunnison	72 42 Willimentic	and the state of t
102 38 Holly		
1C2 41 Holyoke	DELAWARE	· · · · · · · · · · · · · · · · ·
106 38 Hooper	76 40 Wilmington	
103 39 Hugo	76 39 Dover	
105 40 Idaho Springs	75 40 Claymont	incredutie
102 41 Julesburg	75 39 Milford	
106 40 Kremmting	75 38 Selbyville	
104 38 La Junta	76 38 Delmar	
107 38 Lake City		
105 40 Lakewood	DISTRICT OF COLUMBIA	
103 38 Lamar	77 39 Washington	
103 38 Las Animas		
106 39 Leadville	FLORIDA	- Cr Crtungo
104 39 Limon	85 30 Apalachicola	winter
105 38 Lombard Village	82 27 Arcadia	
108 39 Maher	81 27 Belle Glade	
106 37 Manaasa	85 30 Blountstown	
106 38 Monte Vista	86 31 Bonifay	
108 38 Montrose	83 27 sradenton	
109 38 Nucla	83 30 Branford	
104 38 Ordway	85 30 Bristol	
108 38 Ouray	82 29 Brooksville	
107 37 Pagosa Springs	83 28 Clearwater	82 30 Starke
105 38 Pueblo	81 27 Clewiston	80 27 Stuart 84 30 Tallahassa
109 40 Rangely	84 30 Crawfordville	
108 40 Rifle	83 30 Cross City	82 28 Tampa 83 30 Trenton
106 39 Salida	86 30 Crystal Lake	
105 37 San Luia	83 29 Crystal River	375
108 38 Silventon	81 29 Daytona Beach	
103 37 Springfield	86 31 De Funiak Springs	=
107 40 Steamboat Springa	88 31 Enon	
103 41 Sterling	81 31 Fernandina Beach	
108 38 Telluride	87 31 Ferry Pass	
105 37 Trinidad	81 29 Flagler Beach	
106 40 Vail	83 25 Fort Jefferson	82 28 Winter Haven 82 31 Yulee
106 41 Walden	80 26 Fort Lauderdale	oc 31 IULES
105 38 Walsenburg	82 27 Fort Hyera	
102 37 Walsh	80 27 Fort Pierce	
105 38 Westnliffe	87 30 Fort Walton Beach	
105 39 Woodland Park	82 30 Gainesville	

GEORGIA		84 35	Dahlonega	82 32	Metter
83 31	Adel	85 34	Dalles	83 33	Milledgeville
83 32	Ailey	85 35	Dalton	82 33	Millen
83 32	Alamo	81 31	Darien	85 33	Molena
84 32	Albany	84 32	Dawson	84 34	Monroe
83 31	Alexia	84 34	Dawsonville	84 32	Hontezuma
85 33	Allendale	83 32	Denton	84 33	Monticello
82 32	Alma	85 31	Donalsonville	84 31	Moultrie
84 32	Americus	83 32	Douglas	82 31	Nahunta
84 32	Andersonville	83 33	Dublin	83 31	Mashville
85 31	Arlington	84 35	East Ellijay	85 33	Newnan
84 32	Ashburn	83 32	Eastman	84 31	Newton
83 34	Athens	83 33	Eatonton	84 34	North Atlanta
84 34	Atlanta	83 34	Elberton	83 32	
82 33	Augusta		Ellaville	85 33	Peachtree City
	Bainbridge	83 32		83 31	Pearson
	Barnesville	84 34		82 32	
	Baxley	84 33		85 32	
	Blackshear	85 32		84 31	
	Blairaville	84 33		85 32	Richland
	Blakely	85 33	Franklin	84 33	
	Blountsville	84 34	Gainesville	83 32	Roberta
	Blue Ridge	83 33			Rochelle
84 31	Symple - ARVA		Gibson	85 34	Rome
	Boston	82 32	Glernvilla	83 33	Sandersville
85 34	Bremen	83 33		81 32	Savenneh
	Brunswick	83 34	Greensboro	83 32	Soperton
	Buena Viata	84 33	Griffin	83 33	
	Butler	83 34	Hartwell	82 32	Statesboro
84 31	Cairo	83 32		82 30	Stokesvilla
	Calhoun	82 32	Hinesvilla	85 34	
84 31	Camilla	83 34	Homer	84 35	
84 34	Canton	83 31	Homervilla	82 33	Sysinsboro
	Carteraville	84 33	Jackson	85 33	Sylvania
81 33	Ceder Bluff Landing	84 34	Jssper	84 32	Sylvester
85 34	Cedertown	83 33	Jafferaonville	85 33	Talbotton
85 35	Chstsworth	82 32	Jesup	84 33	Thomeston
82 32	Claxton	82 31	Kingeland	83 33	Thomson
83 35	Clayton	85 35	La Fayette	84 31	Tifton
84 35	Cleveland	85 33	Ls Grange	83 35	Toccoa
83 32	Cochran	83 31	Lakaland	86 35	Trenton
85 31	Colquitt	83 34	Lavonis	83 31	Valdosta
85 32	Columbus	84 34	lawrenceville	82 32	Vidalia
83 34	Comer	84 32	Leesburg	84 32	Vienna
83 34	Commerce	82 34	Lincolnton	85 34	Villa Rica
84 34	Conyera	85 34	Lithia Springs	84 33	Warner Robins
84 32	Cordela	82 33	Louisville	83 33	Werranton
84 35	Cornelis	82 32	Ludovici	83 34	Weshington
84 34	Covington	85 34	Mebleton	83 34	Wetkinsvilla
83 34	Crawford	84 33	Macon	85 33	
83 34	Crawfordville	83 34	Madison		
				82 31	Waycrosa
85 32		85 33	Manchester Manchester	82 33	Vaynesb oro
84 34	Cuming	82 34	Mentinez	85 35	
85 32	Cussets	84 33	McDonough	84 34	Winder
85 32	Cuthbert	83 32	HcRae	82 23	Wrightsville

HAWAI	•		
156 1	· -	117 44 Payette	91 39 Hardin
155 2	Cook	117 47 Plummer	89 38 Harrisburg
		112 43 Pocatello	90 40 Havana
156 2		112 42 Preston	89 41 Henry
158 2		112 44 Rexburg	89 39 Hillsboro
156 2		112 44 Rigby	90 40 Jacksonville
159 2		114 43 Rupert	90 39 Jerseyville
160 2		114 45 Salmon	88 42 Joliet
155 19	9 Pahala	114 43 Shoshone	88 41 Kankakee
158 2	2 Wahiawa	112 43 Soda Springs	90 41 Kewanee
157 2°	† Wailuku	115 44 Stanley	88 39 Lawrenceville
		114 43 Twin Falls	89 40 Lincoln
IDAHO		116 47 Wallace	91 40 Macomb
115 45	Abstein Place	117 44 Weiser	89 38 Marion
113 43	American Falls		
113 44	Arco	ILLINOIS	
111 44	Ashton	91 41 Aledo	
117 45	Bear	89 37 Anna	89 37 Metropolis
116 42	Bengoechea Place	90 43 Apple River	92 40 Meyer
112 43			91 41 Monmouth
116 49	The state of the s		89 40 Monticello
115 47			88 41 Morris
117 48		90 40 Beardstown	89 37 Mounds
117 42		90 39 Belleville	88 38 Mount Carmet
111 44		89 42 Belvidere	91 40 Mount Sterling
112 44		90 39 Breese	89 38 Hount Vernon
	Elk City	89 37 Cairo	89 38 Nashville
116 41	Elkhorn	90 41 Canton	88 39 Neoga
116 44		89 38 Carbondale	88 39 Newton
115 43		90 39 Carlinville	89 41 Normal
	Gibbonsville	88 38 Carmi	88 39 Olney
115 43		89 39 Centralia	91 41 Oquawka
115 42		88 40 Champaign	89 41 Ottawa
116 44		88 39 Charleston	88 40 Paris
111 43	Horseshoe Bend	90 38 Chester	88 40 Paxton
115 43	Land to the second	88 42 Chicago	90 41 Pekin
	Jerome	89 40 Clinton	90 41 Peoria
116 46	Kemieh	88 42 Crystal Lake	89 38 Pinckneyville
	Kellogg	88 40 Denville	91 40 Pittsfield
114 44	Ketchum	89 42 De Kalb	89 42 Piano
111 45	Lake	89 40 Decatur	89 41 Princeton
117 49		89 42 Dixon	90 41 Princeville
113 45		88 41 Dwight	91 40 Quincy
117 46	Lewiston	89 39 Effingham	88 39 Robinson
112 42	Meled City	88 42 Elmhurst	89 42 Rochelle
113 42	Malta	89 41 Eureka	91 42 Rock Island
116 45	McCall	88 39 Flora	89 42 Rockford
117 43	Melbe	90 42 Freeport	88 37 Rosiclare
116 44	Meridian	90 41 Galesburg	91 40 Rushville
111 42	Montpel ier	88 37 Golconde	90 42 Savanne
117 47	Hoscow	90 39 Granite City	88 38 Shawneetown
116 43	Mountain Home	89 41 Granville	89 39 Shelbyville
117 44	Nampa	88 38 Grayville	90 46 Springfield
114 42	Oakley	89 39 Greenville	90 42 Sterling
116 46	Orofino	91 40 Namilton	89 40 Sullivan
			A ARCCIANT

89 40	Taylorville	85 41	Kendallville	87 41	Winamac
88 40	Tuscola	87 41	Kent Land	85 40	Winchester
89 39	Vandalia	86 41	Kewanna		
89 37	Vienna	86 40	Kokomo	IOWA	
90 38	Waterloo	87 40	Lafayette	97 43	Akron
88 41	Watseka	85 42	Lagrange	93 41	Albia
88 42	Waukegan	85 39	Lawrenceburg	94 43	Algona
89 38	Wayne City	86 40	Lebanon	93 42	Altoona
89 38	West Frankfort	85 40	Liberty	94 42	Ames
90 39	White Hall	87 39	Linton	91 42	Anamosa
90 40	Winchester	86 41	Logansport	95 41	Atlantic
		87 39	Loogootee	95 42	Audubon
INDIANA		85 39	Madison	95 41	Bedford
88 40	Ambia	86 39	Martinsville	92 41	Bloomfield
86 40	Anderson	87 41	Merrillville	94 42	Boone
85 42	Angola	87 42	Michigan City	91 41	Burlington
86 39	Annandale Estates	87 41	Monticello	95 42	Carroll
87 40	Attica	85 40	Muncie	92 43	Cedar Falls
85 41	Auburn	86 38	New Albany	92 42	Cedar Rapids
86 39	Austin	85 40	New Castle	93 41	Chariton
86 41	Barbee	86 39	New Pekin	93 43	Charles City
85 39	Batesville	86 40	New Whiteland	96 43	Cherokee
86 39	Bedford	87 41	North Judson	90 42	Clinton
85 41	Berne	86 39	North Vernon	95 41	Corning
87 39	Bloomington	86 38	Oak Park	96 41	Council Bluffs
85 41	Bluffton	86 39	Paoli	92 43	Cresco
87 38	Boonville	86 41	Peru	94 41	Creston
87 40	Brazil	87 38	Petersburg	91 42	Davenport
85 39	Brookville	86 41	Plymouth	92 43	Decorah
86 40	Brownsburg	87 42	Portage	95 42	Denison
86 40	Carmel	85 40	Portland	94 42	Des Hoines
85 41	Columbie City	88 38	Poseyville	91 43	Dubuque
86 39	Columbus	88 38	Princeton	94 43	Eagle Grove
85 40	Connersville	87 41	Rensselser	95 43	Emmetsburg
86 38	Corydon	85 40	Richmond	95 43	Estherville
87 40	Crewfordsville	85 39	Rising Sun	92 41	Fairfield
87 41	Delphi	86 41	Rochester	94 43	Forest City
88 41	Dyer	87 38	Rockport	94 42	Fort Dodge
86 42	Elkhert	87 40	Rockville	94 43	Gerner
88 38	Evansville	85 40	Rushville	97 41	Genoa
87 40	Fairview Perk	86 39	Seymour	96 41	Glenwood
87 39	Farmersburg	86 40	Shelbyville	94 41	Greenfield
85 41	Fort Weyne	86 42	South Bend	93 42	Grinnell
87 40	Frankfort	87 39	Spencer	93 42	Grundy Center
87 42	Gary	87 39	Sullivan	95 42	Guthrie Center
86 40	Gas City	87 38	Tell City	91 43	Guttenberg
87 40	Greencestle	87 39	Terre Haute	56 41	Hamburg
86 40	Greenfield	86 40	Tipton	93 43	Hampton
85 39	Greensburg	85 39		95 42	Harlan
88 42	Harmond	88 39		94 43	Humboldt
85 40	Hertford City	86 41		95 42	Ide Grove
85 41	Muntington		Versau	92 42	Independence
86 40	Indianapolia		Weshington		Indianola
87 38	Jasper	-	Williamsport		Ious City
J. 33		100			•

93 43	Iowa Falls	KANSAS		95 39	Lawrenca
94 42	Jefferson	97 39	Abilene	95 39	Leavenworth
91 40	Keokuk	96 39	Alma	101 38	Leoti
92 41	Keosauqua	98 37	Anthony	101 37	Liberal
95 42	Kimballton	97 37	Arkansas City	98 38	Lyons
94 41	Lamoni	100 37	Ashland	97 39	Manhattan
91 42	Manchaster	95 40	Atchison	98 40	Mankato
91 42	Maquokata	101 40	Atwood	102 38	Manter
92 42	Marengo	98 40	Balleville	97 40	Marysville
93 42	Marshalltown	98 39	Beloit	98 38	McPherson
93 43	Mason City	102 40	Bird City	100 37	Meade
96 42	Missouri Valley	96 38	Burlington	99 37	Medicine Lodga
93 41	Moulton	95 38	Chanute	98 39	Minneapolis
94 41	Hount Ayr	100 38	Cimarron	96 37	Neodesha
92 41	Mount Pleasant	96 37	Coffeyville	100 38	Ness City
92 43	New Hampton	101 39	Colby	97 38	Newton
93 42	Newton	99 37	Coldwatar	100 40	Norton
93 43	Northwood	98 40	Concordia	101 39	Oaklay
92 43	Oelwein	97 38	Cottonwood Falls	101 40	Oberlin
96 42	Onawa	96 39	Council Grove	96 39	Osage City
96 43	Orange City	100 38	Dighton	99 39	Osborne
93 43	Osage	100 38	Dodge City	95 39	Ovarland Park
94 41	Osceola	95 39	Dunavant	95 39	Paola
93 41	Oskaloosa	97 38	El Dorado	95 37	Parsons
92 41	Ottumwa	102 37	Elkhart	99 40	Phillipsburg
93 43	Parkersburg	98 39	Ellsworth	95 37	Pittsburg
93 41	Pella	96 38	Emporia	99 39	Plainvilla
94 42	Perry	96 38	Euraka	95 38	Pleasanton
95 43	Pocahontas	95 38	Fort Scott	99 38	Pratt
95 41	Red Oak	95 37	Galena	100 39	Quinter
96 43	Rock Rapids	101 38	Garden City	94 38	Richmond
95 42	Rockwell City	95 38		99 39	Russall
95 42	Sac City	102 39	Goodland	98 38	Saint Paul
96 43	Sheldon	99 38	Great Bend	98 39	Salina
95 41	Shenandoah	99 38	Greensburg	101 38	
96 43	Siblay	99 39	Hays	96 37	Sedan
92 41	Sigourney	96 40	Hiawatha	101 40	Salden
96 43	Sioux City	100 39		96 40	Seneca
75 43	Spencer	97 38		102 39	
95 43	Spirit Lake	96 39	Holton	99 40	
95 43	Storm Lake	96 37		99 38	
93 42	Tame	101 37		101 37	
91 42	Tipton	98 38	Hutchinson	98 39	
92 40	Vincennes	95 38	Iola	102 38	
92 42	Vinton	100 38	Jatmora	96 39	
92 41	Washington	97 39	-	101 38	
91 43	Waukon	103 38	Kanco	95 39	. 100
92 43	Waverly	95 39		100 39	Wa Keeney
	Webster City	98 38	Kingmen	97 39	Wekefield
	West Liberty	99 38	Kinsley	96 39	
	Winterset	99 39	La Crosse	97 40	
94 41	#10161 261	101 38	Lakin	95 40	
	•	96 38	Landergin	97 37	
		99 38	Larned	97 38	
		77 38	FOLLING	77 36	#IGNICE

96 38	Yates Center	85 37	Greensburg	88 37	Smithland
		86 38	Hardinsburg	85 37	Somerset
KENTUCK	Y	85 38	Harrodsburg	82 38	South Williamson
85 37	Albany	83 37	Hazard	85 38	Springfield
83 37	Altro	88 38	Henderson	85 38	Stamping Ground
85 38	Anderson City.	86 37	Hillview	85 38	Stanford
85 37	Argyle	83 37	Hindmen	84 38	Stanton
83 37	Asher	86 38	Hodgenville	86 37	Tompkinsville
83 38	Ashland	87 37	Hopkinsville	83 39	Vanceburg
84 38	Ashland Park	86 37	Horse Cave	85 38	Versailles
84 39	Augusta	84 38	Irvine	85 39	Warsaw
84 37	Barbourville	83 37	Jenkins	83 38	West Liberty
85 38	Bardstown	85 38	Junction City	84 37	Uhitley City
85 37	Barrier	89 37	La Center	89 37	Wickliffe
84 38	Beattyville	85 38	La Grange	85 39	Williamstown
82 38	Beauty	85 38	Lancaster	84 38	Winchester
87 37	Beaver Dam	85 38	Law: enceburg		
85 39	Bedford	85 38	Lebanon	LOUISIA	NA
88 37	Benton	86 37	Leitchfield	92 31	Alexandria
84 37	Booneville	87 38	Lewisport	91 31	Alice
86 37	Bowling Green	87 37	Livermore	93 33	Arcadia
86 38	Brandenburg	84 37	London	91 31	Baker
84 37	Brodhead	83 38	Louisa	92 33	Bastrop
85 37	Burkesville	86 38	Louisville	91 30	Baton Rouge
88 37	Cadiz	87 37	Madisonville	90 31	Bogaluse
85 37	Campbellsville	84 37	Manchester	89 29	Boothville
84 38	Campton	88 37	Marion	94 33	Bossier City
84 38	Carlisle	89 37	Mayfield	92 30	Breaux Bridge
85 39	Carrollton	84 39	Maysville	92 31	Sunkie
87 37	Central City	84 37	McKee	93 30	Cameron
83 38	Clearfield	88 38	Morganfield	90 30	Chalmette
89 37	Clinton	87 37	Horgantown	91 29	Chauvin
85 37	Columbia	84 38	Mount Sterling	92 32	Clarks
84 37	Corbin	88 37	Murrey	93 32	Colfax ,
85 39	Covington	84 39	Newport	93 32	Coushetta
83 37	Cumber Land	85 38	Nicholasville	92 30	Crowley
84 38	Cynthiana	87 38	Ovensboro	93 31	De Ridder
	Danville	85 39	Oventon	91 30	Denham Springs
88 37		89 37	Paducah	91 30	Donaldsonville
86 37	Edmonton	83 38	Paintsville	91 33	Epps
86 38	-	84 38	Paris	92 33	Farmervilla
82 37		84 37	Pineville	91 33	Forest
87 37		83 38		90 29	Galliano
85 38	Eminence	88 37		91 31	Greensburg
84 39		84 38		90 31	Harmond
83 39			Russell Springs	93 33	Homer
84 38			Russellville	91 31	Jackson
85 39	Plorence		Selt Lick	92 32	Jena
		83 38			Jennings
85 38 87 37		83 38	•	93 32	Jonesboro
87 37		86 37		92 32	Jonesville
84 38	Frenchburg			92 30	Kaplan
89 37	Fulton	88 38		92 30	Lefayette
86 37	Glesgou	85 38	55°	93 30	Lake Cherles
83 38	Grayson	86 38	Shepherdsville	42 20	FREA CHALLER

91 33	Lake Providence	69 44	Rockland	85	43	Alma
90 30	Laplace	71 45	Rumford	83	45	Alpena
93 31	Leesville	71 43	Sanford	84	42	Ann Arbor
91 30	Lutcher	67 46	Vanceboro	87	45	Arthur Bay
94 32	Mansfield	70 45	Waterville	83	44	Bad Axe
93 32	Hany			86	44	Baldwin
94 31	Herryville	MARYLA	ND	85	42	Battle Creek
90 30	Metairie	77 39	Baltimore	84	44	Bay City
93 33	Minden	78 39	Brunswick	85	44	Big Rapids
92 33	Monroe	77 38	California	84	45	Biggs Settlement
91 30	Morgan City	76 39	Cambridge	85	45	Boyne City
93 32	Natchitoches	76 39	Centreville	84	47	Brassar
92 30	New Iberia	76 39	Chestertown	84	43	Burton
90 30	New Orleans	77 39	Columbia	85	44	Cadillac
91 31	New Roads	76 38	Crisfield	83	43	Caro
91 32	Newellton	79 40	Cumber Land	85	43	Charlotte
90 30	Norco	76 39	Easton	84	46	Cheboygan
93 31	Oakdale	76 40	Elkton	85	44	Clare
92 31	Opelousas	77 40	Emmitsburg	85	42	Coldwater
91 30	Pierre Pert	76 39	Essex	86	47	Deer Park
91 30	Plaquemine	76 39	Federelsburg	83	42	Detroit
91 30	Port Allen	77 39	Glen Burnie	86	42	Downgiac
92 32	Rayville	78 40	Negerstown	83	44	East Tawas
91 30	Rhodes	78 40	Nal fway	85	45	Elk Repids
93 33	Ruston	76 40	Navre De Grace	85	47	Emerson
94 33	Shreveport	75 38	Ocean City	87	46	Escenabe
90 30	Stidett	77 39	Oxon Nill	84	43	Flint
91 32	Tellulah	77 39	Prince Frederick	86	45	Frenkfort
91 32	Vidalie	76 38	Selisbury	86	43	Fremont
92 31	Ville Plette	77 39	Silver Spring	85	45	Gaylord
94 30	Vinton	77 39	Weldorf	84	44	Gladwin
93 32	Winnfield	79 39	Westernport	85	45	Greyling
92 32	Winnsboro	77 40	Westminster	85	43	Greenville
				83	45	Herrisville
MAINE		MASSAC	NUSETTS	84	45	Nillmen
70 46	Attean	71 42	Boston	85	42	Nillsdale
69 45	Bangor	71 42	Brockton	86	43	Notland
68 44	Ber Nerbor	72 43	Fitchburg	89	47	Noughton
70 44	Beth	73 43	Greenfield	85	44	Houghton Lake
69 44	Belfest	70 42	Hyannis	84	43	Nowell
70 43	Biddeford	71 43	Lowell	85	43	Ionie
70 44	Boothbay Nerbor	71 42	Lynn	88	46	Iron Mountein
67 45	Caleis	70 41	Nentucket	89	46	Iron River
70 47	Cleyton Leke	71 42	New Bedford	90	46	I ronwood
69 45	Dover-Foxcroft	73 43	North Adams	84	42	Jackson
68 45	Ellsworth	73 42	Northampton	86	42	Kelamazoo
69 47	Fort Kent	71 42	Quincy	85	45	Kalkeske
68 46	Houl ton	73 42	Springfield	88	47	L'Anse
71 46	Keough	71 41	Vineyard Neven	85	44	Lake City
70 44	Lewiston	72 42	Worcester	85	43	Lansing
69 46	Millinocket			83	43	Lapeer
	Norwey	MICNIC	AN	88	47	Laurium
70 44	Portland	84 42	Adrian	87	44	Little Point Sable
68 47	Presque Isle	86 43	Allegen	86	44	Ludington

85 46	Mackinac Island	91 48	Clear Lake	95 46	Sauk Centre
85 46	Mackinaw City	93 45	Coon Rapids	94 46	Sauk Rapids
86 44	Manistee	93 45	Cottage Grove	94 45	Shakopee
86 46	Manistique	97 48	Crookston	91 47	Silver Bay
87 47	Marquette	96 47	Detroit Lakes	96 44	Slaytun
88 45	Menominee	92 47	Duluth	92 44	Spring Valley
85 43	Middlevilla	96 46	Elbow Lake	95 45	Staples
84 44	Midland	92 48	Ely	96 48	Thief River Falls
83 42	Monroe	94 44	Fairmont	96 47	Twin Vallay
87 46	Munising	93 44	Fariboult	96 44	Tyler
86 43	Muskegon	96 46	Fergus Falls	93 48	Virginia
87 42	New Buffalo	92 45	Frontenac	95 46	Wadena
86 45	Northport	94 45	Gaylord	97 48	Warren
84 43	Ovid	95 46	Glenwood	95 49	Warroad
85 45	Petoskey	90 48	Grand Maraia	94 44	Waseca
83 43	Pontiac	94 47	Grand Rapids	96 46	Wheaton
82 43	Port Huron	96 45	Granite Falls	95 45	Willmar
86 44	Reed City	97 49	Hallock	95 44	Windom
88 48	Rock Harbor Lodge	92 46	Holyoke	92 44	Winena
84 45	Rogers City	94 45	Hutchinson	96 44	Worthington
	Saginaw	93 49	International Falls		
83 43	Sandusky	95 44	Jackson	MISSISS	IPPI
85 44	Shepherd	93 44	Kasson	90 35	Abbeville
86 42	South Haven	92 44	Lake City	89 33	Ackerman
84 44	Standish	93 45	Lindstrom	88 34	Amory
83 43	Starling Heights	95 45	Litchfield	90 34	Batesvilla
	Sturgis	94 46	Little Falls	89 32	Bay Springs
	Traverse City	94 48	Littlefork	89 31	Beatrica
84 44	West Branch	96 44	Luverne	89 31	Beaumont
90 47	White Pine	94 44	Madel ia	90 33	Belzoni
89 48	Windigo	96 45	Madison	89 30	Biloxi
86 43	Wyoming	96 47	Hahnomen	89 35	Boonevilla
		94 44	Mankato	90 32	Brandon
MINNESO	TA	96 44	Hershell	90 32	Brookhaven
94 47	Aitkin	93 45	Minneapolia	89 34	Bruce
93 44	Albert Lea	94 45	Minnetonka	91 31	Bude
95 46	Alexandria	96 45	Montevideo	90 35	Byhalia
93 44	Austin	97 47	Moorhead	90 33	Canton
95 48	Bagley	93 46	Nora	91 31	Centreville
95 49	Baudette	96 46	Morria	90 34	Charleston
	Bemidji	94 45	New Prague	91 34	"!arksdele
96 45	Benson	94 44	New Ulm	90 32	Collins
94 49	Birchdale	94 44	North Mankato	90 31	Columbia
94 44	Blue Eerth	95 45	Olivia	88 33	Columbus
	Bonanza Grove	93 44	Owatonna	90 32	Crystal Springa
	Brainerd	95 47	Park Rapids	89 33	
	Breckenridge	93 46		90 33	Durant
94 45	Buffelo	96 44	Pipestone	89 34	Eupora
	Burnsville	94 46	Princeton	91 32	Fayette
	Caledonie	96 48	Red Lake Falls	89 32	•
	Cambridge	95 45	Redwood Fella	88 34	Fulton
	Case Lake	92 44		90 30	
94 45	Chaska	96 49	Roseau	91 31	
		93 45		91 33	Greenville
93 47	CIT I SHOULD	73 47		,, 33	J. J. 17 17 17 18

90 34	Grenada	94 38	Appleton City	94	37	Lamar
89 31	Hattiesburg	90 38	Arnold	93	41	Lancaster
88 30	Helena	94 37	Aurora	93	38	Lebanon
90 35	Hernando	93 37	Ava	94	39	Lexington
89 35	Hickory Flat	91 39	Ballwin	92	38	Linn
89 34	Houston	92 38	Belle	91	39	Louisiana
88 32	Hurricane Creek	93 36	Blue Eye	90	37	Lutesville
91 33	Indianola	93 38	Bolivar	92	40	Macon
90 33	Itta Bena	93 39	Boonville	93	39	Marshall
88 35	luka	93 37	Branson .	93	37	Marshfield
90 32	Jackson	93 40	Brookfield	94	40	Maysville
91 35	Jeffries	93 38	Buffalo	92	40	Memchis
92 31	Kienstra	94 38	Butler	94	41	Mercer
90 33	Kosciusko	93 39	California	92	39	Mexico
89 32	Laurel	93 38	Camdenton	93	40	Milan
90 33	Lena	92 40	Canton	92	39	Moberly
89 33	Louisville	90 37	Cape Girardeau	94	37	Monett
89 31	Lucedale	93 39	Carrollton	92	40	Monroe City
89 33	Macon	94 37	Carthage	92	39	Montgomery Cit
90 32	Magee	90 36	Caruthersville	95	40	Mound City
90 34	Marks	94 36	Caverna	92	37	Mountain Grove
91 33	Mayersville	89 37	Charleston	94	37	Neosho
90 31	McComb	94 40	Chillicothe	94	38	Nevada
89 32	Meridian	92 39	Columbia	91	39	O'Fallon
90 32	Monticello	92 36	Cornertown	93	37	Ozark
91 34	Mound Bayou	91 38	Cuba	92	39	Paris
89 34	New Albany	91 36	Current View	90	38	Perryville
89 32	Newton	90 37	Dexter	91	37	Piedmont
89 33	Philadelphia	95 38	Drexel	95	39	Platte City
90 31	Picayune	92 40	Edina	94	40	Plattsburg
89 34	Pontotoc	93 38	Eldon	90	37	Poplar Bluff
91 32	Port Gibson	91 37	Ellington	90	36	Portegeville
90 32	Prentiss	90 38	Farmington	91	38	Potosi
89 31	Purvis	93 39	Fayette	94	39	Richmond
90 32	Raleigh	91 38	Flat River	94	40	Ridgeway
89 35	Rienzi	90 38	Fredericktown		38	Rolla
89 35	Ripley	92 39	Fulton		40	Saint Joseph
91 33	Rolling Fork	92 37	Gainesville		38	Salem
90 35	Senatobia	94 40	Gallatin		39	Sal isbury
89 33	Starkville	95 39	Gladstone		40	Savannah
88 31	State Line	94 40	Grant City		39	Sedalia
90 35	Tunica	94 37	Greenfield		40	Shelbina
89 34	Tupelo	94 40	Hamilton		37	Sikeston
90 31	Tylertown	91 40	Hannibel		37	Springfield
90 33		91 39	Hermann		39	St. Louis
91 32	Vicksburg	95 41	Hopkins		40	Stanberry
90 34	Water Valley	92 37	Houston		38	Stockton
	Waynesboro	94 39	Independence		37	Thayer
89 34	West Point	91 38	Ironiton		40	Trenton
	Winone	92 39	Jefferson City		39	Troy
90 33	Yazoo City	95 37	Joplin		38	Union
		95 39	Kansas City		40	Unionville
MISSOUR		90 36			37	
92 41	Anson	93 40	Kirksville	93	38	Versailles

94 39	Warrensbirg	111 46	Livingston	101	41	Curtis
93 38	Warsaw	107 45	Lodge Grass	99	41	Dannebrog
91 39	Washington	108 48	Malta	97	41	David City
96 40	Watson	108 47	Melstone	100	42	Dunning
92 38	Waynesville	106 46	Miles City	100	41	Elwood
94 38	Weaubleau	114 47	Missoula	97	40	Fairbury
92 37	West Plains	106 49	Opheim	96	40	Falls City
94 39	Windsor	115 47	Plains	101	42	Flats
91 37	Winona	105 49	Plentywood	99	40	Franklin
		114 48	Polson	96	41	Fremont
MONTAHA		105 48	Poplar	98	41	Fullerton
104 45	Albion	106 45	Quietus	98	41	Geneva
110 45	Alpine	109 48	Rattlesnake	102	43	Gordon
113 46	Anaconda	109 45	Red Lodge	98	41	Grand Island
114 49	Apgar	109 46	Ryegate	102	41	Grant
104 46	Baker	105 49	Scobey	104	43	Harrison
110 48	Big Sandy	112 49	Shelby	97	43	Hartington
110 46	Big Timber	104 48	Sidney	98	41	Hastings
109 46	Billings	110 47	Stanford	97	41	Havelock
107 49	Bone Crossing	116 49	Sylvanite	101	41	Hayes Center
116 47	Borax	105 47	Terry	98	40	Hebron
112 46	Boulder	115 48	Thompson Falls	103	42	Hemingford
111 46	Bozeman	112 46	Townsend	99	40	Holdrege
105 45	Broadus	108 49	Turner	97	40	Hubbell
113 49	Browning	111 45	West Yellowstone	102	42	Hyannis .
113 46	Butte	104 49	Westby	102	41	Imperial
111 49	Chester	111 47	White Sulphur Springs	99	41	Kearney
109 49	Chinook	104 47	Wibeux	104	41	Kimball
113 48	Choteau	108 47	Winnett	100	41	Lexington
106 47	Circle	106 48	Wolf Point	97	41	Lincoln
109 46	Columbus			99	41	Loup City
112 48	Conrad	NEBRASK	A	97	42	Medison
112 49	Cut Bank	100 43	Ainsworth	101	40	McCook
113 46	Deer Lodge	98 42	Albion	99	40	Minden
113 45	Dillon	99 40	Alma	101	42	Mullen
113 47	Drummond	100 42	Ansalmo	96	41	Nebraska City
105 46	Ekalaka	102 42	Arthur	98	42	Neligh
112 45	Ennis	99 43	Atkinson	101	41	North Platta
115 49		96 40		99	42	O'Neill
107 46		98 41	Aurora	102	41	Ogallala
108 45		99 42	Bertlatt	96	41	Omeha
107 48		100 43	Bassett	99	42	Ord
105 47	-	97 40	Saatrica	102	41	Oshkosh
111 48		96 41	Bellevue	96	40	Paunee City
114 46		102 40	Benkalman	97	42	Pender
108 46		96 42	Blair	96	42	Pierce
110 46		98 43	Bloomf ald	96	41	Plattsmouth
110 49		103 42	Bridgeport		40	
112 47		99 42			42	
107 46		100 40			40	1700.00
107 47	•	98 41	THE STATE OF THE S		41	
114 48		103 43			42	
109 47	•	102 41			41	
116 48		97 4:	Columbus		41	
110 40	Libby	4.				

96 42	South Sioux City	115	35	Laughlin	109	31	Antelope Wells
	Spalding	118	40	Lovelock	104	33	Artesia
	Spencer	118	42	McDermitt	103	37	Atencio
	Springview	120	39	Minden	109	35	Black Rock
97 42	Stanton	114	37	Overton	108	34	Box Bar Place
101 41	Stapleton	120	40	Reno	104	32	Carlsbad
98 41	Stromsburg	119	41	Sulphur	106	34	Carrizozo
98 40	Superior	116	38	Tempiute	105	37	Cimarron
98 41	Sutton	114	40	Tippett	103	36	Clayton
99 42	Taylor	117	38	Tonopah	103	34	Clovis
96 40	Tecumseh	120	42	Vya	108	36	Crownpoint
96 42	Tekamah	115	41	Wells	108	32	Deming
101 42	Thedford	118	41	Winnemucca	107	37	Dulce
101 40	Trenton	119	39	Yerington	103	32	Eunice
101 43	Valentine				108	37	Farmington
97 41	Wahoo	NEW	HAM	PSHIRE	104	34	Fort Sumner
97 42	Wakefield	72	43	Claremont	105	32	Four Wells
97 42	Wayne	71	45	Colebrook	109	36	Gallup
97 42	West Point	72	43	Concord	108	35	Grants
97 40	Wilber	71	43	Dover	103	33	Hobbs
98 41	York	72	45	Groveton	107	36	Jemez Pueblo
		71	44	Laconia	107	32	Las Cruces
NEVADA		72	44	Lebanon	103	35	Logan
114 38	Acoma		1111	Manchester	109	32	Lordsburg
117 39	Adits Mill	73	43	North Hinsdale	105	36	Los Alamos
116 4D				Portsmouth			Mesa
117 40		71	44	Holfeboro			Moriarty
	Arrowhead				103		Portales
114 39			JER:				Questa
119 40				Atlantic City		37	
	Battle Mountain		41	Camden	109	-	Reserve Roswell
118 38					105 104		
	Bull Fork			Flemington Glassboro			Roy Ruidoso
	Cactus Springs Caliente		41				San Felipe Pueblo
	Carson City		41				Santa Fe
	Cathcart			Lakerood	105		Santa Rosa
	Cavin Place			Long Branch			Shiprock
	Charleston			Madison			Silver City
	Charleston Park			Newark			Socorro
	Chinatown			North Plainfield			Truth Or Consequences
119 40				Ocean City			Tucumcari
	Clifside		41	•	106		Tularosa
	Contact	76	40	Pennsville	106	36	Upper Frijoles Crossing
115 40	Currie	75	41	Phillipsburg	109		Virden
119 38		74	40	Piscataway	105	36	Wagon Mound
116 41	Elko	74	41	Teaneck	106	32	White Sands
115 39		75	40	Trenton			
119 39	Fallon	75	39	Vinetand	NEW	YOR	K
118 39	Gabbs	75	40	Willingboro	74	41	Adelphi
114 36	Gold Butte				74	43	Albeny
117 37	Gold Point	NEW	MEX	1100	74	43	Amsterdam
116 40	Jiggs	108	31	Alamo Hueco	74	41	Annadale
			75	AIA	**	17	As Assessed
115 36	Las Vegas	107	33	V/ prdneudne	//	43	Auburn

73 4	42	Austerlitz	76 43	Syracuse	78 35	Hookerton
78 4	43	Batavia	75 43	Utica	81 35	Kannapolis
76 4	42	Binghamton	76 44	Watertown	80 36	King
73 4	41	Brentwood	77 42	Watkins Glen	78 35	Kinston
79 -	43	Buffalo	77 42	Waverly	79 35	Laurinburg
74 4	42	Catskill	78 42	Wellaville	82 36	Lenoir
75 4	41	Centereach	74 40	West Glens Falls	80 36	Lexington
74 4	43	Cobleskill	80 42	Westfield	81 35	Lincolnton
77 4	42	Corning	73 44	Whitehall	75 35	Little Kinnakeet
76 4	43	Cortland	74 41	Yonkers	80 35	Locust
71 4	41	East Hampton			78 34	Long View
74 4	61	Eastchester	NORTH C	AROLINA	78 36	Louisburg
77 4	42	Elmira	77 36	Ahoskie	79 35	Lumberton
78 4	43	Geneseo	80 35	Albemarle	82 36	Marion
77 4	43	Geneva	76 36	Alder Branch	83 36	Mars Hill
74 4		Gloversville	82 37	Apple Grove	77 35	Maysville
75 4	44	Gouverneur	80 36	Asheboro	79 37	Milton
73 4	43	Noosick Falls	83 36	Asheville	81 36	Mocksville
75 4	43	Ilion	76 35	Atlantic	81 35	Monroe
76 4	-	Itheca	82 36	Bacchus	82 36	
74 4	61	Jameica	82 36	Banner Elk	84 35	
79 4		Jamestown	77 35	Bayboro	81 36	Newton
74 4		Kingston	77 36	Belhaven	81 36	North Wilkesboro
74 4		Levittoun	76 35	Beulah	79 36	
76 4	_	Lowville	82 36	Boone	77 36	Plymouth
74 4		Mahopac	83 35	Brevard	79 35	Reeford
74 4		Halone	83 35	Bryson City	79 36	
78 4	-	Hedina	78 35	Burgaw	78 36	
75 4		Monticello	79 36	Burlington	84 35	Robbinsville
76 4	-	Morriatoun	79 36	Carrboro	80 35	Rockingham
74 4		New City	80 37	Central Area	78 36	Rocky Hount
74 4		New York	81 35	Charlotte	75 36	Rodenthe
77 4		Newark	78 35	Clinton	79 36	Roxboro
74 4		Newburgh	76 36	Columbia	80 36	
79 4	_	Niegera Falla	82 35	Columbus	79 35	Sanford
76 4	-	Norwich	76 37	Corys	77 37	Severn
75 4		Ogdensburg	79 35	Dunn	82 35	Shelby
			79 36	Durham	79 36	Siler City
78 4		Olean Oneida	77 36	Edenton	78 36	Smithfield
			76 36	Elizabeth City	79 35	Southern Pines
77 4		Oneonta	78 36	Elm City	78 34	
77	_	Osuego	79 35	Favetteville	81 37	Spenta
		Penn Yan	78 37	Geaton	82 36	Spruce Pine
78 4		Perry			81 36	Statesville
73 4		Plattsburgh	81 35	Geatonia		55
74 4		Poughkeepsie	77 36	Gatesville	83 35	Sylva
78		Rochester	78 35	Goldsboro	78 30	Tarboro
74		Serenec take	80 36	Greensboro	81 36	Taylorsville
74		Seratoga Springa	77 36	Greenville	77 34	
74	_	Schenectady	77 35	Hevelock	81 37	
77		Seneca Falls	84 35	Kayesville	80 35	Troy
75		-	78 36	Henderson	80 35	Vadesboro
72		South Hampton	82 35	Hendersonville	78 36	
72			76 36	Hertford	78 35	
74	43	Speculator	83 35	Highlands	83 35	<u> Maynesville</u>

79	34	Whiteville	99 48	New Rockford	83	40 Lar	ncaster
77	36	Williamston	98 48	Park River	82	40 Los	gan
78	34	Wilmington	104 46	Rhame	82	41 Loi	rain
77	36	Windsor	100 48	Rugby	83	41 Har	nsfield
80	36	Winston-Salem	102 48	Stanley	81	39 Mai	rietta
81	36	Yadkinville	100 47	Steele	83	41 Hai	rion
			98 47	Valley City	81	40 Mai	rtins Ferry
NORT	H D	AKOTA	101 48	Velva	82	39 Mc/	lrthur
99	46	Ashley	97 46	Wahpeton	82	40 Mc	Connelsville
104	47	Beach	103 48	Watford City	81	42 Her	ntor
100	49	Belcourt	101 49	Westhope	82	39 Mic	ddleport
102	47	Beulah	104 48	Williston	84	39 Mil	lford
101	47	Bismarck			82	41 Mil	llersburg
100	49	Bottineau	OHIO		83	41 MOL	unt Gilead
102	49	Bowbells	82 41	Akron	82	40 Mou	unt Vernon
103	46	Bowman	82 41	Ashland	84	41 Nap	poleon
99	48	Cando	81 42	Ashtabula	85	40 Nei	e Paris
99	47	Carrington	82 39	Athens	81	40 Nei	r Philadelphia
101	47	Center	84 40	Bellefontaine	82	40 Nei	ark .
98	47	Cooperstown	84 41	Bowling Green	83	41 No	rwalk
103	49	Crosby	82 41	Brunswick	83	42 Ore	egon
99	48	Devils Lake	83 41	Bucyrus	84	41 Ot1	tawa
103	47	Dickinson	82 40	Byesville	85	40 Ox	ford
97	49	Drayton	81 40	Cadiz	85	41 Pat	ulding
102	46	Elgin	82 40	Caldwell	83	39 Pil	ceton
99	46	Ellendale	81 41	Canton	85	42 Pic	oneer
103	47	Feirfield	81 41	Carrollton	84	40 Pic	jus
97	47	Fargo	85 41	Celina	83	40 Pla	in City
98	48	Finley	81 42	Chardon	83	42 Por	rt Clinton
101	46	Fort Yates	82 38	Chesapeake	83	39 Por	rtsmouth
101	48	Gerrison	83 39	Chillicothe	83	40 Ric	chwood
97	48	Grand Forks	84 39	Cincinnati	84	39 Rip	oley
104	49	Grenore	83 40	Circleville	83	41 Sar	ndusky
98	46	Gwinner	82 41	Cleveland	84	40 Si	iney
100	48	Harvey	83 40	Columbus	83	38 So	uth Point
103	46	Hettinger	82 40	Coshocton	84	40 Sp	ringfield
99	47	Jamestown	82 40	Crooksville	81	40 St	eubenville
102	49	Kermare	84 40	Dayton	83	41 Ti	ffin
103	47	Killdeer	84 41	Defiance	84	42 To	l edo
98	46	Le Moure	83 40	Delaware	83	41 Up	per Sandusky
98	48	Lakote	85 39	Delhi Hills	84	40 Uri	bana
98	49	Langdon	81 41	Eest Liverpool	85	41 Vai	n Wert
99	48	Leeds	82 42	Euclid	84	41 Way	pakoneta
100	46	Linton	84 40	Fairborn	81	41 Wal	rren
98	46	Lisbon	84 41	Findley	24	42 War	useon
101	47	Mandan	84 41	Fort Shawnee	83	39 We	llston
104	46	Marmarth	84 40	Franklin	84	39 Wes	st Union
97	47	Mayville	83 41	Fremont	84	39 Wi	lmington
100	47	McClusky	82 39	Gallipolis	81	40 Wo	odsfield
101	48	Minot	85 40	Greenvile	82	41 Wo	oster
102	49	Mohall '	84 39	Hillsboro	81	41 Yo	ungs town
102	46	Mott	84 40	Jamestour	82	40 Za	nesville
99	49	Munich	81 41	Kent			
100	47	Napoleon	84 41	Kenton			

OKLAHOM	IA .	96 37	Pawhuska	123 42	Grants Pass
97 35	Ada	97 36	Perry	122 45	Gresham
99 35	Altus	94 35	Pocola	122 46	Gresham
99 37	Alva	97 37	Ponca City	120 45	Keppner
98 35	Anadarko	95 35	Poteau	122 46	Hood River
96 34	Antlers	97 35	Purcell	117 43	Jordan Valley
97 34	Ardmore	95 35	Sallisaw	118 45	La Grande
96 34	-Atoka	96 36	Sapulpa	123 45	Lake Oswego
96 37	Bartlesville	99 36	Seiling	120 42	Lakevieu
101 37	Beaver	97 35	Seminole	121 45	Madras
103 37	Boise City	100 36	Shattuck	121 42	Malin
99 35	Burns Flat	97 35	Shawnee	123 45	McMinnville
96 35	Checotah	95 35	Stigler	123 42	Medford
98 37	Cherokee	97 36	Stillwater	118 46	Milton
100 36	Cheyenne	95 36	Stilwell	124 45	Newport
98 35	Chickasha	97 36	Stroud	122 44	Oakridge
95 36	Chouteau	97 35	Sulphur	117 44	Ontario
96 36	Claremore	95 36	Tah l equah	121 43	Psisley
96 36	Cleveland	97 34	Tishomingo	119 46	Pendleton
96 35	Coalgate	96 36	Tulss	119 45	Pilot Rock
98 35	Duncañ	95 37	Vinits	123 46	Portland
96 34	Durant	95 36	Wagoner	121 44	Prineville
94 34	Esstport	98 34	Walters	124 44	Reedsport
100 34	Eldorado	98 36	Vatonga	123 43	Roseburg
99 35	Elk City	98 34	Weuriks	123 45	Salen
98 36	Enid	99 36	Westherford	123 46	St. Helens
98 36	Fairview	95 35	Wilburton	124 45	Tillamook
99 34	Frederick	99 36	Woodward	118 44	Unity
102 37	2.70	98 36	Yukon	120 43	Wagontire
95 37	Grove	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		121 46	
97 36	Guthrie	OREGON			
101 37		123 45	Albeny	PENNSYL	VANTA
101 36	Hitchland	122 42	Altamont	80 41	Aliquippe
99 35	Hobart	119 42	Andrews	75 41	Allentown
96 35	Holdenville	124 46	Astoris	78 41	Al toona
100 35	Hollis	119 43	Frenchglen	79 40	Bedford
96 34	Hugo	117 46	Bartlett	76 41	Berwick
95 34	417	118 42		75 41	Bethlehem
98 36		123 45		79 42	
100 37	10	121 44	Bend	80 41	Butler
98 35		120 46		76 42	
97 34			Brookings	77 40	
100 35		119 44		78 40	
97 34			Chiloquin	79 41	
96 35			City of The Dalles	78 42	
98 37			Condon	77 41	·
		124 43		79 41	
95 37		123 45	•		Dushore
95 36	100 March 100 Persons		Dellas	75 41	Charles of the Control of the Contro
97 35				78 42	
96 37		120 44			THE THE
96 35			Dunnean	80 42	
96 35	•		Enterprise	75 42	111
96 36		123 44		77 40	
97 35	Pauls Valley	120 45	Fossil	77 40	Herrisburg

75 42	Honesdale	SOUTH C	CAROLINA	104 45	Belle Fourche
78 40	Hunt ingdon	82 34	Abbeville	96 45	Big Stone City
79 41	Indiana	81 33	Allendate	98 46	
80 40	Jefferson	83 35		97 44	Brookings
79 40	Johnstown	81 33	32 (314)	104 46	Buffalo
80 41	Kittanning	80 35		97 43	Canton
76 40	Lancaster	80 34	Bishopville	99 44	Chamberlain
76 40	Lebanon	81 34	The second secon	98 45	Clark
76 41	Lehighton	81 34	Cameron	97 45	Clear Lake
77 41	Lewisburg	81 34	Cayce	104 44	Custer
78 41	Levistown	80 33	Charleston	98 44	De Smet
77 41	Lock Haven	80 35	Cheraw	102 45	Dupree
77 42	Mansfield	81 35	Chester	101 45	•
77 40	Marysville	82 33	Clearwster	104 43	
75 41	Matamoras	81 34	1.000	97 45	
78 40	Mc Connellsburg	80 34		102 45	Faith
80 41	New Castle	81 33	52	99 45	Faulkten
80 41	New Kensington	83 35		97 44	
75 40	Norristown	82 34		100 44	a similar (male
80 41	Oil City		Edisto Beach	99 44	
81 42	Pennline	80 34		100 45	
75 40				99 43	
	Philadelphia	82 35	1		
80 40	Pittsburgh	79 33		100 46 99 45	
77 41	Port Royal	80 33			
76 41	Pottsville	82 35		102 43	- No. 1997
79 41	Punxsutawney	82 34		103 43	Hot Springs
76 40	Reading	81 33		98 44	Howard
77 42	Sayre	81 32	CONTRACTOR STORY	98 44	Huron
76 41	Screnton	81 32	Hiiton Head Island	99 45	Ipswich
77 41	Selinsgrove	83 34	Homeland Park	102 44	Kadoka
81 41	Sharon	80 34	Kingstree	192 46	Lemmon
79 40	Somerset	81 35	Lancaster	99 46	Lecia
79 41	St. Marys	82 34	Laurens	103 46	Ludlow
78 41	State College	81 35	Lockhart	97 44	Medison
77 41	Sunbury	80 34	Manning	102 43	
79 42	Tionesta	79 34	Marion	101 46	
76 42	Tunkhannock	82 34	McCormick	99 45	Millar
80 40	Uniontown	79 35	- A PROVIDE TO A P		Mission
75 40	Upper Darby	79 34		98 44	
75 40	Warminster	82 34	•		Mobridge
	Warren	81 33			Murdo
	West Alexander	82 34		103 45	
	West Chester	33 35		96 43	
76 41		82 35		100 45	
77 41	Williamsport	80 33		97 43	
77 40	York	80 34		98 43	
		81 33		102 44	
RHODE		81 34		100 44	
	Bristol	81 35	York		Pine Ridge
71 41	Newport				Plankinton
	Providence	SOUTH D			Presho
71 42	Warwick		Aberdeen	103 44	
72 41	Westerly	98 44	Alexandria	99 45	
72 42	Woonsocket	98 43	Armour	97 44	Salem

97 44	Sioux Falls	88 36	Kohenueld	88 36	Waverly
97 46	Sisseton	89 36	Humboldt	88 35	Waynesboro
104 44	Spearfish	89 36	Jackson	R6 35	Winchester
98 43	Springfield	85 36	Jamestown	86 36	Woodbury
96 44	Valley Springs	83 36	Jefferson City		-
97 43	Vermittion	84 37	Jellico	TEXAS	
98 43	Wagner	82 36	Johnson City	100 32	Abi Lene
97 45	Watertown	83 37	Kingsport	99 33	Albany
98 45	Webster	84 36	Knoxville	98 28	Alice
99 44	Wessington Springs	86 37	Lafayette	104 30	Alpine
101 44	White River	87 35	Lawrenceburg	102 35	Amerillo
100 43	Winner	86 36	Lebanon	95 30	Anahuac
98 44	Woonsocket	84 36	Lenoir City	103 32	Andrews
97 43	Yankton	87 35	Lewisburg	107 32	Anthony
		88 36	Lexington	99 34	Archer City
TENNESS	EE	88 36	Linden	98 27	•
89 36	Alamo	85 3o	Livingston	100 33	Aspermont
87 36	Ashland City	86 35	Lynchburg	96 32	Athens
85 35	Benton	89 36	Martin	94 33	Atlanta
84 36	Blaine	84 36	Maryville	98 30	Austin
89 35	Bolivar	84 36	Maynardville	100 32	Ballinger
82 37	Bristol	86 36	No Minnville	99 30	Bandera
89 36		89 36	Mckenzie	94 34	Barkman
85 37	Byrdstown	90 35	Hemphis	103 29	Basin Junction
88 34	Camden	83 36	Morristown	96 29	
86 36	Carthage	82 36	Hountain City	94 30	Beaumont
86 37	Celina	86 36	Murfreesboro	96 28	
87 36	Centerville	87 36	Nashville	101 31	Big Lake
85 35	Chattanooga	83 36	Newport	101 32	Big Spring
87 37	Clarksville	84 36	Oak Ridge	98 30	Blanco
85 35	Cleveland	84 36	Oliver Springs	99 30	Boerne
87 36	Columbia	85 37	Oneide	96 34	Borham
86 36	Cookeville	88 36	Paris	101 36	Booker
90 36	Covington	88 36	Paraons	101 36	
88 37	Crossland	85 36	Pikeville		Sorrachio
85 36	Crossville	87 35	Pulaski	98 34	Boule
85 35	Dayton	90 36	Ripley	100 29	Brackettville
85 36	Decatur	88 35	Savannah		Brady
87 36	Dickson	89 35	Selmer	99 33	Breckenridge
88 36	Dover	84 36	Sevierville	96 30	The state of the s
85 35	Duntap	86 35	Shelbyville	102 33	
89 36	Dyersburg	86 36	Smithville	97 26	
82 36	Elizebethton	83 37	Sneedville	99 32	
84 35	Englewood	89 35	Somerville	96 31	
88 36	Erin	89 37	South Fulton	98 31	Burnet
82 36	Erwin	86 35	South Pittsburg	97 31	Caldwell
	•	85 36	Sperta	98 28	
87 35	Fayettoville Franklin	85 36	Spencer	97 31	
87 36		87 37	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 30	Camp Wood
86 36	Gainesboro	84 36	Springfield Sweetwater	100 36	Canadian
83 36				96 33	
85 36	Herrimen	84 36	Tazewell	100 29	
86 36	Hartsville	89 36	Tiptonville	100 29	
89 35	Henderson	86 35	Tracy City	94 32	•
87 36	Hendersonville	86 35	Tul lahoma	77 32	Carthage

104 29	Castolon	97 33	Fort Worth	95 33	Longview
94 32	Center	99 30	Fredericksburg	102 34	Lubbock
100 34	Childress	103 35	Friona	95 31	Lufkin
99 32	Cisco	101 33	Gail	96 31	Madisonville
101 35	Clarendon	97 34	Gainesville	97 31	Marlin
95 34	Clarksville	95 29	Galveston	94 33	Marshall
101 35	Claude	101 32	Garden City	99 31	Mason
97 32	Cleburne	98 28	George West	101 34	Matador
95 30	Cleveland	97 30	Giddings	102 31	Mc Camey
98 32	Clifton	95 33	Gladewater	98 26	McAllen
99 32	Clyde	98 32	Glen Rose	100 31	Henard
99 32	Coleman	99 31	Goldthweite	104 32	Hentone
96 31	College Station	97 29	Goliad	101 31	Hertzon
101 32	Colorado City	97 30	Gonzales	96 32	Mexia
97 30	Columbus	99 33	Graham	101 36	Miami
99 32	Comenche	98 32	Granbury	102 32	Midland
95 30	Conroe	96 33	Greenville	95 33	Mineola
96 33	Cooper	97 29	Hallettsville	98 33	
98 33	Copperas Cove	98 32	Hamilton	96 30	The state of the s
97 28	Corpus Christi	100 33	Haml in	103 32	Monahans
96 32	Corsicana	100 33	Haskell	103 34	Morton
99 28	Cotulla	97 31	Hearne	95 33	Mount Pleasant
		99 27	Hebbronville	103 34	Muleshoe
102 31 95 31	Crane Crockett	94 31	Hemphill	100 33	Munday
		95 32	Henderson	95 32	Nacogdoches
100 34	Crowell	96 34	Henrietta	96 30	Navasota
100 29	Crystal City	102 35	Hereford	98 30	New Braunfels
97 29	Cuero	175		94 31	Newton
95 33	Daingerfield	97 32	Hillsboro		Odessa
103 36	Dalhart	99 29	Hondo	102 32	
97 33	Dallas	95 30	Houston	104 32	Old Christian Place
98 33	Decatur	96 31	Huntsville	94 30	Orange
101 29	Del Rio	98 33	Jecksboro	101 31	Ozona
105 32	Dell City	95 32	Jacksonville	100 34	Paducah
97 33	Denton	94 31	Jasper	96 32	Palestine
103 33	Denver City	101 33	Jayton	101 36	Pampa
102 35	Dismitt	94 33	Jefferson	101 35	Panhandle
102 36	Dumes	100 30	Junction	96 34	Paris
100 29	Eagle Pass	98 29	Kenedy	99 29	Pearsall
96 30	East Bernard	103 32	Kermit	103 31	Pecos
100 31	Eden	99 30	Kerrville	101 36	Perryton
97 29	Edne	98 31	Killeen	95 33	15.
96 29	El Campo	98 31	Kingsland	102 34	
97 27	El Martillo	98 28	Kingsville	97 33	
106 32	El Paso	97 30	La Grange	98 29	Pleasanton
101 31	Eldorado	106 31	La Isla	96 28	
97 30	Elgin	95 29	Lake Jackson	97 28	Portland
96 33	Emory	101 35		101 33	Post
96 32	Fairfield	102 33	Lamesa	96 30	Prairie View
98 27	Falfurrias	98 31	Lampasas	100 34	
103 30	Ferwell	100 28	Laredo	101 34	Relis
100 34	Finney	102 34	Levelland	98 26	•
98 29	Floresville	102 34	Littlefield	97 28	
101 34	Floydada	95 31	Livingston	99 26	Rio Grande City
103 31	Fort Stockton	98 30	Lockhert	97 28	Rockport

96 33	Rockwall	UTAH		73 44	Randolph
98 31	Round Rock	112 37	Alton	73 44	Rutland
100 31	San Angelo	109 37	Aneth	72 43	Springfield
98 29	San Antonio	113 38	Beaver	73 45	Swanton
94 32	San Augustine	109 38	Blanding	72 44	White River Junction
98 28	San Diego	110 37	Bluff		
98 30-	San Marcos	109 40	Bonanza	VIRGINI.	
99 31	San Saba	112 41	Bountiful	82 37	Abingdon
102 30	Sanderson	114 40	Callao	77 39	Alexandria
96 30	Sealy	113 38	Cedar City	78 37	Amelia Court House
98 30	Seguin	112 38	Circleville	77 39	
103 33	Seminole	109 39	Cottonwood	79 37	Apponettox
99 34	Seymour	113 39	Delta	77 39	Arlington
100 35	Shamrock	113 40	Dugway	77 37	Barnetts
95 30	Shepherd	109 41	Dutch John	80 37	•
97 34	Sherman	114 38	Enterprise	78 39	Berryville
94 30	Silsbee	112 39	Ephraim	83 37	Big Stone Gap
101 34	Silverton	114 39	Eskdale	78 37	Blackstone
101 33	Snyder	111 37	Halls Crossing	81 37	Bland
101 31	Sonofa	111 41	Heber	80 39	Blue Grass
101 36	Spearmen	110 38	Hite	80 37	Blue Ridge
101 33	Spur	113 41	Hogup	81 37	Bluefield
100 33	Stamford	111 39	Huntington	77 38	Bowling Green
102 32	Stanton	113 37	Hurricane	82 37	Bristol
98 32	Stephenville	112 42	Logan	79 38	Buona Vista
101 32	Sterling City	110 39	Moeb	76 37	Cape Charles
102 36	Stratford	112 41	Morgan City	78 38	Charlottesville
96 33	Sulphur springs	112 41	Ogden	76 37	Chesapeake
100 32	Sweetwater	112 38	Panguitch	77 37	Chester
102 33	Tahoka	131 41	Park City	75 38	Chincoteague
97 31	Temple	111 40	Price	80 37	Christiansburg
96 33	Terrell	112 40	Provo	77 37	Claremont
94 33	Texarkana	111 42	Randolph	80 38	Clifton Forge
99 33	Throckmorton	112 39	Richfield	82 37	•••
95 31	Trinity	110 41	Roosevelt	77 38	
102 35	Tulia	112 41	Salt Lake City	77 37	Colonial Heights
95 32	Tyler	113 42	Snowille	77 37	Courtland
_	Uvalde		St. George	80 38	
104 31	Valentine	111 38		78 38	
105 31	Van Horn	110 40		77 39	
102 35	Vega		Wendover	79 37	
99 34	Vernon	114 42	Yost	76 38	
97 29	Victoria	10/2		78 38	
97 32	Weco	VERMONT		78 37	
97 32	Waxahachi e		Alburg	77 39	
	Weatherford	73 44		78 37	,
	Wellington		Sennington	78 38	
	Wichita Falls		Brattleboro	80 37	The state of the s
	Winnsboro		Burlington	77 37	
	Woodville		Herduick	77 37	
99 27	Zapata		Island Pond	77 38	
			Middlebury	411.774	Front Royal
			Morrisville	81 37	
		72 45	Newport	83 37	Gate City

84 37	Gibson Mill	78 38	Stanardsville	122 46	North Bonneville
79 37	Glenwood	79 38	Staunton	123 48	Oak Harbor
76 37	Gloucester Point	77 39	Sterling Park	123 47	Olympia
78 38	Goochland	80 37	Stuart	120 48	Omak
76 37	Hampton	77 37	Suffolk	119 49	Oroville
79 38	Harrisonburg	77 38	Tappahannock	119 47	Othello
76 38	Heathsville	79 37	Timberlake	119 46	Pasco
81 37	Hillsville	78 38	Tuckahoe	118 46	Pomeroy
77 37	Hopewell	82 37	Vansant	123 48	Port Townsend
81 37	Independence	78 37	Victoria	117 47	Pullman
78 38	Jefferson	76 37	Virginia Beach	119 49	Republic
77 37	Jericho	80 38	Warm Springs	122 48	Seattle
78 37	Keysville	78 39	Warrenton	117 48	Spokane
76 38	Kilmarnock	77 38	Warsaw	118 47	Starbuck
77 38	King George	78 39	Washington	122 47	Tacoma
78 37	Laurenceville	77 37	Waverly	120 46	Toppenish
82 37	Lebanon	79 38	Waynesboro	123 46	Vancouver
79 38	Lexington	77 38	West Point	118 46	Walla Walla
78 38	Louisa	77 37	Williamsburg	120 47	Wenatchee
79 38	Lovingston	78 39	Winchester	121 47	Yakima
78 39	l,uray	79 37	Wolf Trap		
79 37	Lynchburg	79 39	Woodstock	WEST VI	RGINIA
78 38	Madison	81 37	Wytheville	51 38	Beckley
79 37	Madison Heights			81 39	Belmont
77 39	Manassas Park	WASHING	TON	81 37	Bluefield
82 37	Marion	123 47	Ajate	79 39	Brandywine
80 37	Martinsville	123 49	Anacortes	80 39	Buckhannon
76 37	Mathews	122 49	Bellingham	78 39	Charles Town
78 37	Mc Kenny	123 48	Bremerton	82 38	Cherleston
77 38	Hechanicsville	122 46	Cares	81 41	Chester
81 37	Nerrows	123 46	Cathlamet	80 39	Clarksburg
77 38	New Kent	123 47	Centrelie	81 38	Clay
80 38	Newcastle	118 47	Cheney	81 38	Cowen
76 37	Newport News	117 46	Clerkston	81 39	Elizabeth
76 37	Norfolk	118 49	Colville	80 39	Elkins
83 37	Norton	120 49	Conconully	80 39	Feirmont
76 38	Onencock	121 49	Corkindale	81 38	Fayetteville
78 38	Orange .	119 48	Coulee Dam	81 40	Follansbee
77 37	Petersburg	118 48	Davenport	81 39	
76 37	7 Poquoson	120 47	Eest Wenatchee	81 39	Glenville
76 37	7 Portsmouth	121 47	Ellensburg	80 39	
81 37	7 Puleski	122 48	Everett	81 39	Grantsville
77 39	Quantico Stetion	124 48	Forks	82 38	
81 3	7 Radford	123 49	Friday Herbor	81 39	Herrisville
77 3	8 Richmond	121 46	Goldendale	78 40	ACCULATION AND AND ADDRESS OF THE PARTY OF T
80 3	7 Roanoke	124 47	Hoqui am	81 38	Hinton
80 3	7 Rocky Hount	117 49	lone	82 38	Huntington
80 3	7 Salem	119 46	Kennewick	82 38	Hurricane
78 3	8 Scottsville	125 48	La Push	83 38	Kenova
77 3	8 Shacklefords	121 48	Leavenworth	79 39	Keyser
77 3	7 Smithfield	124 46	Long Beach	80 39	
79 3	7 South Boston	123 46	Longview	82 38	Logan
78 3	7 South Hill	118 48	Medical Leke	82 38	Medison
78 3	8 Spotsylvanie	119 47	Hoses Leke	80 38	Merlinton

78 39	Martinsburg
79 39	Moorefield
80 40	Morgantown
81 40	Moundsville
81 38	Mullens
81 40	New Martinsville
78 39	Oakland
81 40	Paden City
82 39	Parkersburg
80 39	Parsons
79 39	Petersburg
80 39	Philippi
82 39	Point Pleasant
82 39	Ravenswood
81 38	Richwood
79 39	Romney
81 39	Spencer
80 37	Waiteville
82 37	Welch
81 39	West Union
80 39	Weston
81 40	Wheeling
80 38	White Sulphur Springs
79 40	Wiley Ford
82 38	Williamson
LI SCONS	n n

WISCONSIN

87 45 Algoma 92 45 Amery 89 45 Antigo 88 44 Appleton 92 44 Arcadia 91 47 Ashland 88 46 Aurora 90 43 Baraboo 89 43 Beaver Dam 89 42 Bergen 89 44 Berlin 91 44 Black River falls 90 47 Cedar 91 45 Chippewa falls 89 46 Crandon 90 43 Darlington 90 43 Dodgeville 92 45 Durend 89 46 Eagle River 91 45 Eau Claire 88 44 Fond du Lac 90 44 Friendship 88 42 Genoa City

93 46 Grantsburg 88 45 Green Bay 91 46 Nayward 93 45 Hudson

90 44 Wisconsin Rapids

109 42 Rock Springs

107 41 Seratoge

107 45 Sheridan

108 44 Thermopolis

104 42 Torrington

105 42 Wheatland

108 44 Worland

105 44 Upton

APPENDIX B

Illuminance

The light of the Sun, Moon and night sky which reaches the surface of the Earth is modified by the atmosphere, which refracts, absorbs, polarizes and scatters the radiation passing through it in rather complex ways. For practical work it is often impossible to obtain measurements of atmospheric parameters that would be required to support a detailed and precise calculation of illuminance. Consequently, some general approximations must be made.

For the direct rays of the Sun or Moon, it is necessary to specify the location of each body relative to the point on the Earth in question. The mathematical methods adopted for the computer programs, tables and diagrams to provide altitude and azimuth are explained in textbooks on spherical astronomy (1,2) and are not reproduced here. Some additional considerations in the formulation, needed to compute illuminance, are discussed below.

The model for illuminance calculation recognizes three contributions at ground level: the direct rays of the Sun and Moon, indirect or skylight and the light of the night sky background. With the angular distance from the horizon of the Sun or Moon known, the effect of the atmosphere was modelled using the computed altitude as independent variable. For the direct rays of the Sun or Moon, the illuminance is that at the top of the atmosphere, reduced by the scattering and absorption of the mass of air along the light path to the surface. To approximate the atmosphere, we have adopted a spherical, homogeneous (or constant density) model; and for the air mass, the values determined by Bemporad (3) were fit. The formulation thus reduces to a simple differential equation, the solution of which introduces a parameter specifying the extinction of light per unit of air mass. To estimate the extinction coefficient, the data provided by Jones and Condit (4) as a result of their exhaustive study were used. The resulting expression for the direct rays is then a simple exponential formula, factored by the sine of the altitude to provide the horizontal component of illuminance by direct radiation.

For the light of the sky with direct rays excluded, the second contribution to total illuminance, a purely empirical representation was built up from the tables for indirect light provided by Jones and Condit. The tables give values for altitude ranging from the zenith to three degrees above the horizon.

Altitudes of the Sun closer to the horizon are of special importance in many applications, however. In order to model the situation near rising, setting and twilight, the formulas were extended to fit data collected and reduced by Brown (5), which provide light levels for solar altitude ranging from +90 deg. to -90

deg. The data published by Brown are of a different character than those of Jones and Condit. The separate contributions to illuminance by direct and scattered light are not distinguished. However, the data represent a more complete range of solar altitude, collected over a vast geographic area, and the final values are based on smoothing of an impressive number of measurements. The basic curve constructed by Brown is still relied upon for assessments of natural lighting and has appeared intact or enhanced in numerous studies and handbooks. But the original report by Brown is no longer readily accessible and his instrumental and reduction procedures are not well known. A digression in order to quote all relevant parts of his original report appears to be justified:

"Derivation of Basic Curve and Table. More than 12,000 measurements were made by the author in the Arctic, Antarctic, and the temperate and torrid zones of both hemispheres between January 1943 and May 1947. Photoelectric illuminometers manufactured by the General Electric Company were used for the measurement of light levels above one foot candle. Lower levels were measured by means of a Luckiesh-Taylor Brightness Meter and a calibrated test plate. The illuminometers were calibrated by the U.S. Bureau of Standards before and after the measurements were made. The brightness photometers were calibrated by the Nela Park Laboratory of the General Electric Company.

"The original data were plotted at large scale and a smooth curve was drawn. This basic curve was found to be in good agreement with fractional curves published in the scientific literature by Jones and Condit and others.

"The first plate (unnumbered) is the basic curve which gives the illumination as a function of solar altitude. The second plate (also unnumbered) is a table of illumination values corresponding to each degree of altitude of the sun from -90 to -21 degrees and from 65 to 90 degrees. Illumination values are given for each tenth of degree of solar altitude from -20 to 64 degrees. In most cases, the figures given are representative of the precision indicated; however, in the lowest levels of illumination, below 5 X 10 (when the sun is 19.5 degrees or more below the horizon), three significant figures are not justified by the data. Likewise, above 1000-foot candles (9.9 degrees solar altitude and above) the value of illumination is considered significant to no more than three figures although four are occasionally given in the table. Actually, the values given in the table were taken from a minute reading of the basic curve, greatly enlarged in scale, and present a truer picture of the curve than could be made by straight interpolation of the table had only two or three figures been given."

In regard to departures from a clear sky, Brown first notes that his basic graph refers to an average, not exceptionally, clear sky:

"Clear vs. Cloudy Conditions. The charts and tables contained herein, refer to light conditions during average clear days, clear days being defined as less than seven tenths overcast and with the sun's rays unobstructed to the locality in question.

When the sun is obstructed by thin clouds, the values given should be divided by two. For average cloud conditions obstructing the sun's rays, the values given for clear days should be divided by three. Occasionally, for dark stratus clouds preceding a heavy thunder storm, the values given should be divided by ten. However, this is not common."

The formula finally adopted in the present work represents the data of the two cited works for altitudes of the Sun from the zenith to that of nautical twilight. The third component of illuminance, which can vary unpredictably, has been represented by a constant, additive term equal to .0005 lux.

Thus far, what has been described applies to sunlight and the night sky. The same applies to illuminance by the Moon, with additional considerations. In addition to atmospheric attenuation of light, the Moon's illuminance depends upon its phase and its distance from the point on the Earth's surface being considered. For the phase function, the approximation derived by Lumme and Bowell (6) was adopted, using representative values of the multiple scattering factor and zero phase magnitude published by Lumme and Irvine (7) for the visible part of the spectrum. To account for the eccentricity of the lunar orbit and a topocentric (rather than geocentric) reference point, the ratio of mean to true distances was formulated and introduced as a factor of the Moon's illuminance. This is one exception to ordinary calculations of the Moon's position in which only the direction (altitude and azimuth) is of interest.

Another exception to the straightforward calculation for either the Sun or Moon should be noted. The usual situation in navigation, astronomy and other disciplines is one in which an observed altitude of the celestial body must be corrected for refraction in order to obtain a strictly geometric altitude. The calculation of air mass, needed for determination of extinction, requires apparent altitude; that is, the altitude affected by refraction. Theories and tables for refraction give corrections for the usual case: the reduction from observed to geometric altitude. Formulas derived by Bennett (8) are succinct and particularly attractive for such purposes. It was found that by changing one constant in Bennett's first approximate formula, his equation G, the same expression produced the amount of refraction to be added to the geometric altitude in order to obtain the apparent altitude required for the computation of air mass. The modified formula was coded into the computer routines of this work.

It is important to note a few of the limitations of the computer programs which have not been explicitly stated. Of the many factors which influence the real illuminance, it was not possible to include the effect of height above sea level, the moisture or dust content of air, the albedo of the ground itself, or the non-uniform distribution of illuminance from the sky (which may be important near times of sunrise or sunset). Also, isothermal and polytropic models of the atmosphere would be more realistic than the one adopted. That the criteria for factoring illuminance to accommodate cloud cover is questionable is acknowleged. However, the main purpose of the work is to provide manageable tools for ordinary

purposes and means. To include many of the refinements would be to expand the computer programs and to make their use both complicated and dependent on direct measurements of the atmosphere. In regard to the factors for clouds, it was thought best to maintain the criteria stated by Brown, since it does not seem possible to retrieve his original raw data and notes. But the factors are entered into the computer routines directly, so that it is entirely possible for a user to compare measured values of illuminance with computed, and to devise and apply a set of factors more suited to particular circumstances, without making any program changes.

With shortcomings noted, it is worthwhile to repeat a point that has been stated throughout: Calculated values of illuminance should be regarded with caution.

References

- 1. Woolard, Edgar W. and Clemence, Gerald M., Spherical Astronomy, New York, Academic Press, 1966.
- 2. Green, Robin M., Spherical Astronomy. Cambridge, Cambridge University Press, 1985.
- 3. Schoenburg, E., Handbuch der Astrophysik, vol. 2, Berlin, Julius Springer, 1929.
- Jones, Loyd A. and Condit, H. R., Jour. Opt. Soc. Amer., vol. 38, No. 2, Feb. 1948.
- Brown, (CDR) Dayton R. E., Natural Illumination Charts. Bur. of Ships,
 U. S. Navy, Report No. 374-1, Sept. 1952.
- 6. Lumme, Kari and Bowell, Edward, Astron. Jour., vol. 86, No. 11, Nov. 1981.
- 7. Lumme, Kari and Irvine, William M., Astron. Jour., vol. 87, No. 7, July 1982.
- 8. Bennett, G. G., Jour. Inst. Navigation (UK), vol. 35, No. 2, May 1982.